



C
CHACON

SYSTEMIC
granular
INSECTICIDE



for
house
plants

APHID
WHITE FL
THRIP
SCALE
SPIDER MITE
LEAFHOPPER

ACTIVE INGREDIENT
O,O Diethyl S [2 (ethylthio)ethyl] phosphorodithioate..... 1%
INERT INGREDIENTS: 99%
100%

EPA Reg No 5719-79

EPA Est No 5719-CA-1

KEEP OUT OF REACH OF CHILDREN


WARNING

See Side Panel for Statements of Practical
Treatment and Precautionary Statements.

NET WEIGHT 1 1/4 LBS.

(0.567 Kg.)

BEST DOCUMENT AVAILABLE



5712-7.1

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Poisoning may occur as result of exposure. May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear clean heavy natural rubber gloves and freshly laundered protective clothing when handling. Do not contaminate food or feed. Wash thoroughly after handling and before eating and smoking. Use only with adequate ventilation. Remove contaminated clothing and wash before reuse. Food utensils such as a teaspoon or measuring cup should not be used for food purposes after use with insecticides. Keep children and pets off treated areas until product is washed into the soil and the treated areas have completely dried.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED, Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN, Wash skin immediately with soap and water. Get medical attention. **IF EYES** are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED, Remove to fresh air. **IF NOT BREATHING,** give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: This product contains an acetyl cholinesterase inhibitor.

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2 PAM is also antidotal and may be administered in conjunction with atropine. Compound's inhibits acetyl cholinesterase resulting in stimulation of the central nervous system. The parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema the patient should be placed on an oxygen tent and treated symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to water and fish. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Do not apply where runoff is likely to occur. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read directions carefully. Use only in accordance with label warnings and directions.

KILL INSECTS ARE KILLED Chacon Systemic Insecticide Granules enters a plant through its roots (systemic action) and is then moved to all parts of the plant through natural growth and sap flow. Working from inside of the plant, it kills sucking insects that feed on the plant.

RECOMMENDED APPLICATIONS

POTTED PLANTS: Apply two rounded tablespoons per 6-inch pot. Mix thoroughly in top soil and drench with water.

FOR FLOWERS: Agave, Aster, Camellia, Chrysanthemum, Delphinium, Petunia and other flowers.

FOR CONTROL: Aphids (plant lice), Lace bug, Leafhopper, Spider mite, Thrips, Whiteflies.

AMOUNT TO USE, GROWING PLANTS: For Individual Plants: Apply two rounded tablespoons around base of plant, work into soil and water thoroughly. For Flowers in a Row: Apply two rounded tablespoons per foot of row in a narrow band near the base of plants. Work into top soil and water thoroughly. Repeat application at 4 to 6 week intervals if insects reappear.

FOR SHRUBS: Azalea, Birch, Camellia, Forsythia, Magnolia, Nandina, Pine, Rhododendron, Rose, Tree and other shrubs.

FOR CONTROL: Aphids (plant lice), Birch leaf miner, Camellia scale, Holly leaf miner, Lace bug, Leafhopper, Thrips, Whiteflies, Spider mite, Tree scale, Thrips, Whiteflies.

AMOUNT TO USE: Apply 4 to 8 rounded tablespoons per foot of shrub height. Use the lower rate for shrubs up to 3 feet, and the higher rate for shrubs from 3 to 6 ft. in height. Distribute the required amount evenly from the base of shrub to the top edge on all sides of the shrub. Work into the top 1 to 2 inches of soil and water thoroughly. Repeat application at 4 to 6 week intervals if required.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Do not contaminate water, food or feed by storage. Keep out of reach of children.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of paper and discard in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions.

NOTE: This package is sold by weight when packed but due to granular nature the material is inclined to settle.

CHACON CHEMICAL CORPORATION
2600 Yates Avenue, City of Commerce, ca 90040
A GardenAmerica Company