

CHACON

PATIO & HOME mist INSECT CONTROL

CONTROLS
ANTS — SILVERFISH — SPIDERS
FLEAS — FLIES — MOSQUITOES
COCKROACHES — CRICKETS

ACTIVE INGREDIENTS:	
Pyrethrin	0.1%
Piperonyl Butoxide, Technical	1.0%
Petroleum Distillate	0.4%
INERT INGREDIENTS:	
	98.5%
Total	100.0%

*Equivalent to 0.8% (D-phenothrin) (6-propylpiperonyl) ether and 0.2% related compounds.

EPA Reg. No. 5719-84

EPA Est. 5719-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statement

NET CONTENTS
16 FL. OZ. (1 Pint)

PATIO & HOME MIST INSECT CONTROL PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Remove pets, birds and cover fish aquaria before spraying. Apply this product only as directed on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Storage: Store in a cool, dry place.

Disposal: Do not reuse empty container. Wrap container and place in trash collection.

INDOOR APPLICATIONS

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Vacate treated areas and ventilate before reoccupying.

SURFACE SPRAYING: To control ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS, CLOVER MITES, CHEESE MITES, GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, MEAL WORMS, GRAIN MITES, and CADELLES: Use a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used spray floors and other surfaces applying at a rate of 1 pint to 85 sq. ft. of surface.

To control CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings and floors. Repeat treatment as needed.

To control FLEAS and BROWN DOG TICKS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, windows and door frames, and localized areas of floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended such as Chacon Flea and Tick Powder. Repeat treatment as needed.

To control Blood sucking lice on dogs and cats, apply to the infested areas of the animal as a light mist sufficient to wet the surface of the hair. Use a stiff brush to get the spray to the base of the hair if necessary. Apply at the rate of not more than 1 ounce per animal. Repeat every 2 to 3 weeks if required.

To control CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply a fine mist. For rapid control of FLIES, FRUIT FLIES, GNATS, MOSQUITOES, SKIPPER FLIES, WASPS, HORNETS, ARGENTINIAN GRASSHOPPER MOTHS: Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat vegetation where mosquitoes may rest around low marshy places, stagnant pools, ponds and other areas. Apply at a rate of 1 1/2 gallons per acre. (4 1/2 ounces per 1000 sq. ft.)

ON ANIMALS: To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of 2 ounces per adult cow or horse, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary for continued protection.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CHACON CHEMICAL CORPORATION
2600 Yates Avenue, City of Commerce, California 90040
A Subsidiary of Lohmeyer Enterprises, Inc.

ACCEPTED

MAR 12 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5719-84

5719-84 21