

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-757)
WASHINGTON, DC 20480

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

EPA REGISTRATION NO.

5719-108

DATE OF ISSUANCE

August 17, 1987

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Termite & Soil Insect Killer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chacon Chemical Corporation
2600 Yates Avenue
Commerce, CA 90040

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 5719-108."
- b. Add the following statements to the Statement of Practical Treatment:

If Inhaled - Remove victim to fresh air.
Apply respiration if indicated.

If On Skin - Remove contaminated clothing
and wash affected areas with
soap and water.

If In Eyes - Flush eyes with plenty of
water. Call a physician
immediately.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

8/17/87

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

88004:I:Edwards:184808:E-4:KEMCO:6/3/87:6/11/87:NeeCee:SJH:VO:NeeCee

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(d). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (28-767C)

Enclosures

TERMI - CHLOR TM

TERMITE & SOIL INSECT CONTROL

REGISTERED with COMMENTS in EPA Letter Dated

AUG 17 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5719-108

CONTROLS: Termites, Powder Post Beetles, Furniture Beetles, Deathwatch Beetles, Round-Headed House Borers, Carpenter Ants, Carpenter Bees, Ants, Imported Fire Ants, Fleas, Ticks, Earwigs, Crickets, Sowbugs (Pillbugs), Millipedes, Armyworms, Lawn Moth Larvae (Sod Webworms), Dichondra Flea Beetles, Chinch Bugs, Cutworms, European Crane Fly (larvae), Fiery Skipper Larvae (California and Hawaii only), Tropical Grass Webworms (Hawaii only), Grasshoppers, Crickets, Chiggers, Clover Mites, Earwigs, Larvae of European Chafer and Japanese Beetle, and Mosquitos.

ACTIVE INGREDIENT:

Chlorpyrifos *(0,0-diethyl 0-(3,5,6-Trichloro-2-pyridyl) phosphorothioate).....	12.6%
Xylene Range Aromatic Solvents	24.5%
INERT INGREDIENTS:	62.9%

This product contains aromatic petroleum solvent.

EPA Reg. No. 5719-

EPA Est. No. 5719-CA-1

KEEP OUT OF REACH OF CHILDREN
WARNING

See back panel for additional precautionary statements.

NET 1/2 Gal.

FOR CONTROL OF TERMITES, THIS PRODUCT SIZE WILL TREAT 30 LINEAR FEET.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

WARNING: Harmful if swallowed. Causes eye irritation. Do not take internally. Do not get in eyes, on skin or on clothing. Avoid breathing vapors of spray mist. Use in ventilated areas. Wash contaminated clothing before reuse. Do not eat or smoke after handling until washed thoroughly. Keep insecticide away from food, feedstuffs and water supplies. Keep children and pets away from treated area until completely dry.

STATEMENT OF PRACTICAL TREATMENT

DO NOT induce vomiting if swallowed. Call a physician or Poison Control Center immediately. If on skin, remove clothing and immediately wash affected area with soap and water. If in eyes, flush with plenty of water for at least 15 minutes. Seek medical attention.

Note to Physicians: This product contains Chlorpyrifos, which is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition develop, atropine, by injection only, is antidotal. This product also contains an aromatic petroleum solvent which may cause an aspiration problem.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before use, and use in strict accordance with directions and precautions.

SHAKE WELL BEFORE USING.

Make a new dilution for each use.

NOTE: 2 Tbsp. equals 1 fl. oz.

Chacon Termite Killer is a preventative measure to control termites, ants, and certain other wood-destroying insects. It is also useful in treating wooden structures, firewood piles and stored lumber to control infestation of Carpenter Ants, Carpenter bees, and these other insects. This product also aids in the control of other common insects found in lawns and outdoor areas surrounding the home.

FOR TERMITES (Outdoors): After removing all wood debris and forms, determine the extent of the damage. The solution should be spread throughout the soil to form a barrier between the termite colonies and the wood structure. For prevention of high infestation, treat soil on both sides of infested foundations of pines piers or poured concrete by digging a trench 6 inches wide by 4 inches deep (or, down to the top of the footing, whichever is more shallow). Dig the trench about 12 inches deep for brick or block foundations. If footing is deeper than 12 inches, with a pipe or crowbar make holes that extend from the bottom of the trench to the top of the footing, and are one foot apart. The holes should be made closer in hard-packed clay soil. **NEVER DIG BELOW THE TOP OF THE FOOTING.** Use the following precautions to keep from contaminating water supplies: When filling or mixing this product with water, do not allow the hose or faucet to be immersed in the solution; all filling equipment should be used in conjunction with antibackflow or anti-siphonage equipment. These may be purchased from hardware or plumbing stores.

Use of this equipment insures that water supplies will not be contaminated by this product. For information regarding safe distances of treated areas from wells, contact the Federal Housing Administration or refer to State and Local specifications. Do not treat soil near wells, cisterns or ponds, or structures that contain bodies of water. Note: When conditions prevent trenching, a surface application may be made next to the inside foundation walls in a strip no wider than 18". Apply with a sprinkling can. For each gallon of water mix 5 1/3 fl. oz. of insecticide to treat 2 1/2" linear feet. As soil is replaced into the trench, mix in solution to cover evenly and thoroughly. Cover treated soil with a layer of untreated soil. The inside of accessible, hollow, block foundations should be treated at the same rate as above. When treating areas underneath structures, allow for proper ventilation. For severe infestation, or treatment in areas with insufficient crawl space, contact a licensed pest or termite control service. After the initial treatment, subsequent treatments should only be made if there is evidence of reinfestation or the chemical barrier in the soil has been damaged due to construction, landscaping or other disruption. Reapply as a spot treatment to those areas. Annual retreatment of the entire premises must be avoided.

TERMITE PREVENTION OF FENCE POSTS - Apply one gallon of diluted insecticide to each post hole. Use half of the solution to pour into the hole, and add the remaining half to the soil when filling the hole to form a protective barrier.

NOTE: Do not treat structures that contain bodies of water. Do not treat soil that is saturated with water or frozen. For recommended distances of treatment from water consult state and local regulations.

WOOD DESTROYING PESTS (Outdoors) including Powder Post Beetles, Furniture Beetles, Deathwatch Beetles, Round-Headed House Borers, Carpenter Ants and Carpenter Bees: Treat localized areas of infested wood. Apply evenly with a paint brush at a rate of 2 1/2 tbsp. per quart of water. Allow to dry, repeat to insure penetration. For wood piles, apply at a rate of 5 1/3 fl. oz. per gallon of water. Use a sprinkling can and apply as a coarse spray to drench the wood. Do not spray structures that occupy animals or are used for food purposes or to produce products for human consumption.

Ants, Fleas, Ticks, Earwigs, Crickets, Sowbugs (Pillbugs), Millipedes and other insects that invade the home. - Use outdoors only. Apply with a lawn sprayer at a rate of 1-3/4 fl. oz. per 15 gallons to treat 500 sq. ft. **NOTE:** 1/2 Tbsp. in 2 gallons of water covers 66 sq. ft. For prevention of infestations of buildings, treat soil in a band 6 to 10 feet wide around and next to the building. Also treat the foundation up to 2 - 3 feet high when insects are active and may enter. Not for use on animals.

IMPORTED FIRE ANT MOUNDS: Apply with a sprinkler can at a rate of 2 Tbsp. per gallon of water. Treat the area in a 4 foot diameter circle around the mound and wet thoroughly. Apply in cool weather or in early morning or late afternoon for best results. Treat new mounds as they appear.

LAWN PESTS including Armyworm, Lawn Moth Larvae (Sod Webworms), Dichondra Flea Beetles, Chinch Bugs, Cutworms, European Crane Fly (Larvae), Fiery Skipper Larvae (California and Hawaii only), Tropical Grass Webworms (Hawaii only), Grasshoppers, Crickets, Chiggers, Clover Mites, Earwigs, Fleas - Apply with a lawn sprayer at a rate of 1-3/4 fl. oz. insecticide per 15 gallons of water to treat 500 sq. ft. of lawn. Mow and water lawn well 1-2 days before treating. Avoid heavy watering for 2-3 days after treatment. Spray when insects are first noticed. Do not attempt to control pests by spot treatments; the entire lawn must be treated. Retreatment may be necessary each 4-6 weeks. Treatment is most effective when applied during the last two hours of daylight when insects are active. Consult your local Agricultural Extension Service for proper timing to control the European Crane Fly in your area.

WHITE GRUBS IN LAWNS (European Chafer and Japanese Beetle Larvae) - Apply with a lawn sprayer at a rate of 6 1/2 fl. oz. per 15 gallons of water to treat 500 sq. ft. Do not attempt to control pests by spot treatment; the entire lawn must be treated. After application, water lawn thoroughly to wash the treatment into the soil. Treat lawn during late July and August when grubs are young and actively feeding near the surface of the soil.

NOTE: Mosquitos resting on treated areas will be killed for varying periods of time after treatment, depending on weathering conditions. Do not use on vegetable or food crops. Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy due to possible injury.

P. 910

STORAGE AND DISPOSAL

STORAGE: Keep this product in its original container. Do not pour into food or drink containers. Use caution to prevent contaminating feed, foodstuffs, and water supplies. Store in a cool, dry place. A locked storage area may be preferable. Do not store diluted solution. Store above 32° F. Handle concentrate in a well-ventilated area. Keep container closed.

DISPOSAL: Partially filled bottle may be disposed of by securely closing and wrapping container in several layers of newspaper and discarding in trash. Do not reuse empty bottle. Rinse it out thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions given herewith.

/

Manufactured for
CHACON CHEMICAL CORPORATION
2600 Yates Avenue, City of Commerce, California 90040