655 154600 17 1

JUL 25 1985

Chacon Chemical Corporation 2600 Yates Ave. City of Commerce, CA 90040



Attention: Reynaldo Sanabrais

Gentlemen:

Subject: Chacon Lawn and Garden Fungicide EPA Registration No. 5719-4903 Application Submission Dated April 11, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted at the next printing.

- 1. Change "Caution" to "Danger."
- Complete the pesticide disposal statement specified in the Agency's letter dated February 1, 1985, under the Storage and Disposal section for end-use products.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry K. Jacoby Product Manager (21) Fungicid -Herbicide Branch Registration Division (TS-767)

Enclosure

RD/FHB: JOB: 88667: Noles: RD-39: Kendrick: 898-1270: 7/11/85: Del: 7/23/85: Kim

CONCURRENCES								
SYMBOL >								
\$URNAME ▶		!						
DATE								
EPA Form 1320-1 (4-81) OFFICIAL							CIAL FILE COPY	

CHACON

FOR: GRASS, DICHONDRA, ORNAMENTALS



TOADSTOOLS BROWN PATCH MILDEW & RUST

ACTIVE INGREDIENTS:

*Tetrachioroscophitatoritine
**Copper Oxychloride Sulfate
INGREDIENT

*U.S. Patent No. 3 290 353 and No. 3 331 735 Diamond Shamrock Chemical Company

1.2% (Cu)

STATE REG. NO. 5719-50020 AA

KEEP OUT OF REACH OF CHILDREN

TION - See back panel for additional precautionary statements

90% 20% 890%

Total 100 0%

EPA EST NO 5719 CA 1

NET 1 QUART (0.946 I.)

ACCEPTED with COMMENTS to EPA Letter Duted:

JUL 2 5 1985

Under the

'Insecticide'

Fungice i as amer

reide Act pesticida

registered when an'A Reg. No.

REST AVAILABLE GOPY

-:*

Skin Sesitizer. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Avoid contamination of food or feed.

Note to User: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having an allergic reaction should contact a physician.

Wear long sleeve shirt, long pants and gloves while mixing, loading or applying this product.

Statement of Practical Treatment: If swallowed, do not induce veniting. Get medical attention immediately. If in eyes, flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists. If on skin, wash with plenty of scap and water and remove contaminated clothing. If inhaled, remove affected person to an area of fresh air.

Note to Physician: Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas.



2600 Yates Avenue • City of Commerce, CA 90040

A CARIENAMERICA COMPANY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label carefully before using. SHAKE WELL BEFORE USING KEEP AGITATING TANK OR HOSE-END SPRAYER WHILE SPRAYING TO PREVENT SETTLING.

GRASS LAWNS — For the control of Helminthosporium leaf spot and Melting out, Curvularia leaf spot, Dollar spot, Brown patch, Gray leaf spot, Stem rust of bluegrass, Copper spot and Pink snow mold. Also for Alternaria leaf spot in Dichondra lawns. For best results water the day before treatment, then withhold water for 24 hours. Apply as a thorough spray at the rate of 4 fl. oz (8tbs.) in 4 gallons of water per 125 sq. ft. (1 Pint in 15 gallons of water per 500 sq. ft.). Repeat application in two weeks. For newly planted lawns to prevent "damping-off" make application about one week after seed starts germinating For toadstools apply at the rate of 8 fl. oz. in 5 gallons of water per 125 sq. ft.

ORNAMENTALS — Apply as a thorough cover spray. Use at the rate of 2 fl. oz. per gallon of water. Use to control Rust and Powdery mildew on Roses, Chrysanthemums, Zinnias, Damping off, and Blossom blight.

Note Do not use on any species of fem-

STORAGE AND DISPOSAL

Posticide wastes are toxic. Improper disposal of excess posticide, posticide pray or rimente is a violation of Federal Law.

Storage Store in original container in a cool place. Do not store near or contaminate food or feed. Keep out of reach of children Disposal. Securely wrap original container in several layers of paper and discard in trash. Do not reuse container.

Notice: Buyer assumes all risk of use, storage and handling of this material not in strict accordance with directions given herewith

