USE DIRECTIONS

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use **bio-trol D** with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons).

NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard.

bio-trol D

CLEANER DEODORIZER DISINFECTANT FUNGICIDE

Designed for Hospitals and Institutional Use.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)
dimethyl benzyl ammonium chlorides .2.25%
n-Alkyl 68% C ₁₂ , 32% C ₁₄) dimethyl
ethylbenzyl ammonium chlorides2.25%
Sodium Carbonate3.00%
INERT INGREDIENTS:
100.00%

CONTENTS: One U.S. Gallon EPA Reg. No. 5734-6

WARNING

Keep Out of Reach of Children. See right side panel for additional precautionary statements.



bio-trol D is a cleaner, disinfectant, and sanitizer designed for Institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. bio-trol D can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella Choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.