

D-TROL

disinfectant, sanitizer and algicide

ACTIVE INGREDIENTS: 10%

N-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) Dimethyl Benzyl Ammonium Chlorides (5%),
N-Alkyl (50% C12, 30% C14, 17% C16, 3% C18) Dimethyl Ethylbenzyl Ammonium
Chlorides (5%).

INERT INGREDIENTS: 90%

Water, sodium tripolyphosphate, nonyl phenol ethylene oxide condensate.

PHENOL COEFFICIENTS: S. Typhosa 5.0, M. Pyogenes var. aureus 70.

18 pt Type → CAUTION: KEEP OUT OF REACH OF CHILDREN 12 pt Type

Harmful if swallowed. Avoid contact with skin or eyes. In case of contact flush immediately with cool water. If irritation persists get medical attention. Avoid contact with food. Do not mix with soap or amonic detergents. Rinse empty container thoroughly with water and destroy or send to barrel conditioner.

ACCEPTED

APR 13 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTE-
RED UNDER NO. 5736-5 SUBJECT
TO ATTACHED COMMENTS.

KEEP FROM FREEZING

USDA REGISTRATION NUMBER 5736-5

DIRECTIONS:

For sanitizing food processing equipment and hard surfaces, clean with suitable detergent and rinse. Sanitize with a solution of $1\frac{1}{4}$ ounces of D-TROL to 4 gallons of water. Avoid contact with food and rinse with sanitary water after sanitizing. D-TROL fulfills criteria of appendix F as revised 2/12/56 of Milk Ordinance Code, 1953 Recommendations of the U.S. Public Health Service in waters up to 750 ppm hardness as CaCO_3 when tested by Chambers Method.

For disinfecting & deodorizing hard-non food contact surfaces, after cleaning & rinsing, use 2 ounces of D-TROL in 4 gallons of water. No rinse required.

For control of slime and algae in water cooling towers add $1\frac{3}{4}$ pints of D-TROL per 1000 gallons of water each week after blowdown.

For control of slime in brewery pasteurizers add 1 gallon of D-TROL per 50,000 gallons of water at the end of each day.

For use as algicide in swimming pool

Initial Dose: 1 gallon of D-TROL to 50,000 gallons of water.

Maintenance Dose: 1 quart of D-TROL to 50,000 gallons of water.

Use Initial Dose when filling with fresh water. If pool has visible algae, the Initial Dose should be repeated within 48 hours after killed algae are removed from pool.

Maintenance Dose added every 5 to 7 days. Add 1 quart of D-TROL for each 10,000 gallons of fresh make up water per week, continue to maintain ppm of chlorine and pH of pool water specified by public health authorities.

For Winter Maintenance add 1 gallon of D-TROL to 50,000 gallons of water held in pool. Repeat if algae show growth.

DuBOIS CHEMICALS GENERAL OFFICES: CINCINNATI, OHIO • U.S.A.



DIVISION OF W. R. GRACE & CO.

—SOLELY FOR INDUSTRIAL USE—