

# D-TROL

## DISINFECTANT, SANITIZER AND ALGICIDE

### Active Ingredients: (10.5%)

N-Alkyl (60% C <sub>12</sub> , 30% C <sub>14</sub> , 5% C <sub>16</sub> , 5% C <sub>18</sub> ) Dimethyl Benzyl Ammonium Chlorides	5.25%
N-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) Dimethyl Ethylbenzyl Ammonium Chlorides	5.25%

### Inert Ingredients: (89.5%)

Water, <del>and</del> food color <i>AND ETHYL Alcohol</i>	<u>89.50%</u>
	100.00%

### WARNING: KEEP OUT OF REACH OF CHILDREN

Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing, harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

U.S.D.A. Registration No. 5736-5

FRONT  
COR.  
CENTER  
PANEL

*Placed  
in  
box*

*Accepted label on last page*

5736-5

11/10/1971

1/3

# DIRECTIONS FOR USE

2/3

**FOR FINAL SANITIZING RINSING IN FOOD PLANTS:** Clean equipment with a suitable detergent and rinse. For final sanitizing rinsing use ¼ ounce of D-TROL (200 ppm Quat) per 1 gallon of water. D-TROL complies with Paragraph 121.2547, Sanitizing Solution, Part 121, Food Additive Law for final sanitizing rinsing of food processing equipment and on food contact surfaces in bars and restaurants. No rinse required in dairies unless specified by area health authorities. D-TROL fulfills criteria of Appendix F as revised in the Grade "A" Pasteurized Milk Ordinance and Code (1965) in water up to 750 ppm hardness when tested by Chamber Method.

**FOR SANITIZING EQUIPMENT IN MEAT AND POULTRY PLANTS:** Clean equipment with a suitable detergent and rinse. Sanitize with ¼ ounce of D-TROL in 1 gallon of water (200 ppm Quat). Rinse with potable water after sanitizing. Listed as a Code G, sanitizer and Code N, compound for treating closed systems in the "List of Chemical Compounds" authorized for use under USDA Poultry, Meat, Rabbit and Egg Product Inspection Program.

**FOR DISINFECTING IN HOSPITALS, AND REST HOMES:** Clean equipment with a suitable detergent and rinse. For disinfecting hard surfaces such as floors, walls, furnishings and carts use ¾ ounces of D-TROL per 1 gallon of water (600 ppm Quat).

For disinfecting porous surfaces use  
1-1/2 ounces of D-TROL per 1 gallon of water (1200 ppm Quat).

See separate D-TROL Technical Data Sheets for use of D-TROL as "Algicide in Swimming Pool and Recirculating Water Cooling Towers" and for use as "Disinfectant in Hospitals, Rest Homes and Veterinary Operations".


## APPLICATIONS

After cleaning surfaces with suitable detergent and rinsing, the sanitizing solution of D-TROL may be applied by soaking, spraying with suitable spray equipment, a clean mop or clean sponge.

L-149-R2

Fig 117  
GARNER

Left Panel



DIVISION OF W. R. GRACE & CO.

ACCEPTED

NOV 10 1971

UNDER THE FIFTH  
MUNICIPAL ACT  
FOR ECONOMIC  
DEVELOPMENT  
AND UNDER NO. 5245  
SUBJECT  
TO ATTACHED COMMENTS