PROD. NO. 01265

DISINFECTANT, SANITIZER AND ALGICID

100.00%

ACTIVE INGREDIENTS:

n-alkyl (60% C14, 30% C16, 5% C12, 5% C1s) dimenthyl benzyl ammonium chlorides	5.25%
benzyl ammonium chlorides	5.25%
INERT INGREDIENTS:	10.50%
Water, Food Color and Ethyl Alcohol	89.50%

EPA Registration No. 5736-5-AA **USING DIRECTIONS:**

For Final Sanitizing Rinsing in Food Plants: Clean equipment with a suitable detergent and rinse. For final sanitizing rinsing use ¼ ounce of D-TROL (200 ppm Quat) per one gallon of water.

D-TROL complies with Paragraph 121.2547, Sanitizing Solution, Part 121, Food Additive Law for final sanitizing rinsing of food processing equipment and on food contact surfaces in bars, kitchens and restaurants. No rinse required in dairies unless specified by area health authorities. D-TROL fulfills criteria of Appendix F as revised in the Grade "A" Pasteurized Miłk Ordinance and Code (1965) in water up to 750 ppm hardness when tested by Chamber Method.

For Sanitizing Equipment in Meat and Poultry Plants: Clean equipment with a suitable detergent and rinse. Apply ¼ ounce of D-TROL in 1 gallon of water (200 ppm Quat) as a final sanitizing rinse, provided that surfaces are adequately drained before food contact. Listed as a Code G, sanitizer and Code N, compound for treating closed systems in the "List of Chemical Compounds authorized for use under USDA Poultry, Meat, Rabbit and Egg Product Inspection Program."

For Disinfecting in Hospitals and Rest Homes: Clean equipment with a

suitable detergent and rinse. For disinfecting hard surfaces such as floors, walls, furnishings and carts use ¾ ounces of D-TROL per 1 gal-Ion of water (600 ppm Quat). For disinfecting porous surfaces use 11/2 ounces of D-TROL per 1 gallon of water (1200 ppm Quat).

See separate D-TROL Technical Data Sheets for additional uses.

APPLICATIONS: After cleaning surfaces with suitable detergent and rinsing, the sanitizing solution of D-TROL may be applied by toaking, spraying with sultable spray equipment, a clean mop or clean sponge.

DANGER: CORROSIVE

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes and skin when handling.

First Aid: In case of contact flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician, Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not reuse container. Destroy when empty.

All surfactants used in this product are biodegradable.

This product does not contain prosphorus.

KEEP FROM FREEZING

NET WEIGHT SHOWN ELSEWHERE ON CONTAINER



ACCEPTED

MAR **3** 1975

UNDER THE PEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 5736-5

EPA EST. 5736-NJ-1 + DL-147 974

