

DIVISION OF CHEMED CORPORATION

DuBOIS TOWER • CINCINNATI, OHIO 45202 • U.S.A.

—SOLELY FOR INDUSTRIAL USE—

PROD. NO. 01265

D-TROL

DISINFECTANT, SANITIZER AND ALGICIDE

ACTIVE INGREDIENTS

NON-HAZARDOUS

USING DIRECTIONS:

For Final Sanitizing Rinsing in Food Plants

APPLICATIONS

DANGER!

KEEP OUT OF REACH OF CHILDREN

CORROSIVE

PRECAUTIONS

NOTE TO USER

For Sanitizing Equipment in Meat and Poultry Plants

REGISTERED TRADEMARK

KEEP FROM FREEZING
CONTENTS SHOWN ELSEWHERE ON CONTAINER

PROD. NO. 01265

D-TROL

DISINFECTANT, SANITIZER AND ALGICIDE

Ammonium chlorides	5.25%
	5.25%
	10.50%
	89.50%
	100.00%

Use: Clean equipment with a sanitizing rinsing use 1/4 ounce per gallon of water.

Use: Sanitizing Solution. Part of sanitizing of food processing areas, bars and restaurants. No health authorities. This is the Grade A Pasteurized U.S. Public Health Service method as CaCO3 when tested under Official Method.

Use: Plants: Clean equipment with 1/4 ounce of D-TROL in 1 gallon of sanitizing rinse, provided that contact. Listed as Code 1000 for use in closed systems in the use under USDA Poultry Inspection Program.

Use: Clean equipment with a sanitizing rinsing use 1/4 ounce per gallon of D-TROL per 1 gallon

of water (600 ppm Quat). For disinfecting porous surfaces use 1 1/2 ounces of D-TROL per 1 gallon of water (1200 ppm Quat).

See separate D-TROL Technical Data Sheets for additional uses.

APPLICATIONS: After cleaning surfaces with suitable detergent and rinsing, the sanitizing solution of D-TROL may be applied by soaking, spraying with suitable spray equipment, a clean mop or clean sponge.

DANGER!

KEEP OUT OF REACH OF CHILDREN

CORROSIVE: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes and skin when handling.

First Aid: In case of contact flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


Do not reuse container. Destroy when empty.

Do not contaminate water by the cleaning of equipment, or disposal of wastes.

This product does not contain phosphorus.

KEEP FROM FREEZING

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



EPA EST. 5736-OH-1 • DL-149 975