

5736-15

1-3-1975

1/3

PROD. NO. 01164

# D-SECT®

## BULK INSECT KILLER

CONCENTRATED FOR USE IN: RESTAURANTS • FOOD PLANTS • BOTTLERS  
• DAIRIES • HOSPITALS • HOTELS/MOTELS • SUPERMARKETS

ACTIVE INGREDIENTS: 100%

Petroleum Distillate, N-Octyl Bicycloheptene Dicarboximide, Technical Piperonyl Butoxide\*, Pyrethrins.

\*Consists of (Butylcarbityl) (6-Propylpiperonyl) Ether and Related Compound.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

# CAUTION: COMBUSTIBLE MIXTURE N.Y.F.D. C. OF A. NO. 3682

## USING DIRECTIONS:

**For Roaches, Silverfish** and certain other crawling insects. Use a coarse wet spray that will not float in the air. Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Contact directly as many insects as possible. Wet thoroughly around shelves, under sinks, refrigeration equipment, dishwashing machines and bottle washers. Treat all returned bottle cartons and cases. For badly infested areas, spray D-SECT daily. During the summer months, spraying twice a week is advisable.

**For Flies, Mosquitoes and Gnats.** Close room and turn off air conditioning or ventilation systems before fogging. Remove exposed food. Cover food handling equipment to prevent contamination from spray. For best results in large areas, disperse with an electric sprayer, although hand or compressed air sprayers may be used. Direct spray toward the ceiling and continue spraying until area is thoroughly fogged. Leave room closed for at least 15 minutes after spraying. Remove and destroy dead insects. Repeat D-SECT application as often as necessary.

**For Bed Bugs, Fleas and Brown Dog Ticks in buildings.** Spray lower wall portions, baseboards, bedding, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should

also be sprayed. Contact directly as many insects as possible. Repeat at least once a week or when reinfestation becomes evident.


## CAUTION:

**KEEP OUT OF REACH OF CHILDREN.** D-SECT is a combustible mixture. Do not store, pour or use near heat or open flame. Harmful if swallowed. Use the product as a space spray in food processing plants only when the plant is not in operation. All foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. When fogging indoors, all fires, flames, pilot lights and other sources of ignition must be extinguished and safely shut off. The National Board of Underwriters advises that not more than one gallon of any solvent-based formulation should be used to treat 100,000 cubic feet of space. Proportional quantities should be used to treat smaller or larger volumes. Do not breathe fog or spray. Wear suitable respirator when fogging indoors. Do not spray on animals or pets. Do not spray directly on asphalt tiles or composition floors.

EPA REGISTRATION No. 5736-15-AA

Net contents shown elsewhere on container.

EPA EST. 5736-OH-1 • DL-333 974



2/3



DIVISION OF CHEMED CORPORATION

DUBOIS TOWER • CINCINNATI, OHIO 45202 • U.S.A.

—SOLELY FOR INDUSTRIAL USE—