

PROD. NO. 01164

# D-SECT®

## BULK INSECT KILLER

FOR INDOOR USE ONLY

**CONCENTRATED FOR USE IN: RESTAURANTS • FOOD PLANTS • BOTTLERS  
• DAIRIES • HOSPITALS • HOTELS/MOTELS • SUPERMARKETS**

**ACTIVE INGREDIENTS: 100%**

Petroleum Distillate, N-Octyl Bicycloheptene Dicarboximide, Technical Piperonyl Butoxide\*, Pyrethrins.

\* Consists of (Butylcarbityl) (6-Propylpiperonyl) Ether and Related Compound.

EPA REGISTRATION NO. 5736-15-AA

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

Net contents shown elsewhere on container.

Ⓢ P

5736-15

6-22-1976

1/3

# CAUTION: COMBUSTIBLE MIXTURE N.Y.F.D. C. OF A. NO. 3682

## USING DIRECTIONS:

**For Roaches, Silverfish.** Use a coarse wet spray that will not float in the air. Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Contact directly as many insects as possible. Wet thoroughly around shelves, under sinks, refrigeration equipment, dishwashing machines and bottle washers. Treat all returned bottle cartons and cases. For badly infested areas, spray D-SECT daily. During the summer months, spraying twice a week is advisable.

**For Flies, Mosquitoes and Gnats.** Close room and turn off air conditioning or ventilation systems before fogging. Remove exposed food. Cover food handling equipment to prevent contamination from spray. For best results in large areas, disperse with an electric sprayer, although hand or compressed air sprayers may be used. Direct spray toward the ceiling and continue spraying until areas is thoroughly fogged. Leave room closed for at least 15 minutes after spraying. Do not remain in treated areas and ventilate the area after treatment is completed. Remove and destroy dead insects. Repeat D-SECT application as often as necessary.

**For Bed Bugs, Fleas, and Brown Dog Ticks in buildings.** Spray lower wall portions, baseboards, bedding, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed. Contact directly as many insects as possible. Repeat at least once a week or when reinfestation becomes evident. . . . .

Remove pets, birds, and cover fish aquariums before spraying. Do not reuse empty drum. Return to drum reconditioner or destroy

by perforating or crushing and burying in a safe place away from water from water supplies.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

## CAUTION:

### KEEP OUT OF REACH OF CHILDREN


D-SECT is a combustible mixture. Do not store, pour or use near heat or open flame. Harmful if swallowed.


In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

When fogging indoors, all fires, flames, pilot lights and other sources of ignition must be extinguished and safely shut off. The National Board of Underwriters advises that not more than one gallon of any solvent-based formulation should be used to treat 100,000 cubic feet of space. Proportional quantities should be used to treat smaller or larger volumes. Do not breathe fog or spray. Wear suitable respirator when fogging indoors.

Do not apply directly to food. Do not apply space spray while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions indicated.

EPA EST. 5736-CA-1 • DL-333 1075





DIVISION OF CHEMED CORPORATION

DuBOIS TOWER • CINCINNATI, OHIO 45202 • U.S.A.

—SOLELY FOR INDUSTRIAL USE—