

Page 4 5735-1

PT 11

181

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change In Status.

CAUTION: COMBUSTIBLE MIXTURE N.Y.F.D. C. OF A. NO. 3682

PRODUCT NO. 01164

D-SECT

BULK INSECT KILLER

FOR USE IN • RESTAURANTS
• FOOD PLANTS • BOTTLERS • DAIRIES
• HOSPITALS • HOTELS/MOTELS • SUPERMARKETS

ACTIVE INGREDIENTS:

N-Octyl Bicycloheptene Dicarboximide
Technical Piperonyl Butoxide*
Pyrethrins

INERT INGREDIENTS

Contains Petroleum Distillates

*Consists of (Butylcarbitol) (6 Propylpiperonyl) Ether and Related Compound

0 6690
0 4014
0 2007
94 7289
100 0000

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Call a physician immediately. Do not induce vomiting unless directed by a physician immediately. Do not induce vomiting unless directed by a physician because of aspiration hazard.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

See Left Panel for Additional Precautionary Statements

DIRECTIONS FOR USE

It's a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR INDOORS USE ONLY

For Resecting, Sanitizing. Use a coarse wet spray that will not float in the air. Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Contact directly as many insects as possible. Wet thoroughly around shelves, under sinks, refrigerator equipment, dishwashing machines and bottle washers. Treat all returned bottle cartons and cases. For badly infested areas spray D-SECT daily.

During the summer months, spraying twice a week is advisable.

For Fleas, Mosquitoes and Gnats. Close room and turn off air conditioning or ventilation system before fogging. Remove exposed food. Cover food handling equipment to prevent contamination from spray. For best results in large areas, disperse with an electric sprayer, although hand or compressed air sprayers may be used. Direct spray toward the ceiling and continue spraying until area is thoroughly fogged. Leave room closed for at least 15 minutes after spraying. Do not remain in treated areas and ventilate the area after treatment is completed. Remove and destroy dead insects. Repeat D-SECT application as often as necessary.

For Bed Bugs, Fleas and Brown Dog Ticks in buildings. Spray lower wall portions, baseboards, bedding, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed. Contact directly as many insects as possible. Repeat at least once a week or when reinfestation becomes evident.

Remove pets, birds and cover fish aquariums before spraying.

NET CONTENTS SHOWN
ELSEWHERE ON CONTAINER

EPA Registration No. 5736-15
EPA EST. No. 9991-DH-2

Made in U.S.A. DL 333 489



Precautionary Statements

Hazards to Humans and Domestic Animals.
KEEP OUT OF REACH OF CHILDREN

CAUTION: COMBUSTIBLE MIXTURE.

Harmful if swallowed. Do not store, pour, spray, fog or use near heat or open flame.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

When fogging indoors, all fires, flames, pilot lights and other sources of ignition must be extinguished and safely shut off. The National Board of Underwriters advises that not more than one gallon of any solvent based formulation should be used to treat 100,000 cubic feet of space. Proportional quantities should be used to treat smaller or larger volumes. Do not breathe fog or spray. Wear suitable respirator when fogging indoors.

Do not apply directly to food. Do not apply space spray while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions indicated. Cover or remove all food before treatment. All food contact surfaces and utensils must be covered during treatment or washed before using.

ENVIRONMENTAL HAZARDS - This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS - Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal - Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Metal Drum - Triple rinse (or equivalent). Then offer for recycling, reconditioning or disposal in approved landfill. Consult federal, state or local disposal authorities for approved alternate procedures.

Plastic Pail - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult federal, state or local disposal authorities for approved alternate procedures, such as limited open burning.