

PROD NO. 00895

FOR EC ED UND

MAKES CLEAR SOLUTION IN UP TO 30 GRAIN HARD WA

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetrione dihydrate
(9.0% minimum available chlorine)

INERT INGREDIENT

34 ounce per 10 gallon — delivers 50 ppm available chlorine
1.5 ounces per 10 gallon — delivers 100 ppm available chlorine

CAUTION: KEEP OUT OF REACH OF CHILDREN (SEE SIDE PANEL FOR ADDITIONAL PRECAUTION

ACCEPTED

JAN 8 1975

FOR ECONOMIC POISON REGISTER ED UNDER NO.

ER

HARD WATER

. 16.5°

..... **83.5%**

CHILDREN ECAUTIONS)

USING DIRECTIONS:

For sanitizing utensils and glasses in hand wash operations

- 1. Scrape and prewash utensils and glasses whenever possible.
- 2. Wash with a DuBois detergent.
- 3. Rinse with clean water.
- 4. Sanitize in a solution of 100 ppm available chlorine (1.5 ounces per 10 gallons of water or one level table-spoonful in 3½ gallons of water). Immerse all utensils for at least 2 minutes.
- 5. Place sanitized utensils on a rack to air dry.

Food Plants: For final sanitizing rinsing of food plant equipment and utensils use 100 ppm available chlorine (1.5 ounces per 10 gallons of water). Allow equipment to drain and air dry. Do not allow solution strength to fall below 50 ppm available chlorine as determined by chlorine test papers.

See CL-9 Technical Sheet for additional use directions.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Contact may cause skin and severe eye irritations. Avoid breathing dust from powder. In case of contact, immediately flush skin or eyes with plenty of water; for eyes, continue flushing with water for at least 15 minutes and get medical attention. Rinse empty container thoroughly with water and discard it. Avoid contact or mixing with food.


Solution of CL-9 should not be emptied directly into lakes, streams or ponds. Solution should be given adequate waste treatment before disposal.

EFA REGISTRATION NO. 5736-17-AA

KEEP IN COOL DRY PLACE. KEEP LID CLOSED TO PREVENT LOSS OF STRENGTH.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

EPA EST. 5736-NJ-1 • DL-370 1074



DIVISION OF CHEMED CORPORATION

DUBOID TO VER CINCINNATI, OHIO 45202 U.S.A.

-SCLELY FOR INDUSTRIAL USE-

PFOD NO. 00895



MAKES CLEAR SOLUTION IN UP TO 30 GRAIN

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetrione dihydrate (9.0% minimum available chlorine)

INERT INGREDIENT

34 ounce per 10 gallon — delivers 50 ppm vailable chlorine 1.5 ounces per 10 gallon — delivers 100 pp n available chlorine

CAUTION: KEEF OUT OF REACH OF CE

0895

ACCEPTED

JAN 8 1975

FUNGICIDE AND HODENTICIDE ACT FOR ECONOMICE FOISON RECISTER ED UND NO.

TO 30 GRAIN HARD WATER

orine chlorine

REACH OF CHILDREN
FIONAL PRECAUTIONS)

USING DIRECTIONS:

For sanitizing utensils and glasses in hand wash operations

- 1. Scrape and prewash utensils and glasses whenever possible.
- 2. Wash with a DuBois detergent.
- 3. Rinse with clean water.
- 4. Sanitize in a solution of 100 ppm available chlorine (1.5 ounces per 10 gallons of water or one level table-spoonful in 3½ gallons of water). Immerse all utensils for at least 2 minutes.
- 5. Place sanitized utensils on a rack to air dry.

Food Plants: For final sanitizing rinsing of food plant equipment and utensils use 100 ppm available chlorine (1.5 ounces per 10 gallons of water). Allow equipment to drain and air dry. Do not allow solution strength to fall below 50 ppm available chlorine as determined by chlorine test papers.

See CL-9 Technical Sheet for additional use directions.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Contact may cause skin and severe eye irritations. Avoid breathing dust from powder. In case of contact, immediately flush skin or eyes with plenty of water; for eyes, continue flushing with water for at least 15 minutes and get medical attention. Rinse empty container thoroughly with water and discard it. Avoid contact or mixing with food.

Solution of CL-9 should not be emptied directly into lakes streams or ponds. Solution should be given adequate waste treatment before disposal.

EFA REGISTRATION NO. 5736-17-AA

KEEP IN COOL DRY PLACE. KEEP LID CLOSED TO PREVENT LOSS OF STRENGTH.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

EPA EST. 5736-NJ-1 • DL-370 1074