

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Union Carbide  
2000 Central Expressway  
5th Floor Walnut Creek  
Cincinnati, OH 45215

JUL 24 1989

Attention: John D. ...

Re: ...

Subject: ...  
...  
Your Amendment dated January 21, 1989 ...  
... dated May 15, 1989.

... in relation to the above subject matter, ... labeling ...  
... Federal Inspection, Emergency, and Deliberate Use, ...  
... labeling must be submitted.

1. The signal word "Warning" should be changed to "Danger."
2. Revise the Precautionary Statements and Statement of Practical Treatment to read:

Precautionary Statement:  
Hazard to Humans and Domestic Animals  
Danger

Corrosive. Causes eye and skin damage. Do not get in eyes, on face or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing dust. Wash thoroughly with soap and water after handling.

BEST AVAILABLE COPY

57029: I: Dutch: LK-10: KENCO: 07/14/89: 07/25/89: aw: GJ: CT: VO: DE: aw

CONCURRENCES

SYMBOL NAME DATE	44-7504- V. D. ... 7/24/89						
------------------------	----------------------------------	--	--	--	--	--	--


STATEMENT OF PRACTICAL TREATMENT

- 15 Swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.
- 16 In Eyes: Flush with plenty of water for 15 minutes. Get medical attention.
- 18 On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Should you have any further questions, please contact Veronica Dutch at (703) 557-6939.

Sincerely yours,



Jeff Kempter  
Product Manager (32)  
Antimicrobial Program Branch  
Registration Division (475050)

HER:  
**DANGER**

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUL 24 1989

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended for the pesticide  
registered under EPA Reg. No.

5736-17

PRODUCT No. 00895

**BEST AVAILABLE COPY**

Cautionary Statements  
as to Humans and Domestic Animals.  
**KEEP OUT OF REACH OF CHILDREN.**  
**WARNING:** ~~Warning~~  
If swallowed. Contact may cause skin and severe eye  
irritation. Avoid contact or mixing with food.  
**DO NOT MIX WITH ACIDIC CHEMICALS**  
**ENVIRONMENTAL HAZARDS** — Do not discharge into lakes,  
streams or public waters unless in accordance with  
permits. For guidance contact your Regional Office of the

**SAFETY HAZARDS** — Avoid breathing dust from powder.  
**USE DIRECTIONS:**  
Read and follow label directions for use in a manner  
consistent with labeling.  
**STORAGE AND DISPOSAL**  
Do not contaminate water, food, or feed by storage  
or disposal.  
Spilling is prohibited.  
Do not reuse empty container.

**KEEP OUT OF REACH OF CHILDREN**  
**KEEP DRY PLACE. KEEP LID CLOSED TO PREVENT  
LOSS OF STRENGTH**  
**Disposal** — Pesticide wastes are acutely hazardous.  
Do not dispose of excess pesticide, spray mixture, or  
rinse water in a septic tank, on the ground, or in a  
drainage ditch. Follow label directions for disposal  
of containers. Do not burn. Do not use for any other  
purpose.

**Disposal** —  
a. Drum — Completely empty drum by shaking and  
tapping and bottom to loosen any residue. Empty  
drum and application equipment. Then dispose of drum  
in a container by incineration, as allowed by State and local  
regulations. If drum is contaminated and cannot be reused,  
dispose of in the same manner.

# CL-9 SANITIZER

MAKES CLEAR SOLUTION IN UP TO 30 GRAIN HARD WATER

**ACTIVE INGREDIENT** 17.0%  
Sodium Dichloro-s-triazinetrione dihydrate (9.0% minimum available chlorine)  
**INERT INGREDIENT** 83.0%  
1/4 ounce per 10 gallon — delivers 50 ppm available chlorine  
1.5 ounces per 10 gallon — delivers 100 ppm available chlorine

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING:** ~~Warning~~ **DANGER**  
**STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water  
for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.  
If swallowed, ~~give promptly a large quantity of milk, egg whites, plain solution; or if these are not available,~~  
drink large quantities of water. Avoid alcohol. Call a physician immediately.  
Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against  
respiratory shock, respiratory depression, and convulsions may be needed.  
See left panel for additional precautionary statements.  
EPA Registration No. 5736-17 EPA Est. No. 5736-CA-1-1-NZ-1-OR-1-TX-1  
Net contents shown elsewhere on container.

**RECOMMENDED FOR USE IN SANITIZING OPERATIONS**  
IN FOOD PLANTS, DAIRIES, RESTAURANTS, BEVERAGE  
AND BREWERY OPERATIONS.  
**FOR SANITIZING UTENSILS AND GLASSES IN HAND  
WASH OPERATIONS—**  
1. Pre-rinse or pre-scrape utensils and glass  
to remove gross food particles. Pre-rinse  
if necessary.  
2. Wash thoroughly with a DuBois detergent.  
3. Rinse with potable water.  
4. Sanitize in a solution of 100 ppm available  
chlorine (1.5 ounces per 10 gallons of water  
or one level tablespoon in 3/4 gallons of water).  
Immerse all utensils and glasses for at least  
2 minutes.  
5. Place sanitized utensils on a rack to air.  
**For hand wash operations, fresh sanitizing solution  
must be prepared at least daily, prepare it when  
the solution becomes diluted or soiled.**  
**FOR SANITIZING UTENSILS AND EQUIPMENT IN CIRCULATING  
SYSTEMS, ONCE-THROUGH OVERFLOW SYSTEMS, OR BY  
SPRAY:**  
1. Pre-rinse system to remove all gross food  
2. Wash system thoroughly with a DuBois detergent.  
3. Rinse system thoroughly with potable water.  
4. Sanitize in solution of 100 ppm available  
chlorine (1.5 ounces per 10 gallons of water or one  
level tablespoon in 3/4 gallons of water).  
CIRCULATE through system, FLUSH through a  
SPRAY over all surfaces of system. Allow  
2 minutes contact time with sanitizing solution.  
5. Allow equipment and utensils to drain and  
air.  
**Use solutions for circulating systems, once-through  
systems, or spray operations may not be re-used.  
Only one sanitization per solution is allowed.  
Do not be used for cleaning or other purposes if it is  
contaminated.**  
**EGG SANITIZING:** A 1/4 ounce/10 gallon solution (or  
1.5 ounces per 10 gallons of water) can be used as a final  
solution for eggs without a final potable water  
rinse. Provides 10 ppm available chlorine.



— SOLELY FOR INDUSTRIAL USE • ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS —  
**DuBOIS CHEMICALS, A DIVISION OF CHEMED CORPORATION • CINCINNATI, OHIO 45202 • U.S.**

Made in U.S.A. DL 3