

DUBOIS CHEMICALS GENERAL OFFICES: CINCINNATI, OHIO • U.S.A.



DIVISION OF CHEMED CORPORATION

—SOLELY FOR INDUSTRIAL USE—

SI

ACT

INEE

AVO
CAS
FOP
MED

SUPER-KLOR-B

ACTIVE INGREDIENTS	21.0%
SODIUM CARBONATE (18.0%),	
SODIUM DICHLORO-S-TRIAZINETRIONE (3.0%)	
INERT INGREDIENTS	79.0%
	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STRONGLY ALKALINE:

AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST FROM POWDER. IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN OR EYES WITH PLENTY OF WATER; FOR EYES, CONTINUE FLUSHING WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

EPA REGISTRATION NO. 5736-29 AA

Preflush all equi

For cleaning and

minimum contact

flowing over or

of SUPER-KLOR-B

Follow all clean

Additional inform

Do not reuse e

forating or crus

B

DIRECTION FOR USE

Preflush all equipment to remove excess soil.

For cleaning and sanitizing of food contact equipment all parts shall have a minimum contact for at least 10 minutes where the process consists of flowing over or through. Scrubbing or immersion in a 1 $\frac{3}{4}$ weight ounces of SUPER-KLOR-B per gallon of water for 200 ppm available chlorine. Follow all cleaning with a potable water rinse and drain before reuse.

Additional information shown in the SUPER-KLOR-B Technical Data Sheet.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

L-480

ACCEPTED	
JUN 15, 1972	
UNDER THE	STANDARD
FEDERAL	ACT
FOR	0
UNDE	5736-29

5736-29
Comments

B

DuBOIS CHEMICALS GENERAL OFFICES: CINCINNATI, OHIO • U.S.A.



DIVISION OF CHEMED COR

—SOLELY FOR INDUSTRIAL U

SUPER-KLOR-B

ACTIVE INGREDIENTS	21.0%
SODIUM CARBONATE (18.0%),	
SODIUM DICHLORO-S-TRIAZINETRIONE (3.0%)	
INERT INGREDIENTS	79.0%
	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STRONGLY ALKALINE:

AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST FROM POWDER. IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN OR EYES WITH PLENTY OF WATER. FOR EYES, CONTINUE FLUSHING WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION.

EPA REGISTRATION NO. 5736-29 AA

Preflush
For clea
minimun
flowing
of SUPE
Follow a
Addition
Do not i
forating

RATION

KLOR-B

..... 21.0%
%)
..... 79.0%
..... 100.0%

REACH OF CHILDREN

CAUTION:

AVOID BREATHING DUST FROM POWDER. IN
CASE OF CONTACT WITH SKIN OR EYES WITH PLENTY OF WATER;
WASH FOR AT LEAST 15 MINUTES AND GET

D. 5736-29 AA

DIRECTION FOR USE


Preflush all equipment to remove excess soil.

For cleaning and sanitizing of food contact equipment all parts shall have a minimum contact for at least 10 minutes where the process consists of flowing over or through. Scrubbing or immersion in a 1¾ weight ounces of SUPER-KLOR-B per gallon of water for 200 ppm available chlorine. Follow all cleaning with a potable water rinse and drain before reuse.

Additional information shown in the SUPER-KLOR-B Technical Data Sheet.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

L-480



TECHNICAL DATA

FROM RESEARCH LABORATORY

SUPER KLOX B

ACE

GENERAL DESCRIPTION:

SUPER KLOX B is a non-foaming, ~~chlorinated~~, chlorinated, sanitizing cleaner designed for in place cleaning and sanitizing of food processing equipment. SUPER KLOX B is effective for cleaning and sanitizing all types of food processing equipment and utensils in bakeries, canneries, frozen food plants, dairies, breweries, restaurants, meat and poultry plants.

U.S.D.A. Registration No. 5736-

PROPERTIES:

Chlorine (1-3/4 ounce per gallon)	200 ppm minimum
Wetting & Rinsing	Excellent
pH 1% solution	11.8
Foam	Non foaming
Hard Water Control	Controls up to 15 grain water at 1-3/4 ounce per gallon.

MICROBIOLOGICAL TESTS:

Modified A.O.A.C. Use-Dilution Confirmation Method, 11th Edition, 1970, page 61 against *Staphylococcus aureus* ATCC No. 6538 and *Salmonella typhimurium* ATCC No. 10735. SUPER KLOX B at 200 ppm available chlorine in 10 minutes contact (10 minutes) the sanitizing requirements of these tests. Copies of test data are available on request.

USE AND DILUTION:

For in place cleaning of all types of food processing equipment use 3/4 ounce to 2 ounces per gallon. Follow all food processing equipment cleaning with a potable water rinse.

For cleaning and sanitizing food processing equipment all surfaces should have a minimum contact time of at least ten minutes where the solution contains 200 ppm of available chlorine. 1 3/4 ounce of SUPER KLOX B per gallon of water will deliver 200 ppm of available chlorine. Follow all cleaning and sanitizing with a potable water rinse.

METAL CORROSION:

When used as directed SUPER KLOX B is safe for use on Iron, Brass, Steel, Lead, Aluminum, Copper, Tin, and Tin Plated Steel. Do not use on uncoated galvanized steel or aluminum.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.
SHELVE IN ORIGINAL CONTAINER. DO NOT REUSE CONTAINER.
Do not use in areas where food is prepared or stored.
Do not use on surfaces that are not compatible with chlorine.
Do not use on surfaces that are not compatible with chlorine.

PREPARATION:

For use as a sanitizer, mix 1 3/4 ounces of SUPER KLOX B per gallon of water.

ACCEPTED
JUN 16 1972
100-10735-12