

acceptance stamp
on pg 2 of 2

5736-43

02/16/1982

1/2

Precautionary Statements
Hazards to Humans and Domestic Animals.

DANGER Keep Out of Reach of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS — Do not use, pour, or spill or store near heat or open flame.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide that cannot be used, or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL — Dispose of in an incinerator or landfill approved for pesticide containers. Bury in a safe place or return to drum reconditioner.

GENERAL — Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CHLORINATING AND CLEANING COOLING SYSTEMS WITH DEEP CRYSTAL

Initiate treatment of the cooling system when the efficiency is impaired or in jeopardy by the increase of organic growths. Begin clean-up late in day or in evening or at other times when cooler temperatures prevail.
(continued in right column)

PROD. NO. 01106

DEEP CRYSTAL®

COOLING TOWER AND SWIMMING POOL CHLORINATING AGENT FOR THE CONTROL OF ALGAE AND MANY BACTERIA

Active Ingredient:

Sodium dichloro-s-triazinetriene dihydrate 99.0%

Inert Ingredient: 1.0%
(available chlorine 55.4%)

Refer to proper TECH DATA SHEET for use in swimming pools.

DANGER KEEP OUT OF REACH OF CHILDREN

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

See Left Panel For Additional Precautionary Statements
EPA Registration No. 5736-43-AA EPA Est. No. 5736-OH-1



1. Shut off all bleed valves.

2. Sprinkle 3 pounds of DEEP CRYSTAL per each 1,000 gallons of cooling water into each distributor box or header. This dosage will supply approximately 200 ppm of available chlorine.

NOTE: If volume of the cooling system is not known, refer to Technical Data Instruction: "Method for Estimating Cooling System Volume."

3. Circulate water for a minimum of four hours with the bleed valves closed. The first 4 to 6 hours produce the greatest effect. The DEEP CRYSTAL treatment may be continued overnight, if desired.

4. Killed growth turns gray or brown. During this time, loosen and remove as much of the dead growth as possible. Sweeping is an effective method to remove upper layers of thicker deposits and thus expose adherent layers to chlorinating action. Some growth may not sluff off and manual agitation and hosing will assist removal.

5. Use additional DEEP CRYSTAL treatment and continue the above procedure until the efficiency of the cooling system is restored.

6. Reopen all bleed valves when treatment has been finished.

7. After chlorination, the efficiency of the system should be maintained by treatment with a slimicide, such as X-PEL or GAX-21.

DANGER—Do not mix DEEP CRYSTAL with other chemicals used for cooling towers or swimming pools. Add treating chemicals separately to the water.

OXIDIZING MATERIAL. CONTACT WITH MOISTURE, COMBUSTIBLE OR FOREIGN MATTER MAY CAUSE FIRE OR DECOMPOSITION. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DO NOT MIX WITH ANYTHING BUT WATER.

KEEP IN COOL, DRY PLACE—KEEP LID CLOSED TO PREVENT CAKING AND LOSS OF STRENGTH.

ACCEPTED
16 FEB 1982
5736-43
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.



Keep cover tight to permit stacking of containers. Do not transfer contents to an unmarked container.

Rinse empty container thoroughly with water before discarding or removing this label.

**CORROSIVE
SOLIDS, NOS**