23736-451



CLEAR TOWNSHIP CINCIPLATI, ONO 45202-U.S.A.

-SOLELY FOR INDUSTRIAL USE-

ACCE

MAY

Under the Feder
Fungicida, and
the amended, in the product of the

WATER OF THE SYNTHETIC


HOSFITALS - HOTELS MOTELS - BUR

ACLIVE FOREDIERTS

THE RESERVE OF THE PARTY

LAUHON. SE

[5736-45]



WATER BASE

BULK SYNTHETIC INSEC

FOR USE IN: RESTAURANTS . FOOD PLANTS . BO HOSPITALS • HOTELS/MOTELS • SUPERMARKETS

ACTIVE INGREDIENTS:

(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropenyl)cyclopropanecar Related compounds d-trans Allethrin (allyl homolog of Cinerin 1)

Related compounds

INERT INGREDIENTS:

PT Etis/ rans isomers ratio: max. 30% (±) cis and min. 70% (±) trans. Patent No. 3.465,007.

2 1975

rl Insecticiae, sclenticide Act, CAUTION: KEEP OUT OF REACH OF CH

(SEE SIDE PANEL FOR ADDITIONAL CAUTIO

BASE

JI GE CONSECT KILLER

D PLANTS • BOTTLERS • DAIRIES

JPERMARKETS • OFFICE BUILDINGS

methyl-3- penyl)cyclopropanecarboxylate		0.143
g of Cinerin 1)		0.020 0.107
~ 		0.008
To	stal	100.000%

OF REACH OF CHILDREN

ADDITIONAL CAUTIONS)

USING DIRECTIONS:

INDOORS — FOR HOUSEFLIES, MOSQUITOES, and GNATS: Apply as a space spray. Mix well before using. Fill spray tank with undiluted TROUNCE Synthetic Insect Killer Liquid. Adjust pressure and nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of 0.80 fluid ounces per 1,000 cu. ft. of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re-entry.

INDOORS — FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes.

Apply as a contact spray. Mix well before using. Fill spray tank with undiluted TROUNCE Synthetic Insect Killer formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse spray with particle size larger than that of the average aerosol. When possible spray directly on roaches, to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist aeras, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Apply spray until area is moist but to the point of run off. Spray directly on insects when possible

Spraying beverage cases with TROUNCE, bulk should be done after inversion of the case and can be done to the interior and exterior of the case. This spraying treatment must be done only when the case is empty of containers and at a point before any unfilled cleaned containers or filled containers are in the case.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Avoid contamination of food and foodstuff.

Remove pets, birds and cover fish aquariums before spraying.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Do not reuse empty drur. Return to drum reconditioner or destroy by perforating or cushir 1 and burying in a safe place away from water supplies (DRUM).

CAUTION: KEEP OUT OF REACH OF CHILDREN

This product may be infinitely if swallowed. In case of eye contact, flush thoroughly with water for at least 15 minutes and get medical attention if irriginary continues.

EPA Registration No. 5 3.45-AA

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

EPA EST 5736-OH-1 • DL-515 475