

# SPRAY DISINFECTANT AND AIR DEODORANT

- Surface Disinfectant
- Air Deodorant

- For hospital use
- Kills household germs

**ACCEPTED**

7 MAY 1975

U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE  
 FEDERAL BUREAU OF INVESTIGATION  
 DIVISION OF IDENTIFICATION  
 WASHINGTON, D.C. 20535  
 FILE NO. 5590 157

**Sprayed on Surfaces:** Deodorizes by destroying  
 Germicidal activity kills most odor-producing organisms.  
 Disinfects Staph. and Strep. organisms on hard, non-  
 porous surfaces. Prevents mold and mildew on hard, non-  
 porous surfaces.

**Sprayed in the Air:** Controls unpleasant odors. Pleasantly  
 scented.

For use in hospital rooms, sick rooms, doctors' examining  
 rooms, kitchens, nurseries, and bathrooms.

**GERMICIDAL  
 FUNGICIDAL  
 STAPHYLOCIDAL  
 PSEUDOMONACIDAL**

**WARNING: KEEP OUT OF REACH OF CHILDREN**  
 See back panel for additional precautions

**NET WEIGHT: 17 oz. (1 lb. 1 oz.)**

For hospital use only

For household use

Use

For Household Use

Use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nurseries, and bathrooms.

**ACTIVE INGREDIENTS**

- Ethyl alcohol 40.00%
- o-phenylphenol 1.50%
- para-tert-amyphenol 0.44%
- Methyldodecylbenzyl trimethylammonium chloride 0.20%
- Methyldodecylxylylene bis-trimethylammonium chloride 0.20%

**INERT INGREDIENTS**


(Contains 0.1% sodium borate)

**WARNING:** Avoid contact with eyes, nose, and face. If contact occurs, wash surfaces with copious water. If irritation occurs, wash thoroughly with water. If irritation persists, discontinue use. Inhalation of spray must avoid prolonged contact with the face.

**WARNING:** Contents under pressure. Do not puncture, burn, or expose to heat or heat rays. Exposure to temperatures above 100°F may cause bursting. Never throw container into fire or incinerator. Do not spray on polished wood, furniture, or wall paper.

Manufactured by  
 American Technological Corporation  
 One Gate Lane  
 New York, N.Y. 10014

EPA REG. NO. 100-10000  
 EPA EST. NO. 100-10000



***Chemicals***

**DIVISION OF CHEMED CORPORATION**

**DuBOIS TOWER • CINCINNATI, OHIO 45202 • U.S.A.**

**— SOLELY FOR INDUSTRIAL USE —**

**ACCEPTED**

**GAX-**  
**MICROBIOOC**

*Faint, illegible text, possibly a product description or manufacturer information.*

**ACTIVE INGREDIENT(S):**

- Sodium pentachlorophenate
- Sodium 2,4,6-trichlorophenate
- Sodium pentachlorophenate
- 2,4,6-trichlorophenol

**INERT INGREDIENT(S):**

*Faint, illegible text, possibly a warning or handling instruction.*

**DANGER: KEEP OUT OF REACH**

*Faint, illegible text, possibly a warning or handling instruction.*



# GAX-

## MICROBIOCID

Microbicide for the control of bacterial slimes, fungi, and algae in c

**ACTIVE INGREDIENT(S):**

- Sodium pentachlorophenate .....
- Sodium 2,4,5-trichlorophenate .....
- Sodium salts of other chlorophenols and related compounds
- 3-(3-methoxypropoxy)-1-propanol .....

**INERT INGREDIENT(S)** .....

EPA Reg. No. 5736-53AA  
EPA Est. 5736-OH-1

**DANGER: KEEP OUT OF REAC**

See side panel for first aid and additio

Keep from freezing.

Agitate before using.

Net Weight 63# (6 gallo

6-11-76  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FORMERLY MICROBICIDES REGISTERED  
UNDER NO. 5736

# GAX-15

## MICROBIOCIDES

Microbiocide for the control of bacterial slimes, fungi, and algae in open recirculating cooling systems.

**ACTIVE INGREDIENT(S):**

Sodium pentachlorophenate .....	25.3%
Sodium 2,4,5-trichlorophenate .....	6.8
Sodium salts of other chlorophenols and related compounds .....	3.5
3-(3-methoxypropoxy)-1-propanol .....	10.0

**INERT INGREDIENT(S)** ..... 54.4%

EPA Reg. No. 5736-53AA  
EPA Est. 5736-OH-1

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See side panel for first aid and additional precautions.

Keep from freezing.

Agitate before using.

Net Weight 63# (6 gallons)

### USING DIRECT

Begin treatment when the system is in affected or after cleaning systems who's impaired.

**Initial Dose:**

When microbiological slimes are evident ounces of GAX-15 per 1,000 gallons (50 in the system as shock dosages. Repeat subsequent dose when control is evident of GAX-15 per 1,000 gallons (50 to 75 applied every 7 days or as needed to fouled systems must be cleaned before

Apply at a point in the system where it's uniformly mixed.

This product is toxic to fish. Treated discharged where it will drain into lake public water. Do not contaminate water ment, or disposal of wastes. Apply this product on the label.