

1 - 5736-78

811-117

181

**Precautionary Statements
Hazards to Humans and
Domestic Animals.**

**KEEP OUT OF THE REACH
OF CHILDREN**

**CAUTION
COMBUSTIBLE MIXTURE:
Harmful if swallowed.**

Remove pets, birds and cover fish aquaria before spraying.

Apply the product only when plant is not in operation.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS — Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal. Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Pail — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DuTOXIDE

PYRETHRIN SPACE SPRAY AND CONTACT INSECT KILLER

DuTOXIDE is a ready to use insecticide for industrial, institutional and other commercial applications. It is a clear, stable microemulsion that leaves no objectionable residue.

ACTIVE INGREDIENTS:

Pyrethrin 0.1%

*Piperonyl Butoxide, Technical 1.0%

INERT INGREDIENTS: 98.9%

100.0%

Contains Petroleum Distillates

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION:

Harmful if swallowed. Avoid contamination of feed and foodstuffs.

Do not get in eyes, on skin, or on clothing.

STATEMENT OF PRACTICAL TREATMENT: If eye contact occurs, immediately flush eyes with water for at least 15 minutes and get medical attention. If skin contact occurs, flush contacted area with water. If any irritation develops, get medical attention. Remove contaminated clothing and wash before wearing.

Net contents shown elsewhere on container.
EPA Reg. No. 5736-78 • EPA EST No. 9591-OH-2

Use DuTOXIDE indoors as a space or surface spray. Use outdoors for mosquito control. Apply with conventional mechanical or compressed air equipment.

INDOOR USE AREAS

- Bakeries
- Beverage Plants
- Canneries
- Cattle Barns
- Dairies
- Dried Food Products in Storage or Processing
- Flour Mills
- Food Processing Plants
- Garbage Disposal Areas
- Grain Elevators
- Granaries
- Horse Barns
- Hospitals
- Hotels
- Industrial Installations
- Meat Packing Plants

OUTDOOR USE AREAS

- Corrals
- Drive-in-Restaurants
- Drive-in-Theaters
- Feedlots
- Golf Courses
- Parks

USE DuTOXIDE FOR CONTROL OF THE FOLLOWING PESTS:

- Ants
- Bedbugs
- Beetles:
 - Carpet
 - Cigarette
 - Confused flour
 - Drugstore
 - Rust red flour
 - Saw-toothed grain
 - Spider
- Cadeies
- Crickets
- Fleas
- Flies:
 - Beer
 - Fruit
 - Horse
 - House
 - Skipper
 - Stable
- Gnats
- Hornets
- Motels
- Office Buildings
- Poultry Houses
- Railroad Cars
- Restaurants
- Schools
- Stored Food in Multi-Walled Paper or Cloth Bags
- Supermarkets
- Swine Houses
- Truck Trailers
- Warehouses
- Ships Holds
- Zoos
- Playgrounds
- Recreational Areas
- Refuse disposal areas
- Swine Yards
- Urban Areas
- Zoos
- Lice—blood sucking
- Meal worms
- Mites:
 - Clover
 - Cheese
 - Grain
- Mosquitoes
- Moths:
 - Angoumois grain
 - Clothes
 - Indian meal
 - Mediterranean flour
 - Tobacco
- Roaches
- Silverfish
- Spiders
- Ticks, brown dog
- Weevils:
 - Granary
 - Rice
- Wasps



DUBOIS CHEMICALS, INC. CINCINNATI

FOR MORE INFO — DUBOIS CUSTOMER SERVICE — 1-800-368-3683

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION:

For maximum effectiveness, a combination of spot surface treatment and space spraying is recommended.

In food processing areas, apply DuTOXIDE only when that area is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated areas and ventilate before reoccupying.

SURFACE SPRAYING: To control roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and caddis: Use a good sprayer adjusted to a coarse or wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

See the Technical Data Page for treatment instructions in the following applications: Food Storage areas; Grain Storage areas; Transportation Equipment; Animal, Livestock and Poultry Houses, Insect infested animals; and Institutional uses.


OUTDOOR APPLICATION:

Outdoor adult mosquito control: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant pools, or ponds and shore-lines. Apply at a rate of 1½ gallons per acre (4½ ounces per 1000 square feet).

DuTOXIDE may be applied with truck mounted misting equipment. The truck should travel at 5 m.p.h. while treating a 300 foot swath. Calibrate equipment to deliver 4.5 gallons per minute.

NOTE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Made in U S A DL-758-489



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.