

Precautionary Statements
Hazards to Humans and Domestic Animals.
KEEP OUT OF REACH OF CHILDREN
CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS — Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.

Metal Drum — reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved land fill, or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternate procedures.

Plastic Pail — triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternate procedures such as limited open burning.

GCO-10

BACTERIOSTAT AND ALGAECIDE

FOR THE CONTROL OF MANY BIO-FOULING ORGANISMS OCCURRING IN OPEN RECIRCULATING WATER COOLING TOWERS

ACTIVE INGREDIENT:
 Poly [oxyethylene (dimethyliminop) ethylene (dimethyliminop) - ethylene dichloride] 1.7 %
INERT INGREDIENT: 98.3 %

This product contains 0.14 lb. of active ingredient per gallon and weighs 8.67 lb. per gallon.

EPA Reg. No. 5736 EPA EST. No. 5736-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

solution Net Contents Shown Elsewhere On Container

SOLELY FOR INDUSTRIAL USE • ONLY FOR SALE TO, USE & STORAGE BY SERVICE PERSONS.

DuBois Chemicals, A DIVISION OF CHEMED CORPORATION • CINCINNATI, OHIO 45202

Contact your DuBois Representative for  Material Safety Data Sheet.

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:

5736-80
 APR 10 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRECLEANING — To avoid unnecessary downtime, precleaning of heavily fouled cooling towers is recommended. Mechanically remove as much fouling as possible with brushes and high pressure water. Loosen sludge from plugging equipment. Install a screen fence around the opening for the loosened matter out basin drain. Pump out sludge from sumps and hot/cold wells.

COOLING TOWERS/OPEN RECIRCULATING SYSTEMS

Intermittent or Slug Feed Method
 — After precleaning, turn off bleed-off valve. Do not use any other treatment during precleaning. Initially slug feed GCO-10 at 90 fluid ounces per 1000 gallons of system water. Frequency of treatment depends on the extent of fouling evident, open bleed off valve and return to normal operation. Maintain control with subsequent treatments using GCO-10 at 9 to 90 fluid ounces per 1000 gallons of water. Frequency of treatment depends upon the system and local conditions.

Continuous Feed Method
 Initial Dose: When the system is noticeably fouled, add 90 fluid ounces of GCO-10 per 1000 gallons of system water.

Subsequent Dosing: Maintain this level by pumping 9 to 90 fluid ounces of GCO-10 per 1000 gallons of system water by blowdown.

Heavily fouled systems must be cleaned before treatment.



GCO-10

BACTERIOSTAT AND ALGAECIDE

FOR THE CONTROL OF MANY BIO-FOULING ORGANISMS
OCCURRING IN OPEN RECIRCULATING
WATER COOLING TOWERS

ACTIVE INGREDIENT:

Poly [oxyethylene (dimethyliminid) ethylene
(dimethyliminid) - ethylene dichloride] 1.7 %

INERT INGREDIENT: 98.3 %

This product contains 0.14 lb. of active ingredient per gallon and weighs
8.67 lb. per gallon.

EPA Reg. No. 5736

EPA EST. No. 5736-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

solutions Net Contents Shown Elsewhere On Container

SOLEY FOR INDUSTRIAL USE • ONLY FOR SALE TO, USE & STORAGE BY SERVICE PERSONS.

IS CHEMICALS, A DIVISION OF CHEMED CORPORATION • CINCINNATI, OHIO 45202 • U.S.A.

Contact your DuBois Representative for  Material Safety Data Sheet.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

5736-80

APR 10 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

PRECLEANING — To avoid unnecessary depletion of the GCO-10, precleaning of heavily fouled systems is recommended. Mechanically remove as much reachable growth as possible with brushes and high pressure hose. Prevent loosened sludge from plugging equipment by placing a screen fence around the opening for the return line. Flush loosened matter out basin drain. Pump or bucket sludges from sumps and hot/cold wells.

COOLING TOWERS/OPEN RECIRCULATING SYSTEMS

Intermittent or slug treatment
— After precleaning, turn off bleed for 4 to 12 hours. Do not use any other treatment during period of applying biocide. Initially slug feed GCO-10 to tower basin at 36 to 90 fluid ounces per 1000 gallons of system water. Repeat dosage, if necessary to achieve control. When control is evident, open bleed off valve and return to normal treatment. Maintain control with subsequent GCO-10 treatments using GCO-10 at 9 to 90 fluid ounces per 1000 gallons of water. Frequency of treatment depends upon the system and local conditions.

Continuous Feed Method

Initial Dose: When the system is noticeably fouled, add 36 to 90 fluid ounces of GCO-10/1,000 gal of system water.

Subse quently, maintain this level by pumping a continuous feed of 9 to 90 fluid ounces of GCO-10 /1,000 gal of water in the system lost by blowdown.

Badly fouled systems must be cleaned before treatment is begun

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

April 10 1984

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chlorox
3000 Central Express Road
Orange, VA 22653

BEST DOCUMENT AVAILABLE

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is retained hereon.

Notwithstanding to whomsoever or in what manner or by what means this product is sold, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA Section 3(c)(2)(A) subject to the following conditions:

1. The registrant shall comply with all applicable laws, regulations, and orders of the Administrator, including those relating to the labeling of pesticides, and shall file with the Administrator a copy of the label for this product in accordance with FIFRA Section 3(c)(2)(B).

2. The registrant shall file with the Administrator a copy of the label for this product in accordance with FIFRA Section 3(c)(2)(B) and shall file with the Administrator a copy of the label for this product in accordance with FIFRA Section 3(c)(2)(B).

3. The registrant shall file with the Administrator a copy of the label for this product in accordance with FIFRA Section 3(c)(2)(B) and shall file with the Administrator a copy of the label for this product in accordance with FIFRA Section 3(c)(2)(B).

A. C. [Signature]

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

ATTACHMENT TO EPA REGISTRATION NOTICE

EPA REGISTRATION NO. 5736-80

DATE ISSUED: April 10, 1984

COMPANY NAME: DuBois Chemicals

PRODUCT NAME: GGD-10 Bacteriostat and Algicide

The following changes and/or revisions must be incorporated on the finished printed label which will be used in channels of trade for this product.

- 1 The registration number which has been assigned to this product must appear on the label as EPA Registration No. 5736-80.
- 2 In declaring the active ingredient the hyphen should be placed as follows:

Poly[aryethylene(dimethyliminic)ethylene-
(dimethyliminic) ethylene dichloride]

- 3 Change "Inert Ingredient" to "Inert Ingredients."

BEST DOCUMENT AVAILABLE

RD/DIS:DCR-45654:W.C.Francis:KIM:Raven:557-2226:RD-14:4/5/84:Del.4/14/84