

Precautionary Statements

Hazards to Humans and Domestic Animals.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS - Do not use, pour, spill or store near heat or open flame

STORAGE AND DISPOSAL — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Metal Containers (nonaerosol) — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DL 862485 Made in U.S.A

GCO-10LA

BACTERIOSTAT AND ALGAEICIDE

FOR THE CONTROL OF MANY BIO-FOULING ORGANISMS OCCURRING IN OPEN RECIRCULATING WATER COOLING TOWERS

ACCEPTED
MAY 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5736-83

ACTIVE INGREDIENT:

Poly [oxoethylene (dimethyliminio) ethylene- (dimethyliminio) ethylene dichloride]

INERT INGREDIENTS:

This product contains 0.15 lb. of active ingredient per gallon and weighs 9.00 lb. per gallon

EPA Registration No. 5736-83-AA EPA EST. No. 5736-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solutions, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Net Contents Shown Elsewhere On Container

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRECLEANING — To avoid unnecessary depletion of the GCO-10LA, precleaning of heavily fouled systems is recommended. Mechanically remove as much reachable growth as possible with brushes and high pressure hose. Prevent loosened sludge from plugging equipment by placing a screen fence around the opening for the return line. Flush loosened matter out basin drain. Pump or bucket sludges from sumps and hot/cold walls.

COOLING TOWERS/OPEN RECIRCULATING SYSTEMS — Intermittent or slug treatment — After precleaning, turn off bleed for 4 to 12 hours. Do not use any other treatment during period of applying biocide. Initially slug feed GCO-10LA to tower basin at 36 to 90 fluid ounces per 1000 gallons of system water. Repeat dosage, if necessary to achieve control. When control is evident, open bleed off valve and return to normal treatment. Maintain control with subsequent GCO-10LA treatments using GCO-10LA at 9 to 90 fluid ounces per 1000 gallons of water. Frequency of treatment depends upon the system and local conditions.

Continuous Feed Method — Initial Dose: When the system is noticeably fouled, add 36 to 90 fluid ounces of GCO-10LA per 1000 gallons of system water. Subsequently, maintain this level by pumping a continuous feed of 9 to 90 fluid ounces of GCO-10LA per 1000 gallons of water in the system lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

hand delivered

