

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
KEEP OUT OF THE REACH OF CHILDREN

**DANGER:**

Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance, contact the Regional Office of the EPA.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**COOLING TOWER/EVAPORATIVE CONDENSOR WATER**

**Sludge Feed Method - Initial Dose:** When system is noticeably fouled, apply 128 to 256 oz. of this product per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved.

**Subsequent Dose:** When microbial control is evident, add 25 oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

**INTERMITTENT FEED METHOD - Initial Dose:** When system is noticeably fouled, apply 128 to 256 oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown.

**Subsequent Dose:** When microbial control is evident, add 25 oz. of this product per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

**CONTINUOUS FEED METHOD - Initial Dose:** When system is noticeably fouled, apply 128 to 256 oz. of this product

PRODUCT NO.

BATCH NO. :

WCO-132LM

COOLING TOWER  
BACTERICIDE AND ALGAEICIDE

**ACTIVE INGREDIENT:**

Sodium Hypochlorite ..... 5.25%  
INERT INGREDIENTS ..... 94.75%

**KEEP OUT OF THE REACH OF CHILDREN  
DANGER:**

**STATEMENT OF PRACTICAL TREATMENT:**

If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

**KEEP UPRIGHT IN COOL PLACE - TIGHTLY CAPPED**  
See Left Panel for Additional Precautionary Statements  
Net Contents Shown Elsewhere On Container

EPA Registration No. 5736- EPA EST. NO. -1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

**DuBOIS CHEMICALS, A DIVISION OF CHEMED CORPORATION • CINCINNATI, OHIO 45202 •**

SOLELY FOR INDUSTRIAL USE \* ONLY FOR SALE TO, USE & STORAGE BY SERVICE PERSONS.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.  
Store this product in a cool dry area, from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning equipment.

**CONTAINER DISPOSAL -** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PHYSICAL AND CHEMICAL HAZARDS, STRONG OXIDIZING AGENT.**

Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs, and mucous membranes.

per 10,000 gallons of water in the system to obtain 5 to 10 ppm available chlorine.  
**Subsequent Dose:** Maintain this treatment level by starting a continuous feed of 2.5 oz. of this product per 1,000 gallons of water lost by blowdown to maintain a 1 ppm residual. Badly fouled systems must be cleaned before treatment is begun.



1-1817-0698  
ACCEPTED  
with COMMENTS  
in EPA Letter Dated:



Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide registered under FIFRA 24(c).  
5736-100