5741-6

12-11-2003



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

#### December 11, 2003

Mr. Ronald T. Cook Manager, Regulatory Affairs **Spartan Chemical Company, Inc.** 1110 Spartan Drive Maumee, OH 43537

Subject: **PD-64** EPA Registration No.5741-6 Letter Dated October 2, 2003

Dear Mr. Cook:

This following labeling, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with comments.

#### **Proposed Amendment**

Label revision

#### Label Comments

Add the word <u>"Automotive"</u> prior to the subheading so that it reads:

#### "Automotive Air Conditioning Cooling Coils"

See Agency letter dated May 9, 2003.

#### **General Comment**

Submit three (3) copies of your final printed labeling before distributing or selling the product. A stamped copy is enclosed for your records.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422, or Lisa McKelvin at (703) 308-7496.

Sincerely. na McKelvin

Adam Heyward AC Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510C)

Enclosure

MASTER LABEL FOR PD-64 EPA Reg. No. 5741-6 Spartan Chemical Company, Inc. Revised 09/19/2003

{Front Panel}

Block "S" Logo with <sup>®</sup> PD-64<sup>TM</sup> Phenolic Base Cleaner and Disinfectant Tuberculocide/Dactericide/Cleaner/Deodorizer

ACCEPTED WHA COMMENTS In EPALetto Lased

DEC 1 2003

Under the Theorem Contract of the State of t

## KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel [outer box] [enclosure] for [directions for use and] additional precautionary statements.

For Institutional, Industrial and Professional Service Technicians Use Only {optional statement if only air conditioning use pattern is on the marketing label}

EPA Reg. No. 5741-6 EPA Est. No. 5741-OH-1

Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, OH 43537

Net Contents: [0.06 ounces]

[1 U.S. Gallon/3.79 Liters] [5 U.S. Gallons/18.95 Liters] [15 U.S. Gallons/15.85 Liters] [30 U.S. Gallons/113.7 Liters] [55 U.S. Gallons/208.45 Liters]

{text inside { } is administrative notes and will not appear on final printed labeling, bracketed
text [ ] is optional versions of text for different packages}

Page 1 of 5

MASTER LABEL FOR PD-64 EPA Reg. No. 5741-6	DEC 1 1 2003	
Spartan Chemical Company, Inc. Revised 09/19/2003	Undiot de la serie a maide de la Page 2 of 5	
DD CATM	Page 2 of 5 2	

#### **PD-64**<sup>1M</sup>

#### **Phenolic Base Cleaner and Disinfectant**

PD-64 is recommended to clean, disinfect and deodorize floors, walls, countertops and other hard, non-porous surfaces in hospitals, schools, hotels or any commercial, industrial or institutional facility where a clean and sanitary environment is important. Controls odors originating from air conditioning cooling coils.

This product is not to be used as a terminal sterilant/high level disinfectant on any surfaces or instruments that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

#### **Directions for Use:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before disinfecting, the surface must be free of gross filth or heavy soil. Thoroughly clean the surface with a solution of PD-64 at 2 oz. per gallon of water.

#### **General Disinfection:**

Apply PD-64 at 2 oz. per gallon water to a pre-cleaned surface with a mop, cloth or coarse spray device.

Treated surface must remain wet for 10 minutes.

#### **Tuberculocidal Activity:**

PD-64 is tuberculocidal under the above conditions in 10 minutes at 68°F (20°C).

#### Air Conditioning Cooling Coils:

Controls odor-causing bacteria associated with odors originating from cooling coils in air conditioning systems. Do not use in air ducts, ductwork, or associated portions of these systems.

FOR USE ONLY BY PROFESSIONAL SERVICE TECHNICIANS OR TRAINED INSTITUTIONAL MAINTENANCE STAFF.

INDIVIDUALS APPLYING PRODUCT MUST USE EYE PROTECTION, RUBBER GLOVES, AND PROTECTIVE CLOTHING.

NO OCCUPANTS ARE ALLOWED IN THE VEHICLE DURING PRODUCT APPLICATION IN AUTOMOBILES {statement included ONLY on market labels with the automobile use pattern.}

MASTER LABEL FOR PD-64 EPA Reg. No. 5741-6 Spartan Chemical Company, Inc. Revised 09/19/2003

# DEC 11 2003

**3**.01

Page 3 of 5 Based of the State of Page 3 of 5 Based of the State of th

175

#### Automotive Air Conditioning Cooling Coils:

{This heading is optional if no other use patterns are on the label}

1. Mix 1 part (0.06 ounces) of PD-64 concentrate with 64 parts (4 ounces) of water. {The ounces of product and water may vary depending on the final package size chosen but the ratio will remain 1.54}

2. Screw the bottle of the above mixture on the applicator tool.

3. Connect the assembled applicator tool to the shop compressed air supply line.

4. Verify that the blower speed is on HIGH – AC, mode switch is on PANEL OUTLETS, temperature switch is on FULL COLD, recirculation switch is on FRESH AIR, all windows in vehicle are OPEN and ignition switch is set to RUN (do not start engine) to allow blower motor operation.

5. Insert the applicator tool into the cowl inlet.

6. Spray the full contents of the bottle into the air stream continuously until the bottle is empty.

7. Turn the ignition switch OFF.

8. Let the vehicle sit for a minimum of 30 minutes.

9. Turn the ignition switch ON (do not start engine), to allow blower motor operation.

10. Repeat steps 1-10 as needed until odor is no longer detected then proceed to next step.

11. Fill the applicator bottle with normal tap water.

12. Screw the bottle of water onto the applicator tool.

13. Turn the ignition switch ON (do not start engine), to allow blower motor operation.

14. Insert the applicator tool into the cowl inlet.

15. Inject all water in applicator bottle.

16. Turn the ignition switch off.

#### Industrial, Commercial and Residential

{This heading is optional if no other use patterns are on the label}

Use as an intermittent flush treatment during regular maintenance/cleaning of air conditioning units. Before use shut off unit, then remove visible debris and built-up contamination using PD-64 (2 ounces per gallon water) or a suitable industrial cleaner and rinse according to directions with clean water.

1. Mix 2 ounces of PD-64 concentrate per gallon of water.

2. Apply by coarse spray so as to thoroughly flush cooling coil and other parts that are normally wet during operation of the system.

3. Let the unit sit idle for a minimum of 30 minutes.

4. Rinse unit thoroughly with normal tap water.

5. Turn unit back on.

with CONSULENTS EPA Lotor Dated:

MASTER LABEL FOR PD-64 EPA Reg. No. 5741-6 Spartan Chemical Company, Inc. Revised 09/19/2003 DEC 1 1 2003

Under the Veriger's Integristicies Purchase beneficient entrementation ansonautor in the most of the most registered under 1994 flegs avo. 5741-6

Page 4 of 5

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals CAUTION Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food.	
If swallowed	
	• Call a poison control center or doctor immediately for treatment advice.
	• Have a person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison contro center or doctor.
	• Do not give anything by mouth to an unconscious person.
If in eyes	
	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing	• Call a poison control center of doctor for treatment advice.
If on skin of clothing	• Take off clothing.
	-
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
	• Can a poison control control of doctor for treatment advice.

# STORAGE AND DISPOSAL

{For one gallon or less}

Do not reuse empty container. Wrap container and put in trash.

#### {For packaging > one gallon:}

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your state pesticide cr environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

Have product container or label with you when seeking medical advice or treatment.

MASTER LABEL FOR PD-64 EPA Reg. No. 5741-6 Spartan Chemical Company, Inc. Revised 09/19/2003

Page 5 of 5

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

{For sizes 5 gailons of more}

**ENVIRONMENTAL HAZARD** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirments of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Spartan Chemical Company, Inc. 1110 Spartan Drive, Maumee, OH 43537 800-537-8990 / www.spartanchemical.com

