

SUBMITTED 8-6-91

ACCEPTED

OCT 08 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 5741-18 EPA Reg. No.

PM 31 5741-18

1041



# NABC<sup>®</sup> Nor-Acid Disinfectant Bathroom Cleaner

Ready-To-Use  
DISINFECTS • CLEANS • DEODORIZES  
Staphylocidal • Pseudomonocidal • Salmonellacidal • Virucidal\*

**ACTIVE INGREDIENTS:**

- n-Alkyl (C<sub>12</sub> - 50%, C<sub>10</sub> - 40%, C<sub>8</sub> - 10%)
- dimethyl benzyl ammonium chloride ..... 0.16%
- Octyl decyl dimethyl ammonium chloride ..... 0.12%
- Dioctyl dimethyl ammonium chloride ..... 0.06%
- Didecyl dimethyl ammonium chloride ..... 0.06%
- INERT INGREDIENTS ..... 99.60%

(Includes compatible cleaning agents, solvent and deodorizer)

\*Kills HIV-1 (AIDS Virus), Kills Herpes Simplex Type 2 and Influenza A<sub>1</sub>/Hong Kong Viruses on hard inanimate non-porous environmental surfaces.

EPA Reg No 5741 19

EPA Est. No. 5741-OH-1

Keep Out of Reach of Children

## CAUTION

See rear panel for additional precautionary statements.

**FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY**  
NET CONTENTS: 32 Fl. Oz. (One Quart)/0.946 Liters

© SCC

NABC is a ready-to-use, non-acid formulation designed to disinfect, clean and deodorize toilet bowls, urinals, and similar hard, non-porous bathroom surfaces. Formulated for use in daily maintenance programs. NABC is a proven one-step cleaner-disinfectant in the presence of moderate amounts of organic soil.

\*Virucidal, NABC Kills HIV-1 (AIDS Virus) \*\*, Kills Herpes Simplex Type 2 and Influenza A<sub>1</sub>/Hong Kong on hard inanimate nonporous environmental surfaces. NABC is recommended for use in hotels and motels, hospitals, office buildings, schools, public buildings, restaurants...any commercial, institutional or industrial building with lavatory facilities

### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. May cause skin and eye irritation. Avoid contamination of food. Do not get in eyes. Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling. **Statement of Practical Treatment:** If swallowed drink large quantities of water. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### One-Step Disinfecting and Cleaning Toilet Bowls and Urinals:

1. With swab mop applicator, remove water from bowl by forcing over trap.
2. Press swab mop against side of bowl to remove excessive water from applicator.
3. Apply 1-2 oz. of NABC evenly onto surface to be cleaned and disinfected.
4. Swab entire surface area especially under the rim where outlets are located.
5. Allow NABC to remain wet on surface at least 10 minutes.
6. Flush toilet and rinse applicator thoroughly. Preliminary cleaning is required for heavily-soiled surfaces.

#### One-Step Disinfecting Ceramic Tile, Porcelain, Shower Walls, Floors and Other Hard Non-Porous Surfaces:

1. To disinfect hard, non-porous surfaces, use full strength.
2. Apply NABC with a cloth, sponge, sprayer or mop. Treated surfaces must remain wet for 10 minutes.
3. Rinse thoroughly. Preliminary cleaning is required for heavily-soiled surfaces.

**General Deodorizing and Cleaning:** Dilute NABC 1:10 (12 oz/gal. of water) for general deodorizing and cleaning of hard, non-porous bathroom surfaces.

**\*\*Kills HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**Special Instructions for Cleaning and Decontamination against HIV-1 of Surfaces or Objects Soiled with Blood or Body Fluids:** **Personal Protection:** Exposure to blood and body fluids should be avoided by use of barrier protection such as latex or other impervious gloves. Face shields and impervious gowns should also be worn if splashing of blood or body fluids may occur. **Cleaning Procedure:** Gross contamination of blood or body fluids must be removed with disposable rags, absorbent, etc before application of NABC. **Contact Time:** Leave surfaces wet for 8 minutes. This contact time will not control other common types of viruses and bacteria. **Disposal of Infectious Materials:** Contaminated cleaning materials, blood and other body fluids should be autoclaved and/or disposed of according to local regulations for infectious waste disposal.

### STORAGE AND DISPOSAL

Do not reuse empty container, i. e., container and put in trash

SPARTAN CHEMICAL COMPANY, INC., 110 North Westwood Ave., Toledo, Ohio 43607

**BEST AVAILABLE COPY**