

CHILD-RESISTANT CAP!

"This stuff just KILLS me!"



**SUGAR BASE
FLY BAIT**

**Kills Flies,
Ants and
Roaches**

CAUTION

**KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON BACK PANEL**

HOT SHOT FLY BAIT

EPA Reg. No. 5748-3

DIRECTIONS

PLEASE READ ENTIRE LABEL. Use strictly in accordance with warning and caution. HOT SHOT FLY BAIT is a specially prepared insecticidal bait for use in the control of flies and can be used wet or dry. **LIQUID BAIT:** Dissolve 1 lb. of bait in 1 gallon of water and apply as a sprinkle or spray. **IMPORTANT:** Clean all sprayers thoroughly after use.

DRY BAIT: Scatter bait where flies congregate.

TO CONTROL RESISTANT OR NON-RESISTANT

Sprinkle HOT SHOT FLY BAIT or spray liquid bait thinly on ground or in areas where flies breed or gather. About 1/4 lb. dry bait, or 1 qt. liquid bait, is usually sufficient for each 500 square feet, depending on number of flies. Where flies are extremely numerous, heavier applications may be required.

TO KILL ANTS AND ROACHES: Sprinkle HOT SHOT FLY BAIT or spray liquid bait around garbage collection and disposal areas, ant trails and ant hills and other outdoor places where these insects crawl, such as around foundation of houses and outbuildings.

TO KILL SOW BUGS: Sprinkle HOT SHOT FLY BAIT or spray liquid bait around shrubbery and flower garden areas.

HOT SHOT FLY BAIT is recommended for use in barns, stables, pens, kennels, garbage cans, manure piles and all outside areas where flies congregate. When used in dairy barns or buildings where feeds are stored, treat floors with HOT SHOT FLY BAIT, but do not feed floor sweepings to livestock.

POULTRY HOUSES: HOT SHOT FLY BAIT may be used inside poultry houses where poultry is in cages. Sprinkle FLY BAIT or spray liquid bait on droppings under cages and on walkways in and around building. Where poultry is on litter or ground use only outside or in yard where poultry cannot feed on FLY BAIT.

TO KILL FLY MAGGOTS: Scatter HOT SHOT FLY BAIT or spray liquid bait evenly on manure approximately one pound of dry bait or one gallon of liquid bait per 100 square feet. Repeat in week and as needed thereafter.

CAUTION: Avoid contact with skin. Wash thoroughly with soap and water after using. Harmful if swallowed. Avoid breathing of dust. Keep out of reach of children, poultry or animals. Avoid contamination of foods or feeds. Do not use inside homes where food and milk products are stored or processed. Malathion is a Cholinesterase inhibitor. DDVP increases the toxicity hazards. Should poisoning occur, induce vomiting and call a physician immediately. Atropine is antidotal. Destroy container when empty.

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate (DDVP), 0.46%; related compounds, 0.04%; Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate), 1.00%.

INERT INGREDIENTS: 98.50%

MONEY BACK GUARANTEE:

MADE IN U.S.A. BY HOUSEHOLD PRODUCTS DIVISION, Conwood Corporation, MEMPHIS, TENNESSEE 38101

