FRONT PANEL FOR HOT SHOT FLEA & TICK SPRAY FORMULA 118

Hot Shot Flea & Tick Spray for dogs and cats Formula 118 Rapidly kills fleas on dogs and cats and also kills ticks on dogs. ACTIVE INGREDIENTS: Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate / \*3-Phenoxybenzyl d-cis and trans\*\*2,2-dimethyl-2-(2-0.050% methylpropenyl) cyclopropanecarboxylate 0.096% \* Other Isomers 0.004% INERT INGREDIENTS: 99.850% 100.000% \*d-(cis, trans) phenothrin \*\*cis/trans isomer ratio: Max. 25% (+ or -)cis Min. 75% (+ or -) trans CAUTION KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT NET WT. W. TI > AUG 3 0 1982 ses Felleral Insection. Ucher Policy and hole mide fields Act. an anomical for the pecields registered under EPA Rog. No. 5448 3

5

#### BACK PANEL FOR HOT SHOT FLEA AND TICK SPRAY FOR ULA 118

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors. Wash hands with soap and water after use.

In the home, all food processing surfaces. exposed food and utensils, should be covered during treatment, or thoroughly washed before use.

Cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Do not induce vomiting Drink plenty of water.
If On Skin: Wash off with soap and water. If any irritation occurs,
get medical attention.
If In Eyes: Flush with plenty of water. Get medical attention if
irritation persists.

PHYSICAL HAZARDS Do not use or store near heat or open flame.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL Storage: Store in a cool area away from heat or open flame. Disposal: Do not re-use empty container. Wrap container and put in trash collection.

SHAKE BEFORE USE

Used as directed, Hot Shot Flea & Tick Spray quickly relieves pets of bothersome flea and tick problems.

Hot Shot Flea & Tick Spray will kill Fleas on Cats and Brown Dog Ticksand Fleas on Dogs. ・ ううまたのである。

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under the body. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Do not spray into the eyes, face or on scrotum. Repeat as needed.

### BACK PANEL COPY FOR HOT SHOT FLEA & TICK SPRAY FORMULA 118 (CONT.)

For cats apply at the rate of one second per pound of body weight. (For example: 5 seconds of total spraying on a 5 pound animal). For dogs apply at the rate of two seconds per pound of body weight for thin or short haired dogs and up to eight seconds per pound of body weight for heavy or long haired dogs.

MONEY BACK GUARANTEE: Guaranteed to kill the insects listed when used as directed or your money back.

Made in U. S. A. by Household Products Division, Conwood Corporation, Memphis, Tennessee 38101

EPA REG. NO. 5748-

EPA EST. 5748-TN-1

•

UPC CODE 42100

EPA REG. NO. 5748-81

House hold Products Division Conwood Corporation P.O. Box 217 Memphis, Tn. 38101

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec, 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

1

· . · · ·

A stamped copy of the label is enclosed for your records.

Kauplu Franklin D. R. Gee

Franklin D. R. Gee Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767)

· · ·

# **USE DIRECTIONS:**

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces. No rinse required.

If used for sanitation of food equipment or food contact items, limit the level of active quaternary to 200 ppm (2.8 ounces per 5 gallons).

Potable water rinse is required.

For heavy soil or organic matter, a precleaning step is recommended.


## **PHENOL COEFFICIENTS:**

Guaranteed	Minimum
S. aureus	44
S. typhosa	28
Do Not Reuse Empty Container.	Rinse
Empty Container Thoroughly	With

Water. Discard In A Safe Place.

NET CONTENTS ONE GALLON

No. 2 51



# ARF SUP SANITIZER CLEANER DEODORIZER Designed for

### signed for Instituti

## **ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>11</sub>, 30% C dimethyl benzyl ammo n-Alkyl (68% C<sub>12</sub>, 32% C

dimethyl ethylbenzyl o Sodium carbonate ...... Tetrasodium ethylenediar INERT INGREDIENTS: ....

EPA Reg.

### DA

Keep Out of Reach of Ch for additional precaution Manufa Arrow Chemical Products