SPUR-TEX

PRECAUTIONARY STATEMENTS M HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING: Causes eye or skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. DISINFECTANT Remove and week conteminated clothing. Д EANER-DEODORANT STORAGE AND DISPOSAL This product must be kept under locked storage sufficient to make it inaccessible children or persons unfamiliar with its proper use. **BACTERICIDAL AND FUNGISTATIC** . Do not contaminate water, for J, or feed by storage or disposal ÇON ANS QUATERNARY AMMONIUM - TASTELESS AND ODORLESS Open dumping is prohibited. Do not reuse empty container) PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous, improper disposal of excess pesicipal spray mixture, or rinsage is a violation of Federal Law, if these wastes cannot be disposed of by lotive monedients: use according to label instructions, contact your State Posticide of Environmental Control n-Alkyl (C14 60%, C16 30%, C18 5%, C12 5%)

CONTAINER DISPOSAL PLASTIC CONTAINERS

quidance.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Agency, or the Hazardous Waste representative Ht the nearest dPA Replonal Office for

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, drink promptly a large quantity of water.

Manufactured by

SPURRIER CHEMICAL COMPANIES, INC.

1200 E. CENTRAL, P.O. BOX 2812 • WICHITA, KANSAS 67201

FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

EPA REG. NO. 5768-8

800-1

EPA EST. NO. 5768 KS1

NET CONTENTS -- 1 Gallon or 3.785 liters

dimethyl benzyl ammonium chloride.....

INERT INGREDIENTS. 97.50%

Contains Sodium Nitrite

WARNING: KEEP OUT OF REACH OF CHILDREN.

ISEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY & PRACTICAL TREATMENT STATEMENTS)

TOTAL INGREDIENTS 100.00%

l**'Y**"

2.50%

rants, and similar institutions.

DIRECTIONS FOR

It is a violation of Federal Law to use this produits labeling.

For use in hotels, motels, schools, hospi

- For cleaning and deodorizing walls, floor faces add 2 oz. Spur-Tex Disinfectant CI water. Thoroughly wet all treated surfact dipped in solution.
- For maximum cleaning and disinfection. Cleaner-Deodorant per gallon water. The
- To control growth of mildew (mold or fung similar surfaces, clean surface thorough) or cloth saturated with solution of 4 oz. o Deodorant to 1 gal. water and let dry growth appears. Rinse all food contact st use.

SPECIAL INSTRUCTIONS FOR CLEANING AN HIV-1 (AIGS VIRUS) OF SURFACES/OBJECTS BLOOD/BODY FLUIDS.

KILLSHIV-1 ON PRE-CLEAKED ENVIRONMENTAL SUI WITH BLOODING OF FLUIDS. In health care settings (it which shere is an expected likelihood of solling of inanima and in which the surfaces/objects likely to be soiled with bipotential for identification of human immunodeficiency virials.

PERSONAL PROTECTION - When handling items solled gloves, gowns, mapia, or eye coverings. CLEANING PRIC be thoroughly deathed from surfaces and objects before complete, follow disinfaction directions (2 oz. per galan) of surface to remain wet for 10 minutes. DISPOSIAL OF INFT fluids should be autoctaved and disposed of according to

SPUR—TEX

TONARY STATEMENTS

3 TO HUMANS AND DOMESTIC ANIMALS

3: Causes eye or skin kritation. Do not get in eyes, ng. Harmful if swallowed. Avoid contamination and wash contaminated clothing.

STORAGE AND DISPOSAL

z must be kept under locked storage sufficient to make it insponsed persons unfamiliar with its proper use.

 Do not contaminate water, food, or feed by storage or disposa * Do not reuse empty container n dumping is prohibited : DISPOSAL

astes are acutely hazardous. Improper disposal of excess pesiciles, spray insate is a violation of Federal Law. If these wastes cannot be dispose ng to label instructions, contact your State Posticide or Environmental Control the Hazardous Waste representative at the nearest 2PA Regional Office for

R DISPOSAL **CONTAINERS**

(or equivalent). Then offer for recycling or reconditioning, or puncture and n a sanitary landfill, or incineration, or, if allowed by state and local authorities, If burned, stay out of smuke.

: Consult federal, state or local disposal authorities for approved alternative such as limited open burning.

ENT OF PRACTICAL TREATMENT

contact, immediately flush eyes or skin with plenty of water for at ninutes. For eyes, call a physician, if swallowed, drink promptly a ntity of water.

Manufactured by

SPURRIER CHEMICAL COMPANIES, INC. E. CENTRAL, P.O. BOX 2812 - WICHITA, KANSAS 67201 R SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

Ш

DISINFECTANT IER-DEODORANT

BACTERICIDAL AND FUNGISTATIC GOBLEANS QUATERNARY AMMONIUM -- TASTELESS AND ODORLESS

OTIVE INGREDIENTS:

n-Alkyl (C14 60%, C16 30%, C18 5%, C12 5%)	
dimethyl benzyl ammonium chloride	2.50%
INERT INGREDIENTS	
TOTAL INGREDIENTS	
Contains Sodium Nitrite	

WARNING: KEEP OUT OF REACH OF CHILDREN.

(SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY & PRACTICAL TREATMENT STATEMENTS)

EPA REG. NO. 5768-8

800-1

EPA EST. NO. 5768 KS1

NET CONTENTS -- 1 Gallon or 3.785 liters

For use in hotels, motels, schools, hospitals, nursing homes, restaurants, and similar institutions.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. For cleaning and deodorizing walts, floors, countertops, and similar surfaces add 2 oz. Spur-Tex Disinfectant Cleaner -Deodorant to a gallon of water. Thoroughly wet all treated surfaces with cloth, sponge, or mop dipped in solution.
- 2. For maximum cleaning and disinfection add 4 oz. Spur-Tex Disinfectant Cleaner-Deodorant per gallon water. Thoroughly wet all treated surfaces.
- 3. To control growth of mildew (mold or fungi) on walls, floors, counters, and similar surfaces, clean surface thoroughly, then wipe or mop with sponge or cloth saturated with solution of 4 oz, of Spur-Tex Disinfectant Cleaner-Deodorant to 1 gal, water and let dry. Repeat application when new growth appears. Rinse all food contact surfaces with potable water before

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS PREVIOUSLY SOILED WITH **BLOOD/BODY FLUIDS.**

KILLSHIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of solling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeliciancy virus Type 1 (HIV-1) (associated with AIDS).

PERSONAL PROTECTION - When handling items solied with blood or body fluids use disposable listex gloves, gowns, masks, or eye coverings. CLEANING PROCEDURES - Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of (800) DCD. After cleaning is complete, follow disinfection directions (2 oz., per gallon) described previously. CONTACT TIME - Allow surface to remain wet for 10 minutes. DISPOSAL OF INFECTIOUS MATERIALS - Blood and other body fluids should be autoclaved and disposed of according to total regulations for infectious waste disposal

