# **SPUR-TEX**

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND **DOMESTIC ANIMALS**

#### DANGER

Corrosive : Causes irreversible eve damage. May be fatal if inhaled. Causes skin imitation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breather dust. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or public waters unless in accordance with the Yor Stin; Wash with plenty of soep and water. Get medical attention. requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the It inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Soard or Regional Office of the EPA.

#### PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion, in case of contamination or decomposition do not reseal container, if possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

**Active Ingredient** Sodium Dichloro-s-triazinetrione Dihydrate Inert Ingredients Provides 14% available chitchine . .

## KEEP OUT OF REACH OF CHILDREN

#### **Practical Treatment FIRST AID**

If Swallowed: Promptly drink large quantities of water. Do not induce ventiling. Avoid alcohol. Call a physician or Poison Control Center.

If in Eyes; Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

#### SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL **NET CONTENTS 5 lbs.**

#### Manufactured by

SPURRIER CHEMICAL COMPANIES, INC. 1200 E. CENTRAL, P.O. BOX 2812 WICHTA, KANSAS 67201

**EPA REGISTRATION NO. 5768-12** 

EPA EST. NO 5768 KS. 1

### ACCEPTED

JUL-23 1998

Under a procession of the Rodenticide Act, as amended, for the proticide registered under EPA Red. No. 5768-12

SPUR-TEX SAMITIZER is recommended for use on hard (non-porous surfaces or on dishes, glasses or food processing equipment or utensits, in any institutional or industrial food processing application (restaurants, dairies, breweries.)

#### DIRECTIONS FOR USE

It is a violation of lederal law to use this product in a manner inconsistent with its labeling.

Prepare a sanitizing solution by dissolving 1 oz. of Spuir-Tex Sanitizar per 10 gallons of water. This gives a solution containing 100 ppm available chlorine. Clean item or surface with a suitable detergent and rinse prior to sanitizing. Then place dishes, glasses, equipment or utenells in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes and then drain and air dry.

The same solution should be used in the feed tank in immeration or spray type machines, providing 2-5 minutes contact time for sanitizing dishes, glasses, food proceeding equipment and utensits. Clean items with a suitable detergent and rinse prior to sanitizing. After sanitizing step allow items to drain and air dry. The items are then reedy for use.

The sanitizing solution should be used promptly after mixing, in manual operations, prepare fresh sanitizing solution daily, or more often as necessary if the solution becomes diluted or soiled, in machine operations, do not reuse the sanitizing solution.

#### STORAGE AND DISPOSAL

Keep product dry in tightly closed containers when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of a decomposition isolate container if possible and flood with large amounts of water to dissolve all material before discarding. Do not reuse empty container. Rinse empty container thoroughly with water. Securely was container in several layers of newspaper and discard in trash. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

#### PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If those wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the rearest EPA Regional Office for guidence.

P