

5768-12

01/12/2007

113

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

January 12, 2007

Bruce F. Lavery
Technical Director
Spurrier Chemical Companies, Inc.
PO Box 2812
Wichita, KS 67201-2812

Subject: Spur-Tex Sanitizer
EPA Registration No. 5768-12
Application Date: October 9, 2006
Receipt Date: October 17, 2006

Dear Mr. Lavery:

The following amendments, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable:

Addition of new package size

General Comments

The new package size is acceptable, and a copy of this application has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at 703-308-6345.

Sincerely,

Emily H. Mitchell
Acting Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL	7510P	7510P					
IRNAME	E. B. L.	E. B. L.					
DATE	1/12/07	1/18/07					

PA Form 1320-1A (1/90) Printed on Recycled Paper

ACCEP

JAN 12

Under the Federal Insecticide, Rodenticide Act as amended, this pesticide is registered under EPA Reg. No. 5768

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area.

814

Flood with large volume of water if necessary.

SPUR-TEX

SANITIZER

Active Ingredient

Sodium Dichloro-s-triazinetrione Dihydrate25%

Inert Ingredients75%

Provides 14% available chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
If **swallowed**: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes: Hold eye open, rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

Net Contents 120 - 0.15 oz. Packets

Net Weight 1.125 lbs. (0.510 kg.)

Manufactured by

SPURRIER CHEMICAL COMPANIES, INC.

1200 E. CENTRAL, P.O. BOX 2812 WICHITA, KANSAS 67201

EPA REGISTRATION NO. 5768-12

EPA EST. NO 5768 KS. 1

SPUR-TEX SANITIZER is used on dishes, glasses or food processing equipment and industrial food processing equipment.

It is a violation of federal law to use this product in a manner inconsistent with labeling.

K Prepare a sanitizing solution of 1.5 gallons of water per 1.5 gallons of water. Chlorine. Clean item or surface. Then place dishes, glasses, the surface to be sanitized.

The same solution should be used on machines, providing 2-5 minutes of processing equipment and use prior to sanitizing. After sanitizing, the surface are then ready for use.

The sanitizing solution should be prepared fresh. Sanitizing solution becomes diluted or soiled. In

Keep product dry in tightly sealed, well-ventilated area away from heat. Isolate container if possible. Discard material before discarding. Thoroughly with water. Securely discard in trash. Do not contact equipment.

Pesticide wastes are acutely toxic. Do not spray mixture, or rinseate is disposed of by use according to Environmental Control Agency nearest EPA Regional Office.

INDIVIDUAL PACKET LABEL

SPUR-TEX

SANITIZER

814

Active Ingredient
Sodium dichloro-s-triazinetrione dihydrate..... 25%
Inert Ingredients..... 75%
Provides 14% available chlorine

KEEP OUT OF THE REACH OF CHILDREN

DANGER FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If **swallowed**: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If **in eyes**: Hold eye open, rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If **on skin or clothing**: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If **inhaled**: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

Manufactured by
SPURRIER CHEMICAL COMPANIES, INC.
1200 E CENTRAL, P.O. BOX 2812
Wichita, KANSAS 67201

NET WEIGHT .15 oz. (4.2 g.)

EPA REGISTRATION NO. 5768-12

EPA EST. NO. 5768-KS-1

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Prepare a sanitizing solution by dissolving 1 pack/0.15 oz. of Bar Glass Sanitizer per 1.5 gallons of water. This gives a solution containing 100 ppm available chlorine. Clean item or surface with a suitable detergent and rinse prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes and then drain and air dry.

The sanitizing solution should be used promptly after mixing. In manual operations, prepare fresh sanitizing solution daily, or more often as necessary if the solution becomes diluted or soiled. In machine operations, do not reuse the sanitizing solution.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.