

5768-12

10/16/2007

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Prepare a sanitizing solution by dissolving 1 pack/1.2 oz. of Bar Glass Sanitizer per 12 gallons of water. This gives a solution containing 100 ppm available chlorine. Clean item or surface with a suitable detergent and rinse prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2-5 minutes and then drain and air dry.

The sanitizing solution should be used promptly after mixing. In manual operations, prepare fresh sanitizing solution daily, or more often as necessary if the solution becomes diluted or soiled. In machine operations, do not reuse the sanitizing solution.

# SPUR-TEX SANITIZER

**Active Ingredient**  
Sodium dichloro-s-triazinetriene dihydrate..... 25%  
**Inert Ingredients**..... 75%  
Provides 14% available chlorine

814

**KEEP OUT OF THE REACH OF CHILDREN**

## DANGER FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If in eyes:** Hold eye open, rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.  
SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

Manufactured by  
SPURRIER CHEMICAL COMPANIES, INC.  
1200 E CENTRAL, P.O. BOX 2812  
Wichita, KANSAS 67201

**NET WEIGHT 1.2 oz. (34.0 g.)**  
**EPA REGISTRATION NO. 5768-12**  
**EPA EST. NO. 5768-KS-1**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ACCEPTED**  
OCT 16 2007  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 5768-12

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic organisms.

**PHYSICAL AND CHEMICAL HAZARDS**

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not re-seal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

**814**

05/03 05/06

# SPUR-TEX

## SANITIZER

**Active Ingredient**

Sodium Dichloro-s-triazinetrione Dihydrate .....25%

**Inert Ingredients** .....75%

Provides 14% available chlorine

### KEEP OUT OF REACH OF CHILDREN DANGER

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**If in eyes:** Hold eye open, rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

**Net Contents 100 - 1.2 oz. Packets**

**Net Weight 7.5 lbs. (3.40 kg.)**

Manufactured by

**SPURRIER CHEMICAL COMPANIES, INC.**

**1200 E. CENTRAL, P.O. BOX 2812 WICHITA, KANSAS 67201**

**EPA REGISTRATION NO. 5768-12**

**EPA EST. NO 5768 KS. 1**

**SPUR-TEX SANITIZER** is recommended for use on hard surfaces, on dishes, glasses or food processing equipment or utensils in industrial food processing application (restaurants, dairies, etc.).

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with labeling.

**K** Prepare a sanitizing solution by dissolving 1 packet/1.2 oz. per 12 gallons of water. This gives a solution containing 1 ppm of available chlorine. Clean item or surface with a suitable detergent and rinse. Place dishes, glasses, equipment or utensils in the solution. Let stand 2-5 minutes and then drain.

The same solution should be used in the feed tank in automatic machines, providing 2-5 minutes contact time for sanitizing processing equipment and utensils. Clean items with a suitable detergent prior to sanitizing. After sanitizing step allow items to drain and are then ready for use.

The sanitizing solution should be used promptly after mixing. Prepare fresh sanitizing solution daily, or more often as needed, if becomes diluted or soiled. In machine operations, do not reuse.

**STORAGE AND DISPOSAL**

Keep product dry in tightly closed containers when not in use. Store in well-ventilated area away from heat or open flame. Do not isolate container if possible and flood with large amount of water before discarding. Do not reuse empty container. Thoroughly wash container with water. Securely wrap container in several layers of plastic and discard in trash. Do not contaminate food or feed by storage of equipment.

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of spray mixture, or rinsate is a violation of Federal Law. It is the responsibility of the user to dispose of this product according to label instructions, contact the Environmental Control Agency, or the Hazardous Waste nearest EPA Regional Office for guidance.

**REV**