

11' 20 5767 14

1073

MAR 18 1992

Spurrier Chemical Companies, Inc.
P.O. Box 2812
Wichita, KS 67201-2812

Attention: B.F. Lavery

Gentlemen:

Subject: Spur-Tex 816 Granular Chlorinated Sanitizer - Cleaner
EPA Registration No. 5768-14
Your Amendment Dated October 30, 1991

This is in response to your request to amend this registration to change the product name and revise the labeling.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted before you release the product for shipment.

- Under the "Statement of Practical Treatment" If swallowed, delete, "drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available."

We have amended our records to reflect the product name change to "Spur-Tex 816 Granular Chlorinated Sanitizer - Cleaner."

62950:I:Pringle:WP5.0-6:KEVRIC:02/25/92:03/25/92:CL:DD:CL

R:62952:Pringle:WP5.0-6:KEVRIC:03/12/92:04/10/92:aw:wo:dd:aw

SYMBOL	7504c						
SURNAME	Pringle						
DATE	3-27						

2073

If you have any further questions, please contact Ms. Barbara Pringle at (703) 305-6484.

Sincerely yours,



Ruth G. Douglas
Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

SPUR-TEX

Spur-Tex 816 Granular Chlorinated Sanitizer-Cleaner is recommended for use on hard (non-porous) surfaces in Institutional and Food Service kitchens and food service areas, including kitchen utensils and equipment, and restaurant shake and soft serve machines.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE AND SOFT SERVE MACHINES

Closing Procedure

1. Remove remaining mix material from machine.
2. Rinse system with warm water until rinse water is clear.
3. Disassemble all removable parts contacting mix. Place in a clean sink and wash, with brush, using 1.0 ounce per gallon solution of 816 Granular Chlorinated Sanitizer-Cleaner. Brush the non-moving parts of the machine, including freeze chambers, with a similar cleaning solution.
4. Completely rinse all removed and non-moving parts with potable water.
5. Sanitize with a 100 ppm available chlorine solution of Spur-Tex 816 Granular Chlorinated Sanitizer-Cleaner, prepared according to Chlorine Tablets. Sanitize all parts by immersing or contacting use solution for 1-2 minutes. Drain and allow parts to air dry on a clean surface. Do not rinse. Do not reuse sanitizing solution.

Opening Procedure

Just before daily startup, sanitize machine with a 100 ppm available chlorine solution of Spur-Tex 816 Granular Chlorinated Sanitizer-Cleaner prepared in cool or cold water. Operate machine 1-2 minutes with sanitizing solution, ensuring that all surfaces are contacted by solution. Drain thoroughly. Do not rinse. Do not reuse sanitizing solution.

Local ordinances may stipulate variations in the procedures outlined above.

816 GRANULAR CHLORINATED SANITIZER-CLEANER

Active Ingredient:

Sodium Dichloro-s-Triazinetrione
Dihydrate*

6.0%

Inert Ingredients:

94.0%

*Provides 3.36% available chlorine

EPA REG. NO. 5768-14

EPA EST. NO. 5768 KS-1

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Read First Aid Statement and Other
Precautions on Side Panel

Net Weight 5 lbs. (2.27 kg.)

Manufactured by Spurrier Chemical Companies, Inc.
P. O. Box 2812, Wichita, KS 67201

KITCHEN

1. Scrape
- Sanitize
4. Sanitize
- Granular
- equip
- Make
- dilute

DILUTION

PRECAUTIONS
Hazards
CORROSIVE
contaminant

In case of
wash con
are not av
NOTE TO
respirator
STORAGE
away from
all materia
disposal,

MAR 18 1992

5768-14

BEST AVAILABLE COPY