


LAWN GRASS FUNGUS CONTROL

FOR: BROWN PATCH (Rhizoctonia), GRAY LEAF SPOT and HELMINTHOSPORIUM

Picture Area



ACTIVE INGREDIENT:

Thiram (Tetramethylthiuramdisulphide) 4.50%

INERT INGREDIENTS

95.50%

100.00%

DIRECTIONS: Begin and continue use during rainy season and when grass shows evidence of infection. Apply weekly. Wet grass before use, not after. Best results can be obtained with a duster or hand blower. Allow to dry on grass about 24 hours before mowing or watering. Apply at the rate of 1 lb. for 250 sq. ft. of lawn area.

CAUTION:

May irritate skin. Do not inhale dust. Avoid contact. Wash after use. May be harmful if swallowed. Do not use grass that has been dusted as fodder. Avoid contamination of food. Avoid dust drift to fish ponds as this material is toxic to fish.

NOTICE: READ BEFORE USING

Use of this product for the control of fungus requires controlled isolation of its effects at user's risk. Carefully avoid all described and related dangers and any practice not specifically recommended. Recovery on Manufacturer's or Seller's civil liability for any cause is hereby expressly limited to refund of purchase price for defect in quality. Return unopened for refund if these conditions are unsatisfactory.

Net Weight 4 Lbs.

"USDA Reg. No. 5778-15"

GRO CHEMICAL CO., MIAMI, FLA.

KEEP OUT OF REACH OF CHILDREN