DIRECTIONS

One tablespoon to one gallon water, spray all parts of plant thoroughly every week to 10 days after infestation. Repeat when necessary.

DO NOT USE ON FOOD CROPS CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mists. May be absorbed through the skin. Avoid contact with eyes, skin, and clothing. Wash after handling. Avoid contamination of feed and foodstuffs.

> 8 FL. OUNCES **GRO CHEMICAL** COMPANY MIAMI, FLORIDA

"USDA. REG. NO. 5778-24"

ETHION 13% EMULSION

KILLS:

Hand Grenade (cerococcus) Scale and certain other scales — Six Spotted Mite, Citrus Rust Mite, Spider Mite, Citrus Red Mite and Texas Citrus Mite.

ACTIVE INGREDIENTS

Ethion O, O, O', O', - Tetraethyl S, S', -Methylene Bisphosphorodithioate . 13.02% Related Compounds Xylene Type Solvent INERT INGREDIENTS

.68%

78.74%

100.00%

7.56%

CAUTION: **KEEP OUT OF REACH OF CHILDREN** SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

ACCEPTED 7-15-68

UNDER THE FEDERAL IN SCHOOL FUNGICIDE AND DEADERS & READE FOR ECONOM ED UHDER NO.


FOR: Gardenias, Hibiscus, and other ornamental plants and flowers.

INFLAMMABLE:

Keep away from open flame

NOTICE: READ BEFORE USING

Use of this product for selective killing of insects requires controlled isolation of its effects at user's risk. Carefully avoid all described and related dangers and any practice not specifically recommended. Recovery on Manufacturer's or Seller's civil liability for any cause is hereby expressly limited to refund of purchase price for defect in quality. Return unopened for refund if these conditions are unsatisfactory.



•

-

	CDA	
DIRECTIONS	ETHION 13%	FOR: Condernal Miblious, Condernal Miblious, Condernal Miblious, Condernal Miblious, Condernal Miblious,
DO NOT USE ON FOOD CROPS	EMULSION KILLS:	INFLAMMABLE: Keep away from open flame
CAUTION		
GRO CHEMICAL	• • • • • •	
COMPANY MIAMI, FLORIDA	CAUTION: REEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL CAUTIONS	

n-

.

- -
