



DO IT YOURSELF TERMITE KILLER

**KEEP OUT OF REACH OF CHILDREN
CAUTION.**

Harmful if swallowed. If swallowed, induce vomiting. Avoid skin contact & spray mist. Must be absorbed through the skin. In case of contact, wash it with soap and water. Avoid contact with food and drink. Do not use on humans. When contact is made, empty immediately, wash thoroughly and destroy.

NOTICE: READ BEFORE USING.

Follow directions carefully. Timing and method of application, weather and mixtures with other chemicals not specifically recommended, and other info in the use of this product are beyond the control of the seller. Buyer uses, use, storage and disposal of this material not in strict accordance with directions. Return information if such conditions are unsatisfactory.

CAUTION: Do not use or store near heat or open flame.

MANUFACTURED BY: TERMITO, MIAMI, FLORIDA

REG. NO. 27822

E.F.A. EST. NO.

REGISTERED TRADE MARK OF TERMITO, MIAMI, FLORIDA

1.

YOURSELF TERMITE KILLER

BY WEIGHT

Octachloro-4,7- Related Compounds)	100
.....	88.5
.....	1.5
.....	<u>100</u>

PROTECTION OF CHILDREN

CAUTION:
Prevent children from vomiting. Avoid skin contact and breathing of vapors. In case of contact, wash immediately with soap and water. Do not use on household pets or children. Wash thoroughly and destroy. Never re-use.

BEFORE USING

Read directions, method of application, weather and crop conditions recommended, and other influencing factors. Use in strict accordance with directions given here. If conditions are unsatisfactory.

Keep away from heat or open flame.

COMPANY, MIAMI, FLORIDA

E.P.A. EST. NO. FL-1

1 GALLON

FOR USE, AND FURTHER PRECAUTIONS

STORAGE AND DISPOSAL

1. **PROHIBITIONS**
Do not contaminate water, food, or feed by storage or disposal. Emptying or refilling is prohibited. Do not reuse empty container.
2. **PESTICIDE DISPOSAL**
Pesticide, spray mixture, or residue that cannot be used or chemically repackaged should be disposed of in a landfill approved for pesticides or by other means in a safe place away from water supplies.
3. **CONTAINER DISPOSAL**
Triple rinse (or equivalent) and dispose of in an approved landfill or by other means in a safe place.
4. **GENERAL**
Consult Federal, State, or Local Disposal Authorities for appropriate disposal procedures.

Excessive application should be avoided in the application of TERMITE KILLER as excessive concentration may cause residual odors. One application at proper concentration and correct method will control termites for 5 years or longer. Case histories of over 11 years are on record. One gallon of X Termite Killer in a 20 gallon garbage pail makes a 5% solution. Two gallons make a 10% solution. Dilute with water to fill 20 gallon garbage can. Apply with dipper or bucket. When this used, annual inspections for termite reinfestation is necessary.

INSTRUCTIONS SUBTERRANEAN TERMITES

Directions for Non Professional Use: Use 1 gallon TERMITE KILLER and sufficient water to fill a 20 gallon garbage can which makes a 5% solution.
Use 2 gallons of TERMITE KILLER and sufficient water to fill a 20 gallon garbage can, which makes a 10% solution.

BUILDINGS HAVING BASEMENTS OR CRAWL SPACES

Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below the footing. Then, as the trench is refilled, treat soil at the rate of 1 gallon per 10 linear feet, for each foot of depth. A trench 3 feet deep requires 12 gallons per 10 linear feet.

APPLICATION

- (a) Apply to critical areas along foundation walls, around piers and under slabs of porches, entrance platforms.
- (b) Apply at a rate of 1 gallon per 2 1/2 linear feet per foot of depth along both sides of foundation walls, piers, etc.
- (c) Under porch floors and entrance platforms, apply over-all treatment at rate of 1 gallon per square feet.
- (d) Voids of cast masonry foundation walls and piers, apply to voids at rate of 1 gallon per 5 feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

STORAGE AND DISPOSAL

- 1. **PROHIBITIONS**
Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
- 2. **PESTICIDE DISPOSAL**
Pesticide, spray mixture, or residue that cannot be used or chemically reticulated should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- 3. **CONTAINER DISPOSAL**
Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.
- 4. **GENERAL**
Consult Federal, State or Local Disposal Authorities for appropriate treatment procedures.

Material should be stored in the application container. Do not use for any other purpose. Do not treat with other pesticides. One application of this product will protect the soil for 2 years or longer. Do not use in areas where the soil is to be used for growing crops. One gallon of this product will fill a 20 gallon garbage can. One gallon of this product will fill a 20 gallon garbage can. Apply with a watering can or bucket. Do not use in areas where the soil is to be used for growing crops. Inspect for termite reinfestation.

INSTRUCTIONS

SUBTERRANEAN TERMITES

Directions for Use: Use 1 gallon TERMITE with 1 gallon water to make a 20 gallon solution. Use 2 gallons of TERMITER and sufficient water to fill a 20 gallon garbage can which makes a 40 gallon solution.

BUILDINGS HAVING BASEMENTS OR CRAWL SPACES

Apply a trench along the outside of the foundation walls, in brick or block masonry, concrete foundation, and on the ground surface but not below the footing. To ensure the trench is retained, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of length. A trench 2 feet deep would require 32 gallons per 100 feet.

APPLICATION

- (a) Apply to the outside of foundation walls and on the ground surface of porches and entrance platforms.
- (b) Apply at a rate of 4 gallons per 10 linear feet per foot of length along the outside of foundation walls.
- (c) Under porches and entrance platforms, apply 4 gallons of treatment at a rate of 4 gallons per 10 square feet.
- (d) Vertical cracks in foundation walls and piers, apply 4 gallons of treatment per 5 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other local areas may require more treatment. It is suggested that you consult the State Extension Service for advice.

6-18-33

54

54A