



A BOX CAR, GRAIN AND WAREHOUSE FUMIGANT

DANGER

Keep Out of Reach of Children



POISON
DO NOT INHALE VAPORS



See other warnings on back panel.

ACTIVE INGREDIENT 100%
METHYL PROMIDE 100%

ANTIDOTE: Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Call A Physician Immediately!

GREAT LAKES CHEMICAL CORPORATION, WEST LAFAYETTE, INDIANA
MADE IN U.S.A. EPA Reg. No. 5785-11 EPA EST. No. 5785-AR-01 NET WEIGHT 1 POUND
© Registered Trademark of Great Lakes Chemical Corporation

ENG. NO. CH-5545-GREAT LAKES CHEMICAL CORP. - 1ST BLACK, 2ND BLACK, RED

POISON

WARNING: POISONOUS LIQUID and VAPOR! Contact with liquid may produce burns. Do not breathe vapor. Do not get in eyes, on skin or on clothing. In case of contact immediately remove all contaminated clothing including shoes. Wash skin thoroughly with soap and water and flush eyes with water for at least 15 minutes. Get medical attention. Do not re-use shoes or clothing until free of all contamination.


WARNING: The BLACK CANISTER for protection against organic vapors should be used with an approved full-faced gas mask when releasing gas in enclosed places, or when opening up after fumigation.

NOTE: The following are some general uses and dosage rates. For additional information on the use of Meth O Gas, contact your supplier or Great Lakes Chemical Corp. Do not fumigate food products not recommended, nor exceed the dosage when recommended, since this may result in inorganic bromides in excess of those permitted.

PRECAUTIONS: Be sure buildings, box cars, motor vans, etc. are well sealed. Post warning signs. Use guards when prescribed. Aerate buildings or grain after exposure period. Check premises with halide detector.

GRAIN: Meth O Gas is an ideal fumigant for the control in all life stages of stored grain insects such as cadelle, bran bugs, granary weevil, grain beetle, rice weevil, and Indian meal Moth. Do not fumigate if grain moisture is high, if grain temperature is below 50°F, or if there is excessive dockage.

WAREHOUSE and FOOD PLANTS: The one pound can may be used in a general fumigation in conjunction with cylinders, or for individual treatment of small areas, bins or isolated rooms. Follow directions on use of special opener. Use 1 1/2 to 3 lbs. for each 1,000 cu. ft. for 24 to 48 hours exposure.



BOX CAR and MOTOR VANS: If inside temperature is below 60°F warm cans with lukewarm water to increase vapor pressure. Use special opener. Do not move equipment during exposure period. Use 12 to 15 lbs Meth O Gas for each box car or motor van. Expose for 12 to 18 hours.

TARPAULIN FUMIGATION: Fumigate in well ventilated place. Place evaporator on top of goods to be fumigated. Cover with polyethylene or plastic coated tarpaulin. Provide air space at top. Anchor edges with sand snakes or horse dirt. Use 2 to 4 lbs. Meth O Gas for each 1,000 cu. ft. Expose for 24 to 48 hrs.

ATMOSPHERIC and VACUUM FUMIGATION: Provide suitable gas tight chamber. Connect with outside duct for safe gas exhaust.

DOSAGE RATES: When stored in the enclosures mentioned above, include grain in flat storage, fumigate corn at two pounds, milo at four pounds, and barley, buckwheat, oats, rice, rye and wheat at three pounds per 1,000 cu. feet for 24 hours exposure. For more specific details, particularly on atmospheric or vacuum chamber fumigation write Great Lakes Chemical Corporation.

RODENTS: In warehouses use 1/2 lb. Meth O Gas for each 1,000 cu. ft. if necessary increase dosage to compensate for leakage. Expose for 12 to 18 hours.

CAUTION: STORE IN COOL, WELL VENTILATED PLACE.

TO OPEN: The contents of this can are under pressure. Open only with SPECIAL APPLICATOR available from your supplier.

NOTE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

H-2

CH-5545
CH-5545

* Consult Bulletin GAK 128 (Rev.) for additional use and safety information.

ACCEPTED
January 4, 1975
UNDER THE FEDERAL INSECT
FUNGICIDE AND RODENTICIDE
FOR ECONOMIC POISON ACT
ED UNDER NO. 5785-11
TO ATTACHED CON...