

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision,
and only for those uses covered by the Certified Applicator's certification.

CHLOR-O-PIC

ACTIVE INGREDIENTS

Chloropicrin

By Wt

96.5%

INERT INGREDIENTS

3.5%

Total 100.0%

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

Statement of Practical Treatment

In all cases of first aid, the patient should be kept in a comfortable position and a doctor or emergency treatment center should be contacted immediately.

IF INHALED: Get the person out of the contaminated area immediately. If breathing is difficult, give artificial respiration. If the person is unconscious, place them on their side and call for medical help.

ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering skin. Wash contaminated areas thoroughly with soap and water.

IF IN EYES: Flush eyes with water for at least 15 minutes.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 100-1044A

NET WT. _____

LOT NO. _____



WEST LAFAYETTE, INDIANA 47906



POISON

NOT RECOMMENDED

10/2/88 10/2/88 10/2/88 10/2/88 10/2/88
Printed on Recycled Paper 10/2/88 10/2/88 10/2/88

INHALATION HAZARD

6

CHLOROPICRIN, LIQUID

UN 1580

Great Lakes Chemical Corporation makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. See label for details. Great Lakes Chemical Corporation label shall be printed to the user's name, address, and telephone number.

STORAGE AND DISPOSAL

Storage and Handling: Store in a cool, dry, well-ventilated area. Do not store in a pesticide storage area. Do not store near water. Do not store in a fire or explosion hazard area. Do not store in a confined space. Do not store in a container that is not labeled for this use. Do not store in a container that is not labeled for this use. Do not store in a container that is not labeled for this use. Do not store in a container that is not labeled for this use.

Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the usual methods, contact your State Pesticide or Environmental Control Agency, or the nearest EPA Regional Office for advice. For empty cylinders, freight collect to the Great Lakes Chemical Corporation, 10000 Lakeshore Blvd., Cleveland, OH 44130. Do not reuse until properly cleaned. Do not reuse until properly cleaned. Do not reuse until properly cleaned. Do not reuse until properly cleaned.

CAUTIONARY STATEMENTS
RELATIVE TO HUMANS AND DOMESTIC ANIMALS
DANGER

NOTE TO PHYSICIAN

PROTECTIVE CLOTHING

RESPIRATORY PROTECTION

PLACARDING OF FUMIGATED AREAS

ENVIRONMENTAL HAZARDS

OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

OPERATION AND REENTRY

I. SPACE FUMIGATION DIRECTIONS

A. SPACE FUMIGATION

B. WARNING LABEL

II. SOLE FUMIGATION

BEST AVAILABLE COPY

TABLE I

Tree Size	Press	Rate	Exposure Time (Mins)
12-18 in. dbh	1000	1000	10
18-24 in. dbh	1000	1000	15
24-30 in. dbh	1000	1000	20
30-36 in. dbh	1000	1000	25
36-42 in. dbh	1000	1000	30
42-48 in. dbh	1000	1000	35
48-54 in. dbh	1000	1000	40
54-60 in. dbh	1000	1000	45
60-66 in. dbh	1000	1000	50
66-72 in. dbh	1000	1000	55
72-78 in. dbh	1000	1000	60
78-84 in. dbh	1000	1000	65
84-90 in. dbh	1000	1000	70
90-96 in. dbh	1000	1000	75
96-102 in. dbh	1000	1000	80
102-108 in. dbh	1000	1000	85
108-114 in. dbh	1000	1000	90
114-120 in. dbh	1000	1000	95
120-126 in. dbh	1000	1000	100
126-132 in. dbh	1000	1000	105
132-138 in. dbh	1000	1000	110
138-144 in. dbh	1000	1000	115
144-150 in. dbh	1000	1000	120
150-156 in. dbh	1000	1000	125
156-162 in. dbh	1000	1000	130
162-168 in. dbh	1000	1000	135
168-174 in. dbh	1000	1000	140
174-180 in. dbh	1000	1000	145
180-186 in. dbh	1000	1000	150
186-192 in. dbh	1000	1000	155
192-198 in. dbh	1000	1000	160
198-204 in. dbh	1000	1000	165
204-210 in. dbh	1000	1000	170
210-216 in. dbh	1000	1000	175
216-222 in. dbh	1000	1000	180
222-228 in. dbh	1000	1000	185
228-234 in. dbh	1000	1000	190
234-240 in. dbh	1000	1000	195
240-246 in. dbh	1000	1000	200
246-252 in. dbh	1000	1000	205
252-258 in. dbh	1000	1000	210
258-264 in. dbh	1000	1000	215
264-270 in. dbh	1000	1000	220
270-276 in. dbh	1000	1000	225
276-282 in. dbh	1000	1000	230
282-288 in. dbh	1000	1000	235
288-294 in. dbh	1000	1000	240
294-300 in. dbh	1000	1000	245
300-306 in. dbh	1000	1000	250
306-312 in. dbh	1000	1000	255
312-318 in. dbh	1000	1000	260
318-324 in. dbh	1000	1000	265
324-330 in. dbh	1000	1000	270
330-336 in. dbh	1000	1000	275
336-342 in. dbh	1000	1000	280
342-348 in. dbh	1000	1000	285
348-354 in. dbh	1000	1000	290
354-360 in. dbh	1000	1000	295
360-366 in. dbh	1000	1000	300
366-372 in. dbh	1000	1000	305
372-378 in. dbh	1000	1000	310
378-384 in. dbh	1000	1000	315
384-390 in. dbh	1000	1000	320
390-396 in. dbh	1000	1000	325
396-402 in. dbh	1000	1000	330
402-408 in. dbh	1000	1000	335
408-414 in. dbh	1000	1000	340
414-420 in. dbh	1000	1000	345
420-426 in. dbh	1000	1000	350
426-432 in. dbh	1000	1000	355
432-438 in. dbh	1000	1000	360
438-444 in. dbh	1000	1000	365
444-450 in. dbh	1000	1000	370
450-456 in. dbh	1000	1000	375
456-462 in. dbh	1000	1000	380
462-468 in. dbh	1000	1000	385
468-474 in. dbh	1000	1000	390
474-480 in. dbh	1000	1000	395
480-486 in. dbh	1000	1000	400
486-492 in. dbh	1000	1000	405
492-498 in. dbh	1000	1000	410
498-504 in. dbh	1000	1000	415
504-510 in. dbh	1000	1000	420
510-516 in. dbh	1000	1000	425
516-522 in. dbh	1000	1000	430
522-528 in. dbh	1000	1000	435
528-534 in. dbh	1000	1000	440
534-540 in. dbh	1000	1000	445
540-546 in. dbh	1000	1000	450
546-552 in. dbh	1000	1000	455
552-558 in. dbh	1000	1000	460
558-564 in. dbh	1000	1000	465
564-570 in. dbh	1000	1000	470
570-576 in. dbh	1000	1000	475
576-582 in. dbh	1000	1000	480
582-588 in. dbh	1000	1000	485
588-594 in. dbh	1000	1000	490
594-600 in. dbh	1000	1000	495
600-606 in. dbh	1000	1000	500
606-612 in. dbh	1000	1000	505
612-618 in. dbh	1000	1000	510
618-624 in. dbh	1000	1000	515
624-630 in. dbh	1000	1000	520
630-636 in. dbh	1000	1000	525
636-642 in. dbh	1000	1000	530
642-648 in. dbh	1000	1000	535
648-654 in. dbh	1000	1000	540
654-660 in. dbh	1000	1000	545
660-666 in. dbh	1000	1000	550
666-672 in. dbh	1000	1000	555
672-678 in. dbh	1000	1000	560
678-684 in. dbh	1000	1000	565
684-690 in. dbh	1000	1000	570
690-696 in. dbh	1000	1000	575
696-702 in. dbh	1000	1000	580
702-708 in. dbh	1000	1000	585
708-714 in. dbh	1000	1000	590
714-720 in. dbh	1000	1000	595
720-726 in. dbh	1000	1000	600
726-732 in. dbh	1000	1000	605
732-738 in. dbh	1000	1000	610
738-744 in. dbh	1000	1000	615
744-750 in. dbh	1000	1000	620
750-756 in. dbh	1000	1000	625
756-762 in. dbh	1000	1000	630
762-768 in. dbh	1000	1000	635
768-774 in. dbh	1000	1000	640
774-780 in. dbh	1000	1000	645
780-786 in. dbh	1000	1000	650
786-792 in. dbh	1000	1000	655
792-798 in. dbh	1000	1000	660
798-804 in. dbh	1000	1000	665
804-810 in. dbh	1000	1000	670
810-816 in. dbh	1000	1000	675
816-822 in. dbh	1000	1000	680
822-828 in. dbh	1000	1000	685
828-834 in. dbh	1000	1000	690
834-840 in. dbh	1000	1000	695
840-846 in. dbh	1000	1000	700
846-852 in. dbh	1000	1000	705
852-858 in. dbh	1000	1000	710
858-864 in. dbh	1000	1000	715
864-870 in. dbh	1000	1000	720
870-876 in. dbh	1000	1000	725
876-882 in. dbh	1000	1000	730
882-888 in. dbh	1000	1000	735
888-894 in. dbh	1000	1000	740
894-900 in. dbh	1000	1000	745
900-906 in. dbh	1000	1000	750
906-912 in. dbh	1000	1000	755
912-918 in. dbh	1000	1000	760
918-924 in. dbh	1000	1000	765
924-930 in. dbh	1000	1000	770
930-936 in. dbh	1000	1000	775
936-942 in. dbh	1000	1000	780
942-948 in. dbh	1000	1000	785
948-954 in. dbh	1000	1000	790
954-960 in. dbh	1000	1000	795
960-966 in. dbh	1000	1000	800
966-972 in. dbh	1000	1000	805
972-978 in. dbh	1000	1000	810
978-984 in. dbh	1000	1000	815
984-990 in. dbh	1000	1000	820
990-996 in. dbh	1000	1000	825
996-1002 in. dbh	1000	1000	830

WHEN TO TREAT - The best time to treat is during the dormant season, from late fall to early spring. Treatment should be made when the cambium is active and the sap is flowing. The cambium is active when the bark is wet and the sap is flowing. The cambium is inactive when the bark is dry and the sap is not flowing.

APPLICATION - The treatment should be applied to the cambium of the tree. The cambium is the layer of tissue between the bark and the wood. The cambium is the source of new wood. The cambium is active when the bark is wet and the sap is flowing. The cambium is inactive when the bark is dry and the sap is not flowing.

TABLE II

Tree Size	Press	Rate	Exposure Time (Mins)
12-18 in. dbh	1000	1000	10
18-24 in. dbh	1000	1000	15
24-30 in. dbh	1000	1000	20
30-36 in. dbh	1000	1000	25
36-42 in. dbh	1000	1000	30
42-48 in. dbh	1000	1000	35
48-54 in. dbh	1000	1000	40
54-60 in. dbh	1000	1000	45
60-66 in. dbh	1000	1000	50
66-72 in. dbh	1000	1000	55
72-78 in. dbh	1000	1000	60
78-84 in. dbh	1000	1000	65
84-90 in. dbh	1000	1000	70
90-96 in. dbh	1000	1000	75
96-102 in. dbh	1000	1000	80
102-108 in. dbh	1000	1000	85
108-114 in. dbh	1000	1000	90
114-120 in. dbh	1000	1000	95
120-126 in. dbh	1000	1000	100
126-132 in. dbh	1000	1000	105
132-138 in. dbh	1000	1000	110
138-144 in. dbh	1000	1000	115
144-150 in. dbh	1000	1000	120
150-156 in. dbh	1000	1000	125
156-162 in. dbh	1000	1000	130
162-168 in. dbh	1000	1000	135
168-174 in. dbh	1000	1000	140
174-180 in. dbh	1000	1000	145
180-186 in. dbh	1000	1000	150
186-192 in. dbh	1000	1000	155
192-198 in. dbh	1000	1000	160
198-204 in. dbh	1000	1000	165
204-210 in. dbh	1000	1000	170
210-216 in. dbh	1000	1000	175
216-222 in. dbh	1000	1000	180
222-228 in. dbh	1000	1000	185
228-234 in. dbh	1000	1000	190
234-240 in. dbh	1000	1000	195
240-246 in. dbh	1000	1000	200
246-252 in. dbh	1000	1000	205
252-258 in. dbh	1000	1000	210
258-264 in. dbh	1000	1000	215
264-270 in. dbh	1000	1000	220
270-276 in. dbh	1000	1000	225
276-282 in. dbh	1000	1000	230
282-288 in. dbh	1000	1000	235
288-294 in. dbh	1000	1000	240
294-300 in. dbh	1000	1000	245
300-306 in. dbh	1000	1000	250
306-312 in. dbh	1000	1000	255
312-318 in. dbh	1000	1000	260
318-324 in. dbh	1000	1000	265
324-330 in. dbh	1000	1000	270
330-336 in. dbh	1000	1000	275
336-342 in. dbh	1000	1000	280
342-348 in. dbh	1000	1000	285
348-354 in. dbh	1000	1000	290
354-360 in. dbh	1000	1000	295
360-366 in. dbh	1000	1000	300
366-372 in. dbh	1000	1000	305
372-378 in. dbh	1000	1000	310