

PH 20 - 785-2

104 X

**RESTRICTED USE PESTICIDE  
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**TERR-O-GAS 67**


**PREPLANT SOIL FUMIGANT**

<b>ACTIVE INGREDIENTS:</b> .....	<b>By Wt.</b>
Methyl bromide .....	67%
Chloropicrin .....	33%
<b>TOTAL</b> .....	<b>100%</b>

This product weighs 14.2 pounds per gallon.

**DANGER**

**PELIGRO**



**KEEP OUT OF REACH OF CHILDREN**

**POISON**

**PRECAUTION AL USUARIO:** Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

**Statement of Practical Treatment.**

In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.

**IF INHALED:** Remove exposed person from contaminated area. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Do not give anything by mouth to an unconscious person. If not unconscious, rinse mouth out with water.

**IF ON SKIN:** Immediately remove contaminated clothing, shoes and any other item on skin. Wash contaminated skin area thoroughly with soap and water.

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_\_\_\_ LBS.  
LOT NUMBER \_\_\_\_\_

EPA REG. NO. 5785-24  
EPA EST. NO. 5785-AR-01

GREAT LAKES CHEMICAL CORPORATION  
WEST LAFAYETTE, INDIANA 47906

GLK-24-B

**BEST AVAILABLE COPY**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS

**DANGER.** Extremely hazardous liquid and vapor under pressure. Do not breathe vapor. Inhalation may be fatal or cause serious acute illness or delayed lung or nervous system injury. Liquid or vapor can cause serious skin or eye injury which may have a delayed onset. Do not get liquid on skin, in eyes or on clothing.

This product contains chloropicrin which may be irritating to the upper respiratory tract, and may cause painful irritation to the eyes, producing watering. If these symptoms occur, leave the fumigation area immediately.

**NOTE TO PHYSICIAN.** Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposures can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

**PROTECTIVE CLOTHING.** Methyl bromide may be trapped inside clothing and cause skin injury. Wear loose clothing that is cleaned after each wearing. Do not wear jewelry, gloves or other gas confining apparel. If full-face respiratory protection is not required, wear full-face shield for eye protection when handling liquid. In case of accidental exposure, immediately remove clothing, shoes and socks. Do not reuse contaminated clothing until thoroughly decontaminated.

**RESPIRATORY PROTECTION.** Under normal conditions of use, no respiratory protection will be required. Because there is possibility of a spill or leak, the following spill and leak procedures must be understood and followed.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**SPILL AND LEAK PROCEDURES.** In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and engine. Immediately evacuate area of spill or leak. Use a NIOSH/MSHA approved self-contained breathing apparatus (SCBA) or combination air-supplied/SCBA respirator for entry into affected area to correct problem. Approach from upwind to make necessary repairs. Do not reenter area without respiratory protection until a spill has evaporated or a leak has been repaired, and the methyl bromide concentration is determined to be 5 ppm or less and the chloropicrin concentration is determined to be 0.1 ppm or less. In case of a leaking container, remove to an isolated area and discharge contents under a polyethylene sheeting of 4 mil or greater thickness onto the soil surface in accordance with instructions under Soil Fumigation Directions.

Contaminated soil, water and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 pounds is exceeded.

## PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. In fires fueled by other materials, Terr-O-Gas 67 may liberate hazardous gases. The use of Terr-O-Gas 67 with aluminum, magnesium, zinc and alkali metals will result in the liberation of toxic gases, and possible fire and explosion. In addition, severe corrosion of containers and equipment made of these metals will occur.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This fumigant is a highly hazardous material and should be used only by individuals trained in its proper use. Before using, read and follow all label precautions and directions.

All persons working with this fumigant must be knowledgeable about the hazards, and trained in the use of required respiratory equipment and detector devices, emergency procedures, and proper use of the fumigant.

## STORAGE, HANDLING, AND DISPOSAL

**Storage and Handling.** Store in a locked, dry, cool, well-ventilated area. Post as a pesticide storage area. Do not contaminate water, food or feed by storage. Store cylinders upright, secured to a rack, wall or one to another to prevent tipping. Containers should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging or sliding. Do not use rope slings, hooks, tongs or similar devices to load or unload cylinders. Transport cylinders using hand truck, fork truck or other device to which cylinders can be firmly secured. Do not remove valve protection bonnet and safety caps until immediately before use. Replace safety caps and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valves, screw safety caps on to valve outlets, and replace protection bonnet before returning to shipper. Only the registrant, or his designee, is authorized to refill cylinders. Do not use cylinders for any other purpose.

**Disposal.** Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Return empty cylinders to the Great Lakes Chemical Corporation location from which shipment was made. Return partial cylinders only after consulting Great Lakes Chemical Corporation for proper shipping instructions. In either case, use delivering carrier when possible.

**SOIL FUMIGATION DIRECTIONS.** Terr-O-Gas 67 may be used only for soil fumigation. The following precautionary procedures must be followed.

**PRECAUTIONARY STATEMENTS.** The following precautions must be followed PRIOR to soil fumigation.

- A) Comply with local regulations and ordinances. Obtain an application permit from agricultural regulatory agencies as required.

**BEST AVAILABLE COPY**

- 61
- B) Never fumigate alone. It is imperative to always have an assistant present and proper protective equipment available in case of accidents.
  - C) Persons in charge of operations must advise other workers of safety precautions and procedures. In addition, they must instruct their helpers in the mechanical operation of the equipment.
  - D) Handle fumigant in the open, with the operator "upwind" from the container where there is good ventilation.
  - E) Check fumigant delivery system for leaks before beginning operation. Two trained persons must be present during introduction of the fumigant.
  - F) When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available nearby. This water must be potable but should be in containers marked "Decontamination water, not to be used for drinking".
  - G) Trash should be cleaned from the field before starting fumigation.

**The following precautions must be followed DURING the soil fumigation operation.**

- A) Two trained persons must be present during introduction of the fumigant.
- B) Do not make application of this fumigant when there is little or no air movement or when there is an atmospheric inversion. Do not apply fumigant during strong winds.
- C) Do not lift injection shanks to turn at the end of a pass until fumigant has been purged or drained from system following closure of shutoff valve.
- D) If trash is inadvertently pulled up by the shanks when fumigating, it must be covered with polyethylene film or other suitable cover.
- E) When changing the cylinders, be certain they are turned off and fumigant system is not under pressure.

**The following precautions must be followed AFTER soil fumigation.**

- A) Post all treated areas with warning signs until aeration is complete.
- B) Two trained persons must be present during removal of the tarpaulin, if used.
- C) Keep all animals and unauthorized people away from area during removal of tarpaulin, if used.

**APPLICATION METHODS.** Terr-O-Gas 67 is to be used only as a preplant soil fumigant.

A. Tarpaulin Methods for Field, Nursery, Turf, Greenhouse, and Seed or Transplant Bed Soils.

Pests controlled when present in soil at time of treatment:

Plant-parasitic nematodes, including root-knot, root lesion (meadow), cyst, citrus, burrowing, false root-knot, lance, spiral, ring, sting, stubby root, dagger, awl, sheath and stunt (stylet).

Soil-borne disease causing organisms, including the fungi *Pythium*, *Rhizoctonia*, *Phytophthora*, *Pyrenochaeta*, *Sclerotinia*, *Sclerotium*, and *Fusarium* and the clubroot organism *Plasmodiophora*.

Weeds, including broadleaf weeds such as broomrape and lambsquarters and grasses such as bermudagrass, annual bluegrass, torpedograss and quackgrass. Not effective against hard seed weeds, such as mallow, dodder, morningglory, and certain leguminous weeds.

Insects, including wireworms, cutworms, grubs, rootworms, ants and garden symphylans.

**NOTE:** Fumigation may temporarily reduce nitrification in the soil thus increasing levels of ammonium nitrogen and soluble ammonium salts to potentially phytotoxic levels. Accumulation of ammonium is most likely to occur when maximum rates of fumigant and fertilizer are applied to soils that are acidic, wet, cold or high in organic matter. The nitrogen portion of fertilizer applied prior to the crop being well established should be at least 30% nitrate. Acid soils should be limed before fumigation to stimulate nitrification and to reduce possible ammonium toxicity.

Pretreatment Soil Preparation. Plow, rip or otherwise till the soil to the depth to which effective treatment is desired. The soil should be worked until free of clods or large lumps. Residue from previous crops should be worked into the soil to allow for decomposition prior to fumigation. Coarse textured soils can be fumigated with a higher percentage of moisture content than fine textured soils. For best results, soil should be kept moist to initiate weed seed germination prior to final tillage and treatment. Fumigation of soil below 50°F is not recommended. For best results, fumigate when soil temperature is 60°F or more at the point of injection.

1. Overall Application. Inject Terr-O-Gas 67 with a chisel type applicator having the chisels spaced no more than 12 inches apart and injecting the fumigant to a depth of 6-12 inches below the soil surface. The soil surface must be covered with polyethylene film or other suitable cover, immediately after treatment by means of simultaneous film laying equipment or by sealing with a sled, drag, roller or cultipacker and covered within 20 minutes with polyethylene film or other suitable cover. Consult dosage rate table for proper rates of application and exposure periods. At the end of the exposure period, remove tarpaulins and aerate for two weeks before introducing transplants or vegetative plant parts. Crop seeds may be planted after 96 hours following end of exposure period.

2. Row or Bed Application. Apply the broadcast rate to the area actually treated, i.e., the area delimited by the film mulch. Consult the dosage rate table for treatment rates.

Use one or more shanks per bed spaced not more than 12 inches apart, depending on the area to be treated. Inject the fumigant 6-12 inches below the final bed surface. Fumigated beds should be covered within 20 minutes with polyethylene film or other suitable cover. At the end of the exposure period, remove tarpaulins and aerate for two weeks before introducing transplants or vegetative plant parts. Where polyethylene film is to be utilized as a mulch aeration

is accomplished by making holes in the film on spacings appropriate for the crop to be planted. Crop seeds may be planted after 96 hours following the exposure period.

**B. Special Instructions for Florida Citrus.** Preplant or replant fumigation of citrus soil for control of *Phytophthora* and citrus nematodes in Florida sandy soils. Apply with chisels spaced 12 inches apart to a depth of 6-12 inches and seal immediately with 4 mil polyethylene film. Apply Terr-O-Gas 67 at the rate of 1 1/2 to 2 pounds per 100 square feet. Expose to fumigation for 96 hours. This treatment will control disease to a depth of 4 feet. Remove cover and aerate for two weeks before setting transplants in treated soil.

**C. Special Instructions for Greenhouse Soil Fumigation.** The use of methyl bromide and chloropicrin in confined spaces presents a potential hazard to humans and plant life. Special precautions must be taken in order that these potential hazards be minimized. It is the responsibility of the individual supervising the fumigation operation to see that all safety precautions are strictly observed. Before the fumigation operation commences, the supervisor of the fumigation job shall have conducted proper training of all personnel involved in the fumigation (includes use of safety equipment), removed all persons from the area not directly involved in the fumigation, and inspected the equipment to ensure proper application.

Two persons trained in the use of this product must be present during introduction of the fumigant, initiation of aeration, and after aeration when testing for reentry. Two persons do not need to be present if monitoring is conducted remotely (outside the area being fumigated). If the concentration of methyl bromide and/or chloropicrin in the worker area, as measured by a direct reading detection device, does not exceed 5 ppm (methyl bromide) or 0.1 ppm (chloropicrin), no respiratory protection is required. If these concentrations are exceeded at any time, all persons in the fumigation area must wear a NIOSH/MSHA approved self-contained breathing apparatus (SCBA) or combination air-supplied/SCBA respirator or evacuate the area.

Application of Terr-O-Gas 67 to greenhouse soils is by the same methods as for field soils (see Sections A.1. and A.2. above). Consult dosage rate table for proper rates of application and exposure periods. All injections should be made upwind from previous injection site. Immediately after injection of the fumigant and tarping, a qualified person, wearing respiratory protective equipment, should monitor the tarped area with a halide detector. If excessive leaks are found, seal the source of the leak immediately.

During this operation, all windows and doors should be open and fans operating to maximize ventilation. The greenhouse must be placarded on all entrances to the fumigated area with signs bearing, in English and Spanish:

1. The signal word DANGER/PELIGRO and the skull and crossbones symbol.
2. The statement, "Area under fumigation, DO NOT ENTER/NO ENTRE".
3. The date of fumigation.
4. Name of the fumigant used (i.e., Terr-O-Gas 67).
5. Name, address and telephone number of the applicator.

**Aeration and Reentry.** After fumigation, treated areas must be aerated until the level of methyl bromide is 5 ppm or less and chloropicrin is 0.1 ppm or less. Do not allow entry into the treated area by any person before this time unless a respiratory protection device (NIOSH/MSHA) approved self-contained breathing apparatus (SCBA) or combined air-supplied/SCBA respirator and proper protective clothing is worn. Do not remove the placard(s) until the treated area is aerated to below the levels indicated above. When aeration is complete, the placards may be removed by a certified applicator or someone under his/her supervision.

**D. Special Instructions for Non-Tarp Soil Fumigation of Raised Beds to be planted in Tobacco.**  
 For the control of plant-parasitic nematodes, soil insect pests, and for the suppression of soil-borne disease organisms, inject Terr-O-Gas 67 with one or more chisels per bed at 60-130 pounds per acre. Chisels should deliver Terr-O-Gas 67 at least 14 inches below the surface of the raised bed. The soil should not be disturbed for 96 hours after injection nor during the two week aeration period. Do not transplant for at least 18 days after injection of Terr-O-Gas 67. Refer to Section A for information regarding Pretreatment Soil Preparation.

Treatment Site	Rate <sup>a</sup> and Method <sup>b</sup>	Exposure time
Field Soil to be Planted to: Asparagus, broccoli, cauliflower, eggplants, lettuce, muskmelons, onions [dry bulb], peppers, pineapples, strawberries, tomatoes Florida Citrus <sup>c</sup> Tobacco	270-355 lb/A <sup>b</sup>  1.5-2.0 lb/100 ft <sup>b,c</sup> 60-130 lb/A NT <sup>d</sup>	24-48 hr  96 hr 96 hr
Nursery & Greenhouse Soil, Seed & Transplant Beds & Turf: Non-food crops Tobacco Tomato [Greenhouse crops]	270-650 lb/A <sup>b</sup> 1.5 lb/100 ft <sup>b</sup> 270-355 lb/A <sup>b</sup>	24-48 hr 24-48 hr 24-48 hr

<sup>a</sup>Use higher rates indicated for muck and heavy clay soils.

<sup>b</sup>Methods of application is by injection with chisels plus covered with tarpaulin.

<sup>c</sup>May not bear harvestable fruit within 24 months.

<sup>d</sup>NT=Non-Tarp

## **STATEMENT OF WARRANTY AND LIABILITY**

Seller warrants that this product complies with the specifications expressed in this label. SELLER MAKES NO OTHER WARRANTIES; AND DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR THE INTENDED PURPOSE. Seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. Seller shall have no liability for consequential damages.

Many pesticidal chemicals are poisonous and may leave a toxic residue on the plants to which they are applied. The U.S. Environmental Protection Agency has established maximum amounts of such pesticidal chemicals that may remain on raw agricultural products at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of these amounts. The "Directions for Use" are based on the best available information, and if followed carefully should not leave excessive residues at harvest. However, Great Lakes Chemical Corporation assumes no responsibility as to their accuracy nor for any loss due to excessive residues.