



**INHALATION
HAZARD**

6

**METHYL
BROMIDE
AND MORE THAN 2%
CHLOROPICRIN
MIXTURE, LIQUID
NA1581**

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS**

STATEMENT OF WARRANTY AND LIABILITY

This product is sold as a mixture with the specifications expressed in the label. Seller warrants only the warranties and disclaims all other warranties, express or implied, including but not limited to warranties of MERCHANTABILITY and FITNESS FOR THE INTENDED PURPOSE. Seller's liability for product defects is limited under this label to the amount of the purchase price. Seller shall have no liability for consequential damages.

Many particular chemicals are poisonous and may cause a toxic residue on the plants to which they are applied. The U.S. Environmental Protection Agency has established maximum amounts of such pesticide residues that may remain on agricultural products at harvest, and if in the user's report duty to see that there is no residue on such crops at harvest in excess of these amounts. The user must be responsible for the proper use of this mixture and to observe all other precautions and instructions on the label. However, if the user follows the directions on the label, the user shall not be held liable for any loss due to excessive residues.

Extremely hazardous liquid and vapor under pressure. Do not breathe vapor. Inhalation may be fatal. Do not breathe vapors in air streams or dropped being in contact with vapors. Do not get liquid on face, in eyes or on clothing.

This product contains chloropicrin which may be irritating to the upper respiratory tract and may cause painful irritation to the eyes. Precautions with this mixture should be taken to avoid the fumigation area immediately.

NOTE TO PHYTICIAN: Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure. In combination with cardiac insufficiency, these effects are the usual cause of death. Respiratory overexposure can result in delayed death, staggering gait and inability to breathe with probable recovery after a period of unconsciousness. Blood bromide levels help give the occurrence, but not the severity, of respiratory treatment symptoms.

PROTECTIVE CLOTHING: Methyl bromide may, at 11,000 ppm inside clothing and cause skin burns. Wear mask, long trousers and long sleeved clothing and socks that are changed after each wearing. Do not wear jewelry. Gloves in other gas containing vapors. If full face respiratory protection is not required, wear full face shield for eye protection when fumigating weeds. After exposures, immediately remove clothing, shoes and socks. Do not have contaminated clothing and thoroughly decontaminated. Washed shoes should be decontaminated.

RESPIRATORY PROTECTION: Under normal conditions of use, no respiratory protection is required. Because there is a possibility of a leak or spill, the following use and use procedures must be understood and followed.

AP-25-0

