


ACCEPTED  
 FEB 26 1973  
 USE FOR ECONOMIC CONTROL OF PESTS  
 REGISTERED UNDER NO. 73122-1000  
 TO ATTRACT COMMENTS

NOTICE

Many pesticidal chemicals are poisonous and may leave a toxic residue on the plants to which they are applied. The U. S. Food and Drug Administration has established minimum amounts of such pesticidal chemicals that may remain on raw agricultural products at harvest, and it is the user's responsibility to see that there is no residue on such crops at harvest in excess of these amounts. The "Fumigation Directions" are based on the best available information, and if followed carefully should not leave excessive residues at harvest. However, Great Lakes Chemical assumes no responsibility as to their accuracy nor for any loss due to excessive residues.

Seller warrants that the product conforms to chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.



WARRIOR  
POISON

# TERR-O-GEL<sup>T.M.</sup> 50

## PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS:	By Wt.
Methyl bromide . . . . .	49.5%
Ethylene dibromide . . . . .	49.5%
INERT INGREDIENTS . . . . .	1.0%
TOTAL	100.0%

### GELLED SOIL FUMIGANT

For rotary tillage incorporation in heavy soils for the ornamental nursery, flower growing and turf grass industries.

Controls certain soil-borne pests including weeds, weed seeds and plant parasitic nematodes.



**DANGER**


**KEEP OUT OF REACH OF CHILDREN  
POISON**

DO NOT INHALE VAPORS • SEE ANTIDOTE & WARNINGS ON SIDE PANEL

EPA Reg. No. 5785-35

NET CONTENTS \_\_\_\_\_

LOT NO. \_\_\_\_\_



ACCEPTED

## TERR-O-GEL FUMIGATION DIRECTIONS

Use TERR O-GEL 50 as a preplant treatment only. Against weeds, nematodes. Use contrary to directions may result in injury to plants, unsatisfactory control or in other unintended consequences. Study entire label before use.

**SOIL PREPARATION:** The soil should be worked in advance if time is needed for cover crop, weed growth, or other plant refuse to decay before fumigation. Soil should have relatively high moisture content. Treat as soon as soil has dried out to tillable condition following rain or irrigation. This allows germination of weed seed and an activation of nematodes, thus increasing susceptibility to the fumigant.

### BROADCAST FUMIGATION

**FLORAL CROP BEDS, LANDSCAPE PLANT NURSERY BEDS, TURF GRASS SEED BEDS, SOIL ON WHICH TURF GRASS IS TO BE LAID** use TERR-O-GEL 50 at the rate of 20 gallons per acre in moist soil, at least 50° F. or above in temperature. Applicator equipment must release TERR O-GEL 50 from outlets spaced at 8 to 10 inch intervals at ground level near front of rotary tiller blades. Pull a roller behind the rotary tiller to compact soil and retard fumigant vapor loss. Allow 10 days between treatment and planting. A few types or species of bromine-sensitive plants may require longer waiting periods such as conifers, delphinium, holly, multiflora rose, salvia, and snap dragons. Carnations are extremely sensitive. Do not use this product for carnations. Adequate soil aeration is important. If there is a question, use a small plot to determine safety. TERR-O-GEL 50 is not recommended for treatment of extremely light, sandy soil.

Rotary tiller should be set to penetrate a depth of 8 inches. Do not attempt fumigation at less than 6 inch depth. Consult your supplier for name and address of rotary tiller applicator attachment manufacturer.

To avoid reinfestation, do not use transplants, tools or crop residues that may be contaminated with soil borne pests.

**READ ENTIRE LABEL BEFORE MAKING APPLICATION**

 **POISON**   
**DANGER**

**MAY BURN SKIN AND EYES  
POISONOUS IF INHALED**

**Do Not Breathe Vapor  
Do Not Get in Eyes, on Skin or Clothing**

In case of contact, immediately flush eyes with excess of water for 15 to 20 minutes and get medical attention if contact. If inhaled, wear self-contained breathing apparatus, remove them immediately, and get medical attention. Do not breathe vapors. Do not touch contaminated surfaces.

### POISON

**SEND FOR DOCTOR IN CASE OF EXPOSURE**  
**ANTIDOTE:** Remove contaminated clothing and shoes. Wash immediately with soap and water. If inhaled, get person to fresh air. If breathing is difficult, give oxygen. If on skin, wash with soap and water. If in eyes, flush with water for 15 minutes.

**Not for use or storage in or around the home.**

Do not breathe vapor. Wear a full faced gas mask with black canister meeting specifications of the U. S. Bureau of Mines for organic vapors.

**DO NOT WEAR GLOVES**

### NOTICE

Keep away from heat. Keep container closed.

Do not use in container or applicator equipment with aluminum parts.

Do not reuse empty containers.

Empty containers should be returned to Great Lakes Chemical Corporation, El Dorado, Arkansas, via freight, collect.