

FERMATE DUST

A PREVENTIVE FUNGICIDE DUST FOR CONTROL OF BLUE MOLD AND ANTHRACNOSE IN TOBACCO PLANT BEDS.

ACTIVE INGREDIENTS:	
Ferbam (Ferric Dimethyl Dithiocarbamate)	11.40
INERT INGREDIENTS	88.60
TOTAL	100.00

CAUTION: KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS.



CAUTION:

Harmful if swallowed or inhaled.
 Avoid breathing dust.
 May cause irritation of eyes, nose, throat, and skin.
 Avoid contact with eyes, skin, or clothing.
 In case of contact, flush with plenty of water. For eyes, get medical attention.
 This product will kill fish.
 Keep out of lakes, streams, and ponds.

Use of this material in a manner or at a time other than in accordance with the directions may produce phytotoxicity, excessive residues or other undesirable results.

Wash equipment, containers, and dispose of wastes by burying in non-crop lands away from water supply. Containers should be treated with water.

NOTICE:

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on this label. Buyer assumes all use and liability for use of this material when used in a manner other than as indicated on label instructions.

GENERAL DIRECTIONS:

When to Start: Treatment should begin before Blue Mold or Anthracnose appear or when plants are about the size of a dime.

How Often to Use: Apply twice weekly until transplanting time and repeat any application washed off by rain within 24 hours. If Blue Mold or Anthracnose appear in a bed being dusted, increase the rate and make 3 applications during that week. During a rainy week, with Blue Mold or Anthracnose active, as many as 4 applications may be needed.

How Much to Use

Applications	1 lb. per 100 sq. ft.
First to fourth	1 lb.
Fifth and Sixth	1 lb.
Seventh and subsequent	1 lb.

How to Apply: Apply evenly, completely, over the bed. The first 3 or 4 applications should be made through the raised rows and left to settle over the bed for 24 hours.

When to Apply: Apply evenly in the morning or in the evening when the plants are not wet with dew. For best results, apply on a dry day.

Manufactured By

Carolina Chemical Corp.

WILSON, N. C.

USDA Reg. No. 5797-43
 Net Contents 25 Pounds

CHARLOTTE, N. C.