

CRAMPTON LIQUID 4E PARATHION

ACTIVE INGREDIENTS

Parathion (0,0 dimethyl 0-p nitrophenyl phosphorothioate) ----- 492

Xylene ----- 452

INERT INGREDIENTS ----- 62

TOTAL ----- 1000

POISON

USE ONLY AS DIRECTED

DANGER. KEEP OUT OF REACH OF CHILDREN AND ANIMALS

See antidote and other warnings on side panels.

POISON

Net Contents 1 Gal.

Manufactured By  
CAROLINA CHEMICAL CORP.  
Wilson, North Carolina

POISON  
USDA 5797-48

CRAMPTON LIQUID 4E PARATHION

2-12-70

POISON

DIRECTIONS FOR USE

5797-48

LEFT PANEL

CROP	INSECTS	RATE	REMARKS
Tobacco	WIREWORMS	2-3 Qts per acre	Apply 4-6 AP at 1000-1500 2 to 3 weeks prior to harvest Disc into soil immediately Use higher rate if wireworms have been a difficult problem Apply carefully and uniformly

Use of this material in a manner or at a time other than that recommended in the directions may produce plant injury, excessive residues or other undesirable results.

Wash equipment and containers and dispose of wastes properly. Do not allow to come in contact with water supplies. Containers should be cleaned by puncturing holes in them and burying with wastes.

NOTICE:

Seller makes no warranty, expressed or implied, of the product other than that indicated on the label. Buyer assumes all risk of use and of handling of this material when such use and/or handling is contrary to label instructions.

DANGER

RIGHT PANEL

This product is toxic to fish and wildlife.  
Keep out of lakes, streams, and ponds.  
Birds and other wildlife in treated areas may be harmed.  
This product is toxic to bees and should not be applied when bees are actively visiting the area.  
Do not contaminate feed or feedstuffs.  
Do not use on household pets, animals or humans.  
Do not use on dairy cattle or in dairy barns.  
Do not use on forage crops to be fed to dairy animals or those being finished for slaughter.  
Poisonous by skin contact, inhalation or swallowing.  
Rapidly absorbed through skin.  
Repeated exposure may, without symptoms, be increasingly hazardous.  
If spilled on the skin, wash immediately with soap and water.  
Wear natural rubber gloves, protective clothing and goggles.  
Do not breathe fumes or spray mist.  
Wear an effective gas mask or toxic dust or mist respirator passed by the U. S. Department of Agriculture for Parathion protection.  
Bath immediately after work and change all clothing.  
Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking; wash all contaminated clothing with soap and hot water before re-use.  
Keep all unprotected persons out of operating area or vicinity where there may be danger of drift.  
Vacated area should not be re-entered until the drifting insecticides and volatile residues have dissipated.  
Do not use or store near heat or open flame.  
Apply this product only as specified on this label.

\*

POISON

\*

**POISONING SYMPTOMS:** headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in the chest.

**ANTIDOTE:** ATROPINE is the specific antidote.

**CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

**IF SWALLOWED:** Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

**INHALATION:** Remove patient from contaminated atmosphere.

**SKIN:** In case of contact remove contaminated clothing and immediately wash skin thoroughly with soap and water.

**EYES:** In case of contact, flush immediately with water for at least 15 minutes.

**INFORMATION TO PHYSICIAN (Treatment)**

Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration may be necessary. Observe patient continuously for 48 hours.

ACCEPTED