

10% SEVIN* DUST

ACTIVE INGREDIENTS:	
Carbaryl (1-naphthyl N-methylcarbamate)	10.00%
INERT INGREDIENTS:	
	90.00%
TOTAL	
	100.00%

*Trademark of Union Carbide Corporation.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS.



DIRECTIONS FOR USE:

CROP	INSECTS	RATE PER ACRE	REMARKS
Tobacco	Hornworms Flea Bettles	10 to 15 pounds	Good coverage on underside of leaves over entire plant especially lower leaves, is essential. Apply early or late in the day while dew is still on plant.
Beans	Mexican Bean Beetles	7 to 10 pounds	

Use of this material in a manner or at a time other than in accordance with the directions may produce plant injury, excessive residues or other undesirable results.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be buried with wastes.

CAUTION:

Harmful if inhaled or swallowed.
Do not breathe dust.
Skin contact may be harmful.
Avoid prolonged or repeated contact with skin. Wash thoroughly after using.

This product is highly toxic to bees exposed to direct treatment or residues on crop. Protective information may be obtained from your Cooperative Agricultural Extension Service.
Avoid storage near feed and food products.

NOTE TO PHYSICIANS:

Carbaryl is a moderate reversible sholin estrose inhibitor, atropine is antidote.

NOTICE:

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

WILSON, N. C.



Manufactured By
CAROLINA CHEMICAL CORP.
USDA Reg. No. 5797-55
Net Contents _____ Pounds

DURHAM, N. C.