

# TOBACCO PLANT BED DUST CHAMPION DITHANE Z-78 DUST


(Contains 6.5% Zineb)

ACTIVE INGREDIENTS:

Zineb (Zinc Ethylent Bisdithiocarbamate) ----- 6.5%

INERT INGREDIENTS ----- 93.5%

TOTAL 100.00%



**CAUTION: KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS.**

**CAUTION:**

Harmful if swallowed or inhaled.  
Avoid breathing dust.  
May cause irritation of eyes, nose, throat, and skin.  
Avoid contact with eyes, skin, or clothing.  
In case of contact, flush with plenty of water. For eyes, get medical attention.  
  
This product will kill fish.  
Keep out of lakes, streams, and ponds.  
  
Use of this material in a manner or at a time other than in accordance with the directions may produce plant injury, excessive residues or other undesirable results.  
  
Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be buried with wastes.

**NOTICE:**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

**GENERAL DIRECTIONS FOR TOBACCO:**

When to Start: Treatment should begin before Blue Mold or Anthracnose appear or when plants are about the size of a dime.

How Often to Use: Apply twice weekly until transplanting time and repeat any application washed off by rain within 24 hours. If Blue Mold or Anthracnose appear in a bed being dusted, increase the rate and make 3 applications during that week. During a rainy week, with Blue Mold or Anthracnose active, as many as 4 applications may be needed.

How Much to Use:

Applications	Lbs. per 100 Sq. Yds.
First to fourth	1 1/2
Fifth and Sixth	2 1/2 to 3
Seven and subsequent	3 1/2 to 4

How to Apply: A rotary, hand-operated duster is best. The first 3 or 4 applications can be made through cloth if bed is narrow and cloth is held well above plants by side walls.

When to Apply: Apply early in the morning or in the evening when air is quiet and plants are wet with dew. Be sure all exposed leaf surfaces show a coating of dust.

Manufactured By

**Carolina Chemical Corp.**

WILSON, N. C.

USDA Reg. No. 5797-72  
Net Contents 25 Pounds

DURHAM, N. C.