

CHAMPION SEVIN*-PARATHION 5 - 1 DUST

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) ----- 7.00%
Parathion (O, O-diethyl O-p-Nitrophenyl Phosphorothioate) ----- 1.00%

INERT INGREDIENTS: ----- 94.00%

TOTAL ----- 100.00%

* Trademark of Union Carbide Corporation.



ROSON



DANGER: KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS.

DIRECTIONS FOR USE:

CROP	INSECTS	RATE PER ACRE	REMARKS
Tobacco	Flea Beetles Budworms Hornworms Aphids	20 to 30 pounds	* Full coverage is essential. Apply early or late in day while dew is still on plant. Begin treatment when insects are small and repeat as needed.

WARNING:


Do not apply within five (5) days of pruning or fifteen (15) days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or pruning the crop.

Use of this material in a manner or at a time other than in accordance with the directions may produce plant injury, excessive residues or other undesirable results.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Contaminated soil should be buried with wastes.



Do not get on skin in contact with dust. Wash hands, face, neck, and clothing immediately if dust gets on skin or clothing.
Repeated exposure may, without symptoms, be increasingly hazardous. If symptoms of the skin wash immediately with soap and water.
Avoid breathing dust.
Wear dust-tight rubber gloves, protect eyes with goggles, wear an effective gas mask or toxic dust respirator (passed by U.S. Dept. of Labor at Agriculture for Parathion protection).
Bathe immediately after work and change all clothing.
Wash face, arms, and feet thoroughly with soap and warm water before eating or drinking. Wash all dust-soaked clothing with soap and hot water before reuse.
Keep all unprotected persons out of operating area in vicinity where Parathion is being applied. Dusts and treated areas should not be reentered until dusting insecticide has been completely removed from plants.



Do not get on skin, be fish and wildlife. Keep out of lakes, streams, and ponds. Do not use on aquatic feed or foodstuffs. Do not use on household pets, animals, or humans. Do not use on dairy cattle or dairy farms. Birds feeding on treated areas may be killed. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from U.S. Department of Agriculture, Extension Service. Do not use on forage crops to be fed to dairy animals until animals are finished for slaughter. Do not use where near heat or open flame. Apply this product only as specified on the label.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, dizziness, numbness, tingling, and numbness in the feet in the chest.
ANTIDOTE: ATROPINE IS THE SPECIFIC ANTIDOTE OR 2-PAM.
CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.
IF SWALLOWED: Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.
INHALATION: Remove patient from contaminated atmosphere.
SKIN: In case of contact, flush immediately with water for at least 15 minutes.
INFORMATION TO PHYSICIAN: (Treatment)
Give Atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg) at 15 to 30 minute intervals. If necessary, repeat as needed to keep and maintain full atropinization. Never give morphine. Clear chest by prompt drainage. Administering atropine and morphine may be necessary. Observe patient continuously for 48 hours.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling contrary to label instructions.

WILSON, N. C.

Manufactured By
CAROLINA CHEMICAL CORP.
USDA Reg. No. 5797-80
Net Contents 50 Pounds

DURHAM, N. C.