

DIRECTIONS

NON-CROP AREAS: For use on Non-Crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet. Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet.

HOW TO APPLY: Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a course spray to reduce drift. Application may be made when top growth is dense but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used for any purpose and dispose of it at some location where no attempt to salvage will be made.

CAUTION!

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

IRRITATING TO SKIN AND EYES

DO NOT GET ON SKIN, IN EYES OR ON CLOTHING

In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals, not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

WEED KILLER
NO. 50

**NON
SELECTIVE**

63208

ACTIVE INGREDIENTS:

Monuron Trichloroacetate (3-(p-Chlorophenyl)-1,1-dimethylurea Trichloroacetate)	3.19%
Aromatic Petroleum Derivative	91.67%
INERT INGREDIENTS	5.14%

CAUTION — KEEP OUT OF REACH
OF CHILDREN

DO NOT USE OR STORE NEAR HEAT
OR OPEN FLAME

For Additional CAUTION Information See Left Panel

Universal Mfg. & Supply

4887 VICTOR ST. PHONE 737-2.

JACKSONVILLE, FLORIDA 32207

TEST DOCUMENT AVAILABLE

1 of 7

DIRECTIONS:

The following general directions are supplied by us gratuitously but are in no way guaranteed.

NON-CROP AREAS:

For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE:

Under ordinary conditions use at the rate of 1 to 2 gallons diluted with 10 gallons of water per 1,000 square feet. Under conditions where weeds are difficult to control, increase the rate to 3 gallons per 1,000 square feet.

HOW TO APPLY:

Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY:

Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.



DEROX
Soil Sterilant Non-Selective Weed Killer

FOR GENERAL WEED CONTROL ON NON-CROP LAND AND PAVED AREAS

ACTIVE INGREDIENTS 7.40
Monuron Trichloroacetate (3,4-dichlorophenyl 1-methylurea)
Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid
Equivalent to 1.59% of 2,4-Dichlorophenoxyacetic Acid

INERT INGREDIENTS 92.60%
Aliphatic Petroleum Distillate
C-12 Fatty Alcohol Glycol Ether
Sodium dodecyl benzene sulfonate

CAUTION! KEEP OUT OF REACH OF CHILDREN See Side Panel for Additional Cautions
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

CAUTION:

Harmful If Swallowed

MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN.

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

NOTE: DO NOT apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. DO NOT allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

DO NOT reuse container. Destroy when empty.

Vapors from this product may injure susceptible plants in the immediate vicinity. DO NOT contaminate irrigation or domestic water supplies.

SHAKE WELL BEFORE USING

USDA Reg. No. 603-40

Net Weight U. S. Gallons

AC 214 Riverside 1-4466 • DIXIE CORPORATION • 2201 North Lamar St. • Dallas, Texas 75202