



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 10, 2021

Jamie Venable
Authorized Representative
The Clorox Company
c/o PS&RC; P.O. Box 493
Pleasanton, CA94566-0803

Subject: Notification per PRN 98-10 – Changes to marketing claims and additional minor changes
Product Name: CLOROX BLEACH
EPA Registration Number: 5813-1
Application Date: March 3, 2020
Action Case Number/Decision Number: 562746

Dear Ms. Venable:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If you have any questions, you may contact Melanie Bolden at (703)347-0165 or via email at Bolden.Melanie@epa.gov.

Warm Regards,

A handwritten signature in cursive script that reads "Melanie Bolden for".

Demson Fuller, Product Manager 32
Antimicrobials Division (7510P)
Regulatory Management Branch I
Office of Pesticide Programs

Label identification

Clorox® Bleach, EPA Reg. No. 5813-1

R1895192

10:50 3/2/20

NOTIFICATION

5813-1

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/10/2021

Formatting notes (applicable for all claims)

Now[!] -and/or- **New[ly][!]** -and/or- **Improved[!]** may be added anywhere to a claim and will only be used for the first 6 months of product on shelf.

Optional text may be placed anywhere on the label -and/or- container.

Bold, italicized text is information for the reader and is not part of the label.

{Bracketed information is optional text.}

All footnotes are on the last page, unless they are part of EPA's mandated text.

The word "and" may be substituted with "&". Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.

All directions may be written in numbered form or in paragraph form.

All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site.

~~Underlined~~ Highlighted text is new. Strike-through ~~(text)~~ means removed.

Clorox® Bleach

KEEP OUT OF REACH OF CHILDREN

WARNING: See back panel for additional precautionary labeling.

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE..... 5.25%

OTHER INGREDIENTS:..... 94.75%

TOTAL: 100.00%

Contains No Phosphorus

(Yields -or- contains 5% available chlorine)

NET CONTENTS _____

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

WARNING:

Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Wear protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID: Call a poison control center or doctor immediately for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glassful of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Clorox Information Line: 1-800-292-2200.**

Physical and chemical hazards:

This product contains a strong oxidizer. Flush drains before and after use. Do not use or mix with other [household] chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gases. Prolonged contact with metal may cause pitting or discoloration

For containers 5 gallons and greater:

ENVIRONMENTAL HAZARDS: This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[For containers less than 5 gallons:]

ENVIRONMENTAL HAZARDS: This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

Company Information

SATISFACTION GUARANTEED

Satisfaction Guaranteed! At Clorox, we have prided ourselves in making consistent quality bleach for [nearly] -or- over 100 years, and we are dedicated to ensuring your total satisfaction with our product. If you are not completely satisfied, please call the number below.

CLOROX CUSTOMER ASSISTANCE (800) 292-2200

Laundry/Household Cleaning Questions? The experts at Clorox are standing by to answer any of your laundry or household cleaning questions.

Questions or Comments? -or- SUGGESTIONS? Visit -or- Check [out] our website at [www.clorox\[laundry\].com](http://www.clorox[laundry].com) [for more information] [on Clorox®] [cleaning -[and/]or- disinfecting tips] or call toll free -or- Please call 800-227-1860 -or- (800) _____ -or- (787) 641-4943 (in Puerto Rico) or write us at: Clorox Consumer Services, P.O. Box 24305, Oakland, CA 94623.

~~A list of this~~ For more [product's -and/or- ingredients] information, is available at ~~www.CloroxCSR.com~~ visit www.IngredientsInside.com -or- www.smartlabel.org.

For a Spanish translation of product directions -or- instructions -or- information, visit www.clorox.com.

Clorox is a registered trademark of The Clorox Company. Bottle shape is a registered trademark of The Clorox Company.

Mfd. for & © ~~2010~~XXXX The Clorox Company, 1221 Broadway, Oakland, CA 94612 [and Dist. by & © XXXX Clorox Commercial Company, ~~(bracketed text for Puerto Rico only)~~ [Ave. Chardon, #350, Torre Chardon, Suite 320, San Juan, PR 00918].
Made in U.S.A. -or- Made in Puerto Rico Printed in U.S.A. -or- Printed in Puerto Rico

EPA Reg. No. 5813-1 EPA Est. No. 5813-~~CA-2 (A7)~~, CA-3 (A8), CA-6 (TPP), GA-1 (A4), GA-2 (VG), ~~IL-1 (A3)~~, MD-2 (E6), TX-1 (A5).
Beginning of batch code indicates Est. No.

Alternate language For Puerto Rico only:

EPA Est. No. 5813-PR-1[~~_____~~]

~~For Puerto Rico only: Language similar to the following is needed if more than one EPA Est. No. listed above~~
~~Actual EPA Est. No. in code above -or- below.~~

~~Covered under one or more of the following~~

U.S. Patents: www.thecloroxcompany.com/patents

~~[This product]~~



Optional Graphics



-or-



CLOROX® Bleach

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

| | Amount of this product | Amount water | Instructions |
|--|---------------------------|-----------------|--|
| FOR SANITIZING | | | |
| Work Surfaces | 1 Tbsp | 1 Gal[lon] | Wash, rinse, wipe surface area with bleach solution for at least 1 min[ute], let air dry. |
| Dishes, Glassware, Utensils | 1 Tbsp | 1 Gal[lon] | Wash and rinse. After washing, soak for at least 1 min[ute] in bleach solution, drain and air dry. |
| Refrigerators, Freezers | 1 Tbsp | 1 Gal[lon] | Wash, rinse, wipe surface area with bleach solution for at least 1 min[ute], let air dry. |
| Mops ^a , Brushes ^a , Sponges ^a , and Brooms ^a Rags | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | Pre-wash items, then soak them in bleach solution for at least 1 min[ute]. Rinse well and air dry. |
| FOR DISINFECTING | | | |
| Floors, Walls, Vinyl, Tiles | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | Pre-wash surface, mop or wipe with bleach solution. Allow solution to contact surface for at least 10 min[utes]. Rinse well and air dry. |
| Bathtubs, Showers and Kitchen Sinks | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | Pre-wash surface[. and] Wipe with bleach solution. Allow solution to contact surface for at least 10 min[utes]. Rinse well and air dry. |
| Laundry | 1 Cup | Standard Washer | Use 1 1/2 cups bleach for extra large washers -or- heavily soiled loads. Use a detergent. |
| FOR DEODORIZING | | | |
| Garbage Cans | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | After washing and rinsing, brush inside with bleach solution. Let drain. |
| Drains | 1 Cup | — | Flush drains. Pour into drain. Flush with hot water. |
| FOR BLEACHING/WHITENING | | | |
| Wooden Surfaces | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | Apply for [at least] 2 min[utes], rinse. |
| FOR MOLD[,] [AND] MILDEW [AND STAIN] REMOVAL | | | |
| All Surfaces | 3/4 Cup (6 [fl] oz) | 1 Gal[lon] | Add bleach to [powdered] detergent solution. Apply, let stand 10 min[utes]. Wipe and rinse. |

One Tablespoon -or- 1 Tbsp of this product in a gal[lon] of water is equivalent to 200 parts per million (ppm) available chlorine. [DO NOT use this product full strength for cleaning surfaces. Always dilute strictly in accordance with the directions. For prolonged use, wear gloves.]

The following is only for products with medical devices listed on the label:


This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

~~[DO NOT use this product full strength for cleaning surfaces.
Always dilute strictly in accordance with the directions. For prolonged use, wear gloves.]~~

Household {Hint} {or- Use}

Flower Pots and Planters


Cleaning flower containers helps prevent the transfer of molds and diseases from old plants to new ones. Wash and [thoroughly] rinse pots and planters. Soak 10 min[utes] in a solution of 3/4 cup of this product to one -or- 1 gal[lion] of water, then rinse.



Household {Hint} {or- Use}

Sanitize Pet's Food and Water Bowls


To sanitize pet food containers, wash bowls with detergent and rinse. Fill bowls with a solution of 1 Tablespoon -or- Tbsp of this product per gal[lion] of water. Let stand 1 min[ute], drain and air dry.



Household {Hint} {or- Use}

Keep Wading Pools Sanitary


This product is excellent for chlorinating wading pools. As a general rule, use 1/8 cup per 100 gal[lions] of water. For example, an 8-f[oot] diameter pool holding 1 foot of water would require 1/2 cup of this product. To chlorinate, mix required amount of bleach with 2 gal[lions] of water and scatter over surface of empty pool. Fill remainder of pool with water. Empty small pools daily. Stabilized pools should maintain a residual of 1-0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Use [a] pool test strips to ensure that the ppm level is between 1 and 4 ppm.



Household {Hint} {or- Use}

Removing Mold and Mildew


[Mold and mildew in the bathroom can be removed easily and effectively using this product.] Simply wipe down surfaces using a solution of 3/4 cup of this product to each gal[lion] of warm water. Keep surface wet 10 min[utes]; then rinse thoroughly and wipe dry. Repeat, if necessary, on heavily soiled surfaces. -or- Add [3/4 cup] bleach to [powdered] detergent solution [per gal[lion] of water]. Apply, let stand for 10 min[utes]. Wipe and rinse.



Household {Hint} {or- Use}

Removing Patio Moss and Mildew Stains


Patio moss and mildew stains can be unsightly, slippery and dangerous. Hose patio to remove loose debris. Then use this product to remove moss and mildew stains by washing the area with a solution of 3/4 cup of this product to 1 gal[lion] of water. Reapply the solution as needed to keep the area wet for at least 2 min[utes]. Brush as needed to remove moss and then rinse thoroughly.
[Do not use on painted wood.]



Household {Hint} {or- Use}

Christmas Trees Fresher Longer

To prolong the life of a fresh cut tree, instead of using plain water in the tree stand bowl, use a solution of 2 teaspoons -or- tsp of this product, 1/2 gal[lion] hot water, 1 cup corn syrup and 1/8 cup powdered chelated iron (available from local nurseries).




Household {Hint} {or- Use}
Sanitize and Remove Stains
from Kitchenware

Tough stains can be removed from dinnerware, dishes, plastic and glassware with this product. Plus, this product cleans and sanitizes. Wash items; then rinse, and soak for 1 min[ute] in a solution of 1 Tablespoon **-or- Tbsp** of this product to each gal[lon] of water. Then drain and air dry.




Household {Hint} {or- Use}
Deodorizing Cat's Litter Box

Unpleasant cat box odors can be eliminated when this product is used to kill odor-causing germs. Wash litter box with sudsy water and rinse. Then wipe with a solution of 3/4 cup of this product per gal[lon] of water. Let solution stand 2 min[utes] before rinsing thoroughly.



Household {Hint} {or- Use}
Eliminating Garbage Can Odors

This product can deodorize and sanitize your garbage cans by eliminating the bacteria that cause odors. Wash garbage cans with soapy water and rinse. Then to deodorize and sanitize, swish a solution of 3/4 cup of this product per gal[lon] of water over the inside of the can. Let the solution stand 2 min[utes] before rinsing.



Household {Hint} {or- Use}
Keep Cut Flowers Fresh Longer

Fresh cut flowers will stay beautiful longer if you add 1/4 teaspoon **-or- tsp** of this product to each quart of cold water. This product can also be used to remove flower vase stains and odors. Wash the vase thoroughly and then fill with a solution of 3/4 cup bleach to one **-or- 1 gal[lon]** water. Let stand 5 min[utes] before rinsing.




Household {Hint} {or- Use}
Removing Exterior Mold

Mold [growing] on washable and colorfast exterior surfaces of your home, like siding, tile roofs, brick, stucco and patio stone, can be easily removed using this product. First, hose surfaces to remove loose soil. Then apply a solution of 3/4 cup of this product per 1 gal[lon] of water to wet surfaces. Reapply the solution as needed to keep the area wet for at least 10 min[utes]. Rinse thoroughly to remove residue. [Avoid applying solution in direct sunlight or to unfinished wood.] Rinse quickly and thoroughly if solution comes in contact with aluminum window frames or gutters since metal corrosion may occur.



Household {Hint} {or- Use}
Sanitize Wooden Cutting Boards

- ~~1) Wash, wipe or rinse items with detergent and water.~~
- ~~2) Apply sanitizing solution of 3 tablespoons of this product per gallon of water.~~
- ~~3) Let stand 2 minutes.~~
- ~~4) Rinse all surfaces with a solution of 1 tablespoon of this product per gallon of water.~~
- ~~5) Do not rinse or soak equipment overnight.~~




Household {Hint} {or- Use}
Eliminating Refrigerator Odors

This product kills odor causing bacteria and leaves your refrigerator smelling fresh and clean. Use it inside and out. Wash surfaces with a solution of 3/4 cup of this product per gal[lon] of water. Let stand 2 min[utes]. Rinse and then air dry interior surfaces a few min[utes] before replacing food.



Household {Hint} {or- Use}
Sanitizing Baby Items

Baby bottles, nipples and dishes can be easily sanitized using this product. Soak washed items for 1 min[ute] in a solution of 1 Tablespoon **-or- Tbsp** of this product per gal[lon] of water. Pour solution through nipples; then drain.



~~Household [Hint] [- or- Use]~~

Kitchen and Bathroom

Clean, disinfect and deodorize sinks, countertops, bathtubs, showers, floors, vinyl and tile.




- 1) Wash, wipe or rinse items with water.
- 2) Apply disinfecting solution of 3/4 cup of this product per gal[ion] of water.
- 3) Let stand 10 min[utes] before rinsing.
- 4) Rinse thoroughly and air dry.

~~Household [Hint] [- or- Use]~~

~~Sanitizing Kitchen Cloths~~

~~This product can help you deodorize and sanitize dishcloths and synthetic sponges while cleaning your sink at the same time. Fill sink with a gallon of water. Add 3/4 cup of this product. Soak kitchen cloths in solution for [at least] 2 minutes, then rinse sink and cloths. Allow to air dry.~~




~~Household [Hint] [- or- Use]~~

~~Recharge Instructions for HaloSource® [Treated] Products in Sink~~

~~[To Recharge [the] antimicrobial properties:]~~

~~Fill sink with a gallon of water. Add 3/4 cup of this product. Soak HaloSource® [treated] products in solution for [at least] 2 minutes, then rinse products and sink. Allow to air dry.~~



~~Household [Hint] [- or- Use]~~

Toilet Bowls

Disinfect and deodorize your toilet.


- 1) Flush toilet.
- 2) Pour 1 cup of this product into bowl.
- 3) Brush entire bowl, including rim, with a scrub brush or mop.
- 4) Let stand 10 min[utes] before flushing again.



~~Household [Hint] [- or- Use]~~

Disinfecting Baby Furniture and Nonporous Toys

Painted and enameled cribs, changing tables and high chairs, plastic mattress covers and bumpers, and washable colorfast nonporous toys are disinfected quickly and easily with this product. Plus, this product kills 99.9% of all common household germs, including those that cause odors. This product leaves baby's room clean and fresh smelling. Disinfect with a solution of 3/4 cup of this product in one **-or- 1 gal[ion]** of water. Let stand 10 min[utes]. Rinse and [air] dry.




~~Household [Hint] [- or- Use]~~

~~Washer or Recharge Instructions for HaloSource™ [Treated] Products:~~

~~**Before Use:** Wash in a [normal] laundry load with 1 cup of this product to activate [the] antimicrobial power. Laundry detergent [and fabric softener] may be added [to the load]. Dry in [the] dryer or air dry.~~

~~**To Clean and Recharge [the] Antimicrobial Properties:** Wash in a [normal] laundry load with detergent [and fabric softener] and 1 cup of this product. Dry in [the] dryer or air dry. Launder HaloSource™ [treated] products when visibly soiled and/or odor develops and/or during your regular laundry routine.~~



~~Household [Hint] [- or- Use]~~

Cold & Flu

[[To] Prevent Reduce the Spread⁹ of Cold & Flu Viruses⁹ -or- [To] Kill [the] Flu Virus[es]¹³ [on Hard, Nonporous Surfaces]:]

This product kills 99.9% of all common household germs to **help prevent reduce** the spread⁹ of germs in high traffic areas and children's items. Disinfect cribs, high chairs, and washable colorfast nonporous toys quickly and easily with this product:

Wash, wipe or rinse items with water.

-or- Prewash items[.] [then] disinfect with a solution of 3/4 cup of this product per gal[ion] of water. Let stand 10 min[utes]. Rinse thoroughly and air dry.

~~Household [Hint] [- or- Use]~~

Spring Cleaning

[[For] Eliminating Bacteria that Cause Household Odors:] Sanitize and deodorize common household items, such as sinks, garbage cans, and refrigerators by eliminating the bacteria that cause odors.

Sinks:

Wash, wipe or rinse items with water. Apply solution of 3/4 cup of this product per gal[ion] of water. Let stand 2 min[utes] before rinsing. Rinse thoroughly and air dry.

Garbage cans:

Wash garbage cans with soapy water and rinse. Swish a solution of 3/4 cup of this product per gal[ion] of water over the inside of the can. Let the solution stand 2 min[utes] before rinsing.

Refrigerators:

Wash surfaces with a solution of 3/4 cup of this product per gal[ion] of soapy water. Let stand 2 min[utes]. Rinse thoroughly and then air dry interior surfaces a few minutes before replacing food.

Household Hints -or- Uses

Where To Use: -or- Where Do I Use This Product?

Household Use Directions For Disinfection

-or- [To] Disinfect Hard, Nonporous Surfaces: Preclean to remove heavy soils. Use 3/4 cup of this product in -or- per one -or- 1 gal[lon] of water. Wash, wipe or rinse items with water, then apply bleach solution [with] ~~[sponge]~~ ~~-or-~~ mop ~~-or-~~ ~~[spray applicator]~~. Let stand 10 min[utes]. Rinse thoroughly and air dry.



Kitchen: Refrigerators, sinks, appliances, plastic laminate, countertops, glazed tile, vinyl, linoleum

Kitchen sinks: Cover stains with 1 gal[lon] of water before adding 3/4 cup of this product. -or- Cover stains with 1 gal[lon] of water; then add 3/4 cup of this product. Let stand 10 min[utes] before rinsing.



Bathroom: Bathtubs, toilets, showers, sinks, countertops, glazed porcelain, cat litter boxes, and mold -and/or- mildew removal

Bathtubs and showers, floors, vinyl, tile, woodwork and appliances: Flush drain, if applicable. Clean with a solution of 3/4 cup of this product per gal[lon] of [warm] water. Let stand 10 min[utes] before rinsing.



Toilet Bowls: Flush toilet to remove heavy soil. Pour 1 cup of this product into bowl. Brush entire bowl including under the rim with a scrub brush or mop. Let stand 10 min[utes] before flushing again.




Baby's Nursery -and/or- Items: Toys, changing tables, painted cribs, high chairs, plastic mattress covers and bumpers



Outdoors: Use to remove -or- Removes mold, moss, and mildew [stains] from [outdoor] siding, tile, brick, stucco, and patios. Also use on flower pots and planters.

Household Use Directions For Sanitization



Garbage Cans/Diaper Pails: Preclean garbage can/ -and/or- diaper pail with a cleaning product prior to sanitization. Rinse with water and drain. Pour in 3/4 cup of this product to each gal[lon] of water. Mix. Let stand [at least] 2 min[utes]. Rinse and air dry.

Laundry Use


Sort laundry [by color] and fabric. For the cleanest, whitest whites, use this product in every bleachable load. Most white fabrics and some colored fabrics can be safely washed with this product. In fact, many fabrics that have "Do not bleach" labels are bleach safe.

-or-

Sort laundry [by color] and fill washer with water. **Add 1 cup** of this product [or 1 1/2 cups for extra large washer]. -or- Use 1 1/2 cups for extra large or heavily soiled loads^{*14}. Add detergent then laundry. -or- Add detergent with the wash water before the laundry is put in.

For H[igh] E[fficiency] ~~-or- High Efficiency~~ Washing Machines:

Sort laundry [by color] and select wash cycle [use disinfecting/sanitizing cycle if available]. In a machine with no or small bleach dispenser (less than 1 cup) use the directions for Handwash[, Disinfect] or Pretreat Stains to disinfect/sanitize laundry. In machines with 1 cup or larger bleach dispensers, add clothes, detergent, 1 cup of this product, and start wash. -or- Use up to 1 1/2 cups for extra large or heavily soiled loads.



If unsure about colorfastness of garment or if garment says, "No bleach" or "Only non-chlorine bleach": Mix solution of 1 Tablespoon -or- Tbsp of this product with 1/4 cup water. Apply a drop of solution to a hidden part of garment. (Be sure to check all colors.) Wait one -or- 1 min[ute] and blot dry.

To Disinfect and Sanitize Laundry:

Add 1 cup of this product. Use [up to] 1 1/2 cups for extra large or heavily soiled loads. Use a detergent. This product used according to directions is effective against **insert organism(s) from List 1**. **Do not use full strength to pretreat.**

To handwash[, disinfect] or pretreat stains [and heavy soils], rinse to remove loose soil and fully soak garment for 5 min[utes] in a solution of 1/4 cup of this product to 1 gal[lon] of cool -or- cold water. Rinse, then wash as usual.

[(Compatible for H[igh] E[fficiency] ~~-or- HE~~ washing machines)]

-or-

If uncertain about colorfast dye, test fabric by applying one -or- 1 drop of a solution made of one -or- 1 Tablespoon -or- Tbsp of this product plus 1/4 cup water to hidden part of seam. Be sure to check all colors. After 1 min[ute], blot dry.

-or-

If uncertain about dye colorfastness -or- colorfast dye, test fabric by applying one drop of the solution made of 2 Tablespoons -or- Tbsp of this product plus 1/2 cup water to hidden part of the seam. Be sure to check all colors. After 1 min[ute], blot dry.

No color change means [the] article can be safely bleached. **[Always] avoid bleaching spandex, wool, [mohair,] silk, and non-colorfast colors.**

For Best Laundry Results:

- Dilute 1 cup of this product in 1 quart of cool water.
- Add to wash 5 min[utes] after wash cycle has begun.
- For heavily soiled loads, use 1 1/2 cups of this product.



For H[igh] E[fficiency] ~~-or- High Efficiency~~ Washing Machines:

- Add 1 cup of this product to wash 5 min[utes] after wash cycle has begun.
- For extra large or heavily soiled loads, add up to 1 1/2 cups of this product.

Add this product to dispenser, if available. If not, add bleach and detergent with the wash water before the laundry is put in. Or for best results, dilute bleach with a quart of water and add to wash 5 min[utes] after the wash cycle has begun.

To Handwash[, Disinfect] or Pretreat Stains:

- Mix 1/4 cup of this product with one -or- 1 gal[lon] cold water.
- Soak garment for 5 min[utes].
- Rinse, then wash as usual.



(Household/Residential uses)

STORAGE AND DISPOSAL: Store away from children. Reclose cap tightly after each use. Store this product upright in a cool, dry area away from direct sunlight and heat to avoid deterioration. Nonrefillable container. Do not reuse or refill this container. Recycle empty container or discard in trash. Do not contaminate food or feed by storage and disposal of this product.

(Industrial/Institutional: uses - including labels intended for restaurants, medical facilities, daycare facilities)

STORAGE AND DISPOSAL: Store away from children. Reclose cap tightly after each use. Store this product upright in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Nonrefillable container. Do not reuse or refill this container. [Triple rinse, then] recycle empty container or discard in trash. Do not contaminate food or feed by storage and disposal of this product.

~~Sanitizing/Disinfecting/Virucidal~~Antimicrobial Claims:

- ~~[Also] kills Adenovirus Type 2, Hepatitis A, Cytomegalovirus, Respiratory Syncytial Virus, Varicella zoster Virus, Herpes Virus 2 (Herpes), Canine parvovirus, Feline Parvovirus, Rubella virus (German measles virus), Mycobacterium bovis^{††} (Tuberculosis) and Shigella dysenteriae. insert organism(s) from List 2~~
- Clean. Disinfect. ~~Protect². [²]Protect against germs on hard, nonporous surfaces~~
- Clean[ing] -and/or- disinfect[ing] -and/or- protect[ing] [the] ~~{-or- your} {bathroom} {-or- restroom} {-and/or- kitchen} {-and/or- house} {-or- home} {-and/or- office} {-or- work -or- office [place] {-or- area} {-and/or- laundry} against -or- from [99.9% of] [household] germs -and/or- bacteria -and/or- viruses[‡]~~
- Cleans [and disinfects]
- Clean[s] -and/or- disinfect[s] ~~-and/or- protect[s] [the] {-or- your} {bathroom} {-or- restroom} {-and/or- kitchen} {-and/or- house} {-or- home} {-and/or- office} {-or- work -or- office [place -or- area] {-and/or- laundry} {-or- clothes} against -or- from [99.9% of] [household] germs -and/or- bacteria -and/or- viruses[‡]~~
- [Clean[s] away -or- out and] [Kill[s]] ~~{-and/or- Eliminate[s]} {-and/or- Destroy[s]} {-and/or- Remove[s]} {-and/or- Wipe[s] away -or- out} {-and/or- Attack[s]} {-and/or- Get[s] rid of} [99.9% of] [the] bacteria -and/or- germs -and/or- viruses[‡] [commonly] [found] in {kitchens} {-and/or- bathrooms} {-or- restrooms} {-and/or- households} {-or- homes} {-and/or- offices} {-and/or- work -or- office [places] {-or- areas} {-and/or- laundry}}~~
- Disinfect for a Clorox® [bleach] clean
- Disinfects and deodorizes by killing bacteria and their odors
- Disinfects day care centers
- Disinfects [laundry]
- Disinfects: -or- Effective disinfectant and deodorizer for: -or- Excellent for controlling mold and mildew on: -or- Excellent for: -or- [For] use on: -or- Effective on: Hard, Nonporous Surfaces ~~Such As:~~ **insert use surface(s) from Table 1 -and/or- insert surface material(s) from Table 3**
- Disinfects your baby's -or- workout clothes -or- laundry
- Eliminates germs and bacteria
- Especially recommended for Food Service Applications
- ~~{Fight[s]} {-and/or- Kill[s]} {-and/or- Effective} {-and/or- Protect[s]} [against] Salmonella¹² -and/or- E. coli¹⁵ -and/or- Hepatitis A virus~~
- ~~{Fight[s]} {-and/or- Kill[s]} {-and/or- Effective} {-and/or- Protect[s]} [against] [the] Avian influenza [virus] ^{***10}~~
- ~~{Fight[s]} {-and/or- Stop[s]} {-and/or- Kill[s]} {-and/or- Eliminate[s]} {-and/or- Destroy[s]} {-and/or- Remove[s]} {-and/or- Wipe[s] away -or- out} {-and/or- Attack[s]} {-and/or- Get[s] rid of} [99.9% of] [the] germs -and/or- bacteria -and/or- mold -and/or- viruses⁹ -or- 13 -or- 16 [that [can] cause [the] [common] cold -and/or- flu] [in your home -and/or- office -or- work [place] {-or- area} {-and/or- school} {-and/or- classroom} {-and/or- in your laundry}~~
- ~~{Fight[s]} {-and/or- Stop[s]} {-and/or- Kill[s]} {-and/or- Eliminate[s]} {-and/or- Destroy[s]} {-and/or- Remove[s]} {-and/or- Wipe[s] away -or- out} {-and/or- Attack[s]} {-and/or- Get[s] rid of} [99.9% of] [the] germs -and/or- bacteria -and/or- viruses[‡] [that [can] cause the [common] cold -and/or- flu] [in your home -and/or- office -or- work [place] {-or- area} {-and/or- school} {-and/or- classroom} {-and/or- laundry}]~~
- For use on hard, nonporous surfaces in: -or- Great for use in: -or- For use in: -or- Effective disinfectant and deodorizer in: -or- Excellent for controlling mold and mildew in: -or- Excellent in: **insert use site(s) from Table 2**
- Free disinfecting -and/or- sanitizing instruction chart -or- brochure enclosed
- Fungicidal[‡]
- Fungicide
- Germicidal[‡]
- Germicidal applications
- Germicide
- ~~Help prevent~~ **Reduce** the spread¹ of [the] cold and flu viruses⁹ [in your home -or- office]
- Kills [99.9%] of [common household] bacteria².
- Kill[s] [99.9% of] [common] ~~{-and/or- household -and/or- laundry} germs~~
- Kills [99.9%] of [common household] germs^{††,9}.
- Kills 99.9% of household germs and viruses in your laundry: Rhinovirus [Type 37], Rotavirus ~~WA~~, Hepatitis A Virus, Influenza A2 Virus, Klebsiella pneumoniae and Staphylococcus aureus
- Kills [99.9% of] [household] mold [and mildew]
- Kill[s] bacteria on the surfaces your kids touch every day
- Kills bacteria that cause odor -or- ~~{make clothes smell} [in your laundry -or- workout clothes]~~
- Kills bacteria, viruses[‡], mold and mildew
- Kills E. coli¹⁵ [where it lurks]
- Kills household viruses[‡] that cause colds and the flu: Rhinovirus [Type 317], Respiratory Syncytial Virus and Influenza A2 Virus
- Kills **insert organism(s) from List 2**
- Kills [many] germs -and/or- bacteria
- Kills mold [dead]
- Kills surface germs and bacteria[:] {Staph¹¹, Salmonella¹², and [the] Influenza A2 Virus}
- Kills [the] cold -and/or- flu viruses^{es} ^[9 -or- 13 -or- 16]
- Kills [the] germs around your home -or- house
- ~~Powerful germ killer~~
- Removes bacteria -and/or- body soil [detergent leaves behind]
- Remove[s] bacteria from your children's toys
- ~~{Removing} {-and/or- Killing} {-and/or- Trusted to kill} {-and/or- Fighting} {-and/or- Eliminating} germs -and/or- bacteria -and/or- viruses[‡] [since 1913] [for nearly over -or- more than 100 years]~~
- Removes -or- Breaks down animal -or- pet dander allergens on household surfaces
- Sanitizer
- Sanitizes
- The smart way to disinfect
- This product, a germicide -and/or- broad spectrum disinfectant, is a 5.25% sodium hypochlorite solution containing 5% available chlorine by weight. This product can be used on hard, nonporous surfaces **in insert use site(s) from Table 2**
- This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises[:] **insert use site(s) from Table 2**
- Tuberculocidal[‡]
- Tuberculocide
- Virucidal[‡]
- Virucide[‡]
- for front/back**

~~Allergen Removal/Destruction Claims:~~

~~General/Cleaning/Stain Removal/Deodorizing~~ Miscellaneous Claims:

- Authentic -and/or- Classic clean
 - Bigger value pack
 - Bleaches Out Tough Stains
 - Boosts cold water cleaning [power]
 - Brightens whites and removes stains
 - Can be used on [most] colorfast washables
 - Cleanest clean
 - Clorox® Bleach For a cleaner, fresher laundry and household
 - Deodorizer
 - Deodorizes
 - [Even after 50 washloads,] **this product**, used as directed, does not wear down fabric [any more than using detergent alone]
 - Extra Value Pack
 - Family size -or- pack
 - Fiber safe
 - For a cleaner, fresher laundry and household
 - For use in High-Efficiency washing machines
 - Germicidal applications especially recommended for food service applications
 - Gets even your dirtiest clothes white
 - Gets rid of [invisible] body soil [detergent may leave behind]
 - Giant size -or- pack
 - Good for hospitals, good for homes
 - Great for cold water [cleaning]
 - H[igh] E[fficiency] ~~-or- High Efficiency~~ Compatible
 - Keeps day care centers clean
 - King size -or- pack
 - Looks clean, smells clean, know it's clean
 - Power for the purest clean
 - Removes -or- Eliminates Odors
 - Removes [Tough] Stains
 - Safe for -or- to use in **insert surface material(s) from Table 3**
 - [Still -or- When used as directed,] can be used in all your bleachable wash loads
 - Super-size -or- pack
 - Super value pack
 - The smell of clean
 - The way clean homes are supposed to be
 - There's nothing like a Clorox® [bleach] clean
 - This bottle is coded for recyclers. Check to see if recycling facilities in your area accept colored HDPE bottles. Recycle where recycling facilities available.
 - **[This product,]** a tradition of clean
 - **[This product]** can be used on many colorfast washables
 - **This product** For a Cleaner, Fresher, Laundry and Household
 - This product is not harmful to septic and waste water treatment systems-
 - **[This product]** works hard so you don't have to
 - Trusted -or- Pure [white] clean [since 1913] [for ~~nearby~~ **more than -or- over** 100 years]
 - Try Clorox2® [- the Clorox bleach for colors]
 - Unbeatable Whitening
 - Use 1 cup for whiter whites
 - [Use] for a higher standard of clean
 - Use in hospitals^B ~~[on hard, nonporous surfaces]~~
 - Value size -or- pack
 - White just got whiter
 - Whitens bleachable fabrics
 - Whitens [and removes stains]
 - Whitens whites
 - Whitest whites
 - Why use 1 cup of **this product?**
 - You will notice the difference in whitening when you use a whole cup of **this product**
- for institutional products**
- For Institutional Use [Only] [Not for Resale]

List 1 Laundry Sanitization

| Bacteria | Strain and/or ATCC |
|--|--------------------------------|
| Klebsiella pneumoniae [(Kleb)] | [ATCC 4352] |
| Pseudomonas aeruginosa [(Pseudomonas)] | [ATCC 15442] |
| Staphylococcus aureus [(Staph)] | [ATCC 6538] |
| | |
| Fungus | Strain and/or ATCC |
| Trichophyton interdigitale tested as Trichophyton mentagrophytes [(Trichophyton)] | [ATCC 9533] |
| | |
| Viruses | Strain and/or ATCC |
| ‡Hepatitis A Virus | [Strain HM-175] [ATCC VR-2093] |
| ‡Influenza A Virus | [Strain Hong Kong] |
| ‡Rhinovirus [Type 37] | [ATCC VR-1147] [Strain 151-1] |
| ‡Rotavirus | [Strain WA] |

| List 2 Disinfection Organisms | |
|---|----------------------------------|
| Bacteria | Strain and/or ATCC |
| Escherichia coli O157:H7 [(E. coli)] | [ATCC 35150] |
| Legionella pneumophila [(Legionella)] (Legionella, the bacterium that causes Legionnaire's disease) | [ATCC 33153] |
| Methicillin-Resistant Staphylococcus aureus [(MRSA)] | [ATCC 33592] |
| Pseudomonas aeruginosa [(Pseudomonas)] | [ATCC 15442] |
| Salmonella enterica † tested as Salmonella choleraesuis [(Salmonella)] | [ATCC 10708] |
| Shigella dysenteriae [(Shigella)] | [ATCC 13313] |
| Staphylococcus aureus [(Staph)] | [ATCC 6538] |
| Streptococcus pyogenes [(Strep)] | [ATCC 9342] |
| | |
| Mycobacterium | |
| Mycobacterium bovis ^{††3} [(Tuberculosis surrogate)] [(20°C)] | |
| | |
| Fungi | Strain and/or ATCC |
| Aspergillus niger (mildew) | [ATCC 6275] |
| Candida albicans [(Candida)] | [ATCC 10231] |
| Trichophyton interdigitale tested as Trichophyton mentagrophytes [(Athlete's Foot Fungus)] | [ATCC 9533] [CDC No. WO-0031] |
| | |
| Viruses Enveloped | Strain and/or ATCC |
| *Avian Influenza Virus Type A [(H9N2)] | [Strain Turkey/Wis/66] |
| *Cytomegalovirus | [ATCC VR-538] [Strain AD-169] |
| *Herpes Simplex Virus Type 2 (Herpes) | [ATCC VR-734] [Strain G] |
| *. **Human Immunodeficiency Virus [(HIV)] | [Strain RF] |
| *Influenza A2 Virus (Viruses that causes the cold and flu) | [ATCC VR-544] [Strain Hong Kong] |
| *Respiratory Syncytial Virus [(RSV)] | [ATCC VR-26] [Strain Long] |
| *Rubella Virus [(German measles Virus)] | [ATCC VR-315] |
| *Varicella Zoster Virus | [ATCC VR-586] |
| | |
| Viruses Large Non-Enveloped | Strain and/or ATCC |
| *Adenovirus Type 2 | |
| *Rotavirus | [Strain WA] |
| | |
| Viruses Small Non-Enveloped | Strain and/or ATCC |
| *Canine Parvovirus | [ATCC VR-953] |
| *Feline Parvovirus | [ATCC VR-648] |
| *Hepatitis A Virus | [ATCC VR-2093] [Strain HM-175] |
| *Rhinovirus Type 17 | |

Table 1 Use Surfaces

| | | | |
|---|---------------------------------------|--|--|
| Outside of Appliance Exteriors | [Filing -and/or- Medicine] | Outside of Microwave Exteriors | [Toilet] -and/or- Faucet] |
| Bathtubs | Cabinets Cabinets | Painted cribs | -and/or- Telephone] -and/or- |
| Cabinets | Floors [Around Toilets] | Patio Furniture | Dishwasher] -and/or- Cabinet] |
| [Cat Litter Boxes] | Floor | Plastic mattress covers | -and/or- Door] Handles |
| Ceramic -or- glazed tile | Garbage Cans | -and/or- bumpers | Toilet Seats |
| [Children's] Furniture | Garbage Disposals | Plastic Shower Curtains | Toilets |
| Closets | Germ-prone Surfaces | Playpens | Toys |
| Clothes Hampers | Glazed Tiles | Recycling Bins | Trash Cans |
| Counter [top]s | Hard, Nonporous Toys | Outside of Refrigerator Exteriors | Trash Compactors |
| Desks | [High] Chairs | [Shower] Doors | [Under] Sinks |
| [Diaper] Changing Tables | Kennels | Showers | Walls |
| Diaper Pails | Lamps | Stereo Consoles | Outside of Washer/ Exteriors |
| Doorknobs | Laundry Rooms | Stove [top]s | Waste Baskets |
| Drain Boards | Light Switch Panels | Strollers | Work Benches |
| Dressing Carts | Many Hard, Nonporous Crib | [Tele]phones | |
| Dryer Exteriors | -or- Bed Frame Surfaces | | |
| Faucets | | | |

Table 2 Use Sites

| | | | |
|-----------------------------------|---|----------------------------------|------------------------------|
| Ambulances | Damp Storage Areas | Institutions | Public Telephone[s] [Booths] |
| Automobiles | Day Care Centers | Kitchens | Recreational Centers |
| Basements | Dorm [itorie]s | Lab [oratorie]s | Recreational Facilities |
| Bathroom[s] -or- Locker Room | Eating Establishments | Laundry [Rooms] | Restaurants |
| [Facilities] | Commercial, Institutional, and | Military Installations | Restrooms |
| Boats | eating establishments, | Mobile Homes | School Buses |
| Bowling Alleys | Food Processing Plants | Motels | Schools |
| Butcher Shops | Garages | Nurseries | Shelters |
| Cafeterias | Grocery Stores | Offices | Sick Rooms |
| Campers | Gym [nasium]s | Pet Areas Kennels | Storage Areas |
| Cars | Health Clubs | Pet Kennels, and | Supermarkets |
| Churches | Homes Homes, | Pharmacies | Toilet Areas |
| Commercial -and/or- institutional | Hospital [Premise]s, | Play Areas | Vacation Homes |
| -and/or- hospital -and/or- | Hotels | Playgrounds | Veterinary premises. |
| veterinary -and/or- household | [Institutional] Kitchens | Pet -and/or- Veterinary Premises | Warehouse Clubs |
| premises | [Institutional] Laundromats | Public Facilities | |

Use Sites (including ~~.....~~)

Table 3 Surface Materials






| | | | |
|--------------------|-----------------------------|--------------------|-----------|
| Glass | Plastic laminate | Sealed Granite | Stoneware |
| Glazed Porcelain | Sealed Brick | Sealed Patio stone | Vinyl |
| Glazed Earthenware | Sealed Driveways -and/or- | Sealed Stucco | woodwork |
| Linoleum | walkways -and/or- sidewalks | Stainless | |
| Plastic | | | |

Do not use this product on steel, aluminum, silver, or chipped enamel.



How to Sanitize and Disinfect with This Product

This product is an effective multi-purpose sanitizer/disinfectant that kills bacteria that may cause food poisoning. One **-or- 1 Tbsp** of this product in a gal[lon] of water is equivalent to 200 ppm available chlorine. One **-or- 1 Tbsp** of this product in a gal[lon] of water meets U.S. Public Health Service recommended levels of hard surface sanitation.

TO SANITIZE







TO DISINFECT



For additional information regarding this product training tools and dispensing systems, please call 1-800-685-9128 -or-

How to Sanitize and Disinfect with This Product

1 pump = 16 mL (0.54 [fl] oz)

| APPLICATIONS | AMOUNT | INSTRUCTIONS |
|--|---|--|
| Sanitizing in the Sink Bleach 8 Pumps Water 10 Gal[ions] |  Lift up pump. Push down to dispense. | <ul style="list-style-type: none"> • Add 8 pumps of this product to 10 gal[ions] of 65-75°F (room temperature) water in the sanitizing sink compartment • Wash and rinse • Soak pots -and/or- pans -and/or- serving trays -and/or- utensils and food equipment for at least 1 min[ute] in solution of this product • Drain & air dry |
| Wipe Cloths Bleach 4 Pumps Water 5 Gal[ions] |  Lift up pump. Push down to dispense. | <ul style="list-style-type: none"> • Wash wipe cloths prior to sanitizing in a solution of this product for at least 5 min[utes] • Store wipe cloths in bleach solution when not in use • Fill [a] 5 gal[ion] dispenser with 65-75°F (room temperature) water • Add 4 pumps of this product • Draw solution of this product from dispenser as needed into well bowls, pans or spray bottles |
| Food Contact Surfaces (Beverage centers/prepboards, holding wells/service counters & tables/refrigerators/freezers) Stationary Equipment or other Food Contact Surfaces Bleach 2 Pumps Water 2 1/2 Gal[ions] |  Lift up pump. Push down to dispense. | <ul style="list-style-type: none"> • Add 2 pumps of this product to 2 1/2 gal[ion] bucket of 65-75°F (room temperature) water • Wash, rinse and wipe surface with bleach solution • Wet all drink surfaces for [at least] 1 min[ute] • Drain & air dry <p>NOTE: During food preparation periods, wipe food contact surfaces frequently with sanitized wipe cloths. Store cloths in bleach solution when not in use.</p> <p>Fresh sanitizing solution should be prepared daily or more often if the solution becomes diluted or soiled.</p> |
| Toilets and Urinals Disinfection |  Lift up pump. Push down to dispense. | <p>Toilet</p> <ul style="list-style-type: none"> • Flush toilet to remove heavy soil • Add 12 pumps of this product to toilet bowl • Brush to thoroughly wet all surfaces, including under the rim • Let stand for 10 min[utes], then flush <p>Urinal</p> <ul style="list-style-type: none"> • Flush urinal to remove heavy soil • Add 24 pumps of this product • Brush thoroughly for 1 min[ute] • Let stand for 10 min[utes], then flush |



~~Bleach~~ Service Bulletins

~~For additional directions for use, including Service Bulletins, visit www.clorox.com/bleachuse.~~

CLOROX® **Bleach** (~~5.25% Sodium hypochlorite~~, EPA Reg. No. 5813-1) CANDIDA ALBICANS EFFICACY

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Prepare a solution of 3/4 cup (6 [fl] oz) of this product per gal[lon] water (~2400 ppm available chlorine). Thoroughly wet surface with the solution and allow it to remain in contact with the surface for 10 min[utes]. Rinse with clean water and dry.

TO SANITIZE DIAPER PAILS: Preclean diaper pails with a cleaning product prior to sanitization. Rinse with water and drain. Pour in 3/4 cup of this product to each gal[lon] of water. Mix. Let stand [at least] 2 min[utes]. Rinse and air dry.

Use Sites

This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises (including kitchens, bathrooms, nurseries, sick rooms, laundry rooms), eating establishments, pet kennels and veterinary premises.

CLOROX® **Bleach** (EPA Reg. No. 5813-1) FUNGICIDAL EFFICACY

This product, when used as directed below, is effective against mold, Athlete's Foot Fungus (Trichophyton **interdigitale tested as Trichophyton mentagrophytes**), and Mildew (Aspergillus niger).

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Prepare a solution of 3/4 cup of this product per gal[lon] of water (2400 ppm available chlorine). Thoroughly wet surface with the solution and allow it to remain on the surface for 10 min[utes]. Rinse with clean water and dry.

TO SANITIZE GARBAGE CANS/DIAPER PAILS: Preclean garbage can/diaper pail with a cleaning product prior to sanitization. Rinse with water and drain. Pour in 3/4 cup of this product to each gal[lon] of water. Mix. Let stand [at least] 2 min[utes]. Rinse and air dry.

Use Sites

This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises (including kitchens, shower stalls, bathrooms, nurseries, sick rooms, laundry rooms), eating establishments, pet kennels and veterinary premises.

CLOROX® Bleach (5.25% Sodium hypochlorite, EPA Reg. No. 5813-1)
BACTERICIDAL EFFICACY

This product, when used as directed below, is effective against the following bacteria:

| <i>Gram positive bacteria:</i> | <i>Strain and/or ATCC</i> |
|--|----------------------------------|
| Methicillin resistant Staphylococcus aureus [(MRSA)] | [ATCC 33592] |
| Staphylococcus aureus [(Staph)] | [ATCC 6538] |
| Streptococcus pyogenes [(Strep)] | [ATCC 9342] |
| | |
| <i>Gram negative bacteria:</i> | <i>Strain and/or ATCC</i> |
| Escherichia coli serotype O157:H7 [(E. coli)] | [ATCC 35150] |
| Legionella pneumophila [(Legionella)] | [ATCC 33153] |
| Pseudomonas aeruginosa [(Pseudomonas)] | [ATCC 15442] |
| Salmonella enterica [tested as Salmonella choleraesuis] [(Salmonella)] | [ATCC 10708] |

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Prepare a solution of 3/4 cup (6 [fl] oz) of this product per gal[lon] of water (2400 ppm available chlorine). -or- [Prepare a dilution of 1 part this product to 9 parts water (13 [fl] oz/gal[lon]) (~5000 ppm available chlorine).] Thoroughly wet surface with the solution and allow it to remain on the surface for 10 min[utes]. Rinse with clean water and dry.

TO SANITIZE GARBAGE CANS/DIAPER PAILS: Preclean garbage can/diaper pail with a cleaning product prior to sanitization. Rinse with water and drain. Pour in 3/4 cup of this product to each gal[lon] of water. Mix. Let stand [at least] 2 min[utes]. Rinse and air dry.

Toilet Bowls: Flush toilet to remove gross filth. Add 1 cup of this product to the bowl and brush surfaces thoroughly, making sure to get under the rim. Let stand 10 min[utes] before flushing again.

Use Sites

This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises (including kitchens, bathrooms, nurseries, sick rooms, laundry rooms), eating establishments, pet kennels and veterinary premises.

CLOROX® Bleach (5.25% Sodium hypochlorite, EPA Reg. No. 5813-1)
TUBERCULOCIDAL EFFICACY

This product, when used as directed below, is effective against Mycobacterium bovis.

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces: [First] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Prepare a dilution of 1 part this product to 9 parts water (13 [fl] oz/gal[lon]) (~5000 ppm available chlorine). Thoroughly wet surface with the solution and allow it to remain in contact with the surface for 10 min[utes]. Rinse with clean water and dry.

Use Sites

This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises (including kitchens, bathrooms, nurseries, sick rooms, laundry rooms), eating establishments, pet kennels and veterinary premises.

CLOROX® Bleach (5.25% Sodium hypochlorite, EPA Reg. No. 5813-1)
VIRUCIDAL⁵ EFFICACY

This product, when used as directed below, is effective against the following viruses on hard, nonporous, ~~inanimate~~ surfaces⁵:

| Viruses | Strain and/or ATCC |
|---|----------------------------------|
| †Adenovirus Type 2 | [ATCC VR-846] [Strain Adenoid 6] |
| †Avian Influenza Virus Type A 10 | [ATCC 6538] |
| †Canine Parvovirus | [ATCC VR-953] |
| †Cytomegalovirus | [ATCC VR-538] [Strain AD-169] |
| †Feline Parvovirus | [ATCC VR-648] |
| †Influenza A2 Virus (viruses that causes the cold and flu) | [ATCC VR-544] [Strain Hong Kong] |
| †Hepatitis A Virus | [Strain HM-175] [ATCC VR-2093] |
| †Herpes simplex Virus 2 [(Herpes)] | [ATCC VR-734] [Strain G] |
| †. ##Human Immunodeficiency Virus Type 1 (HIV-1) ⁵ | [Strain RF] |
| †Respiratory Syncytial Virus [(RSV)] | [ATCC VR-26] [Strain Long] |
| †Rhinovirus Type 17 | |
| †Rotavirus | [Strain WA] |
| †Rubella Virus [(German measles virus)] | [ATCC VR-315] |
| †Varicella Zoster Virus | [ATCC VR-586] |

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Prepare a solution of 3/4 cup (6 [fl] oz) of this product per gal[lon] water (~2400 ppm available chlorine). -or- Prepare a dilution of 1 part this product to 9 parts water (13 [fl] oz/gal[lon]) (~5000 ppm available chlorine). Thoroughly wet surface with the solution and allow it to remain in contact with the surface for 10 min[utes]. Rinse with clean water and dry.

TO SANITIZE GARBAGE CANS/DIAPER PAILS: Preclean garbage can/diaper pail with a cleaning product prior to sanitization. Rinse with water and drain. Pour in 3/4 cup of this product to each gal[lon] of water. Mix. Let stand [at least] 1 min[ute]. Rinse and air dry.

Toilet Bowls: Flush toilet to remove gross filth. Add 1 cup of this product to the bowl and brush surfaces thoroughly, making sure to get under the rim. Let stand 10 min[utes] before flushing again.

CLOROX® Bleach (EPA Reg. No. 5813-1)
Special Instructions for Using This Product to Clean and Decontaminate
Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids

This product kills HIV-1 on precleaned ~~environmental~~ **hard, nonporous** surfaces/objects previously soiled with blood/body fluids in health care settings (e.g. hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of ~~inanimate~~ **hard, nonporous** surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [(HIV-1) (associated with AIDS)].

Personal protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

Cleaning procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and other objects before applying this product.

Contact time: Dilute the product to 1:20 (3/4 cup to a gal[lon]) and spray or flood surface; let stand 2 min[utes]. This contact time will not control other common types of viruses and bacteria.

Disposal of infectious materials: Use disposable latex gloves, gowns, masks, and eye coverings. Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

CLOROX® Bleach (EPA Reg. No. 5813-1)
EMERGENCY DISINFECTION AFTER MAIN BREAKS

MAINS

Before assembly of the repaired section, flush out mud and soil. Permit water flow of at least 2.5 f[ee]t per min[ute] to continue under pressure while injecting this product by means of a hypochlorinator. Stop water flow when a chlorine residual test of 50 ppm is obtained at the low pressure end of the new main section after a 24 hour retention time. When chlorination is completed, the system must be flushed free of all heavily chlorinated water.

CLOROX® Bleach (EPA Reg. No. 5813-1)
DISINFECTION OF DRINKING WATER (POTABLE)
(Emergency/Public/Individual Systems)

Emergency Disinfection [after {hurricanes} ~~and/or~~ {tornados} ~~and/or~~ {earthquakes} ~~and/or~~ {tsunamis}]:

When boiling of water for 1 min[ute] is not practical, water can be made potable by using this product. Prior to addition of the sanitizer, remove all suspended material by filtration or by allowing it to settle to the bottom. Decant the clarified contaminated water to a clean container and add 8 drops of this product to 1 gal[lon] of water [(2 drops to 1 quart)]. Allow the treated water to stand for 30 min[utes]. Properly treated water should **will** have a slight chlorine odor. If not, repeat dosage and allow the water to stand an additional 15 min[utes]. The treated water can then be made palatable by pouring it between clean containers several times.

For cloudy water, use 16 drops of this product per gal[lon] of water [(4 drops to 1 quart)]. If no chlorine odor is apparent after 30 min[utes], repeat dosage and wait an additional 15 min[utes].

Public System

Mix a ratio of this product to water to produce a 10 ppm available chlorine by weight. Begin feeding this solution with a hypochlorinator until a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm is attained throughout the distribution system. Check water frequently with a chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Primary Drinking Water Regulations. Contact your local Health Department for further details.

Individual Systems

1. **Dug Wells:** Upon completion of the casing (lining), wash the interior of the casing (lining) with a 100 ppm available chlorine solution using a stiff brush. After covering the well, pour the sanitizing solution into the well through both the pipesleeve opening and the pipeline. Wash the exterior of the pump cylinder also with the sanitizing solution. Start pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours flush well until all traces of chlorine have been removed from the water. Consult your local Health Department for further details.

Individual Water Systems

1. **Drilled, Driven and Bored Wells:** Run pump until water is as free from turbidity as possible. Pour a 100 ppm available chlorine sanitizing solution into the well. Add 5 to 10 gal[lons] of clean, chlorinated water to the well in order to force the sanitizer into the rock formation. Wash the exterior of pump cylinder with the sanitizer. Drop pipeline into well, start pump and pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours flush well until all traces of chlorine have been removed from the water. Deep wells with high water levels may necessitate the use of special methods for introduction of the sanitizer into the well. Mix well [(2 drops to 1 quart)]. Consult your local Health Department for further details.

2. **Flowing Artesian Wells:** Artesian wells generally do not require disinfection. If analysis indicates persistent contamination, the well should be disinfected. Consult your local Health Department for further details.

CLOROX® Bleach (EPA Reg. No. 5813-1) EMERGENCY DISINFECTION AFTER DROUGHTS

A. SUPPLEMENTARY WATER SUPPLIES

Gravity or mechanical hypochlorite feeders should be set up on a supplementary line to dose the water to a minimum chlorine residual of 0.2 ppm after a 20 min[ute] contact time. Use [a] chlorine test kit.

B. WATER SHIPPED IN BY TANKS, TANK CARS, TRUCKS, ETC.

Thoroughly clean all containers and equipment. Spray a 50 ppm available chlorine solution and rinse with potable water after 5 min[utes]. During the filling of the containers, dose with sufficient amounts of this product to provide at least a 0.22 ppm chlorine residual. Use [a] chlorine test kit.

CLOROX® Bleach (EPA REG. NO. 5813-1) EMERGENCY DISINFECTION AFTER FIRES

CROSS CONNECTIONS OR EMERGENCY CONNECTIONS

Hypochlorination or gravity feed equipment should be set up near the intake of the untreated water supply. Apply sufficient product to give a chlorine residual of at least 0.1 to 0.2 ppm at the point where the untreated supply enters the regular distribution system. Use [a] chlorine test kit.

CLOROX® Bleach (EPA Reg. No. 5813-1) EMERGENCY DISINFECTION AFTER FLOODS

WELLS

Thoroughly flush contaminated casing with a 500 ppm available chlorine solution. Backwash the well to increase yield and reduce turbidity, adding sufficient chlorinating solution to the backwash to produce a 10 ppm available chlorine residual, as determined by [a] chlorine test kit. After the turbidity has been reduced and the casing has been treated, add sufficient chlorinating solution to produce a 50 ppm available chlorine residual. Agitate the well water for several hours and take a representative water sample. Retreat well if water samples are biologically unacceptable.

CLOROX® Bleach (EPA Reg. No. 5813-1) ASPHALT OR SEALED WOOD ROOFS AND SIDINGS

To control fungus and mildew, first remove all physical soil by brushing and hosing with clean water. Apply a 5000 ppm available chlorine solution by brushing or spraying roof or siding. After 30 min[utes], rinse by hosing with clean water.

CLOROX® Bleach (EPA Reg. No. 5813-1) SPAS, HOT TUBS, IMMERSION TANKS, ETC.

A. SPAS/HOT TUBS

Using a dilution chart or formula, calculate and approximate an amount of product per 1000 gal[lons] of water to obtain a free available chlorine concentration of 5 ppm, as determined by [a suitable] chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleansers, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.

1. **Maintaining the Water:** To maintain the water, apply the product solution over the surface to maintain a chlorine concentration of 5 ppm.

- 2. After Each Use:** Shock treat to control odor and algae, using the product at a rate of 16 [fluid] ounces -or- oz to 500 gal[lons] of water.
- 3. Periods of Disuse:** During periods of disuse, add product daily to maintain a 3 ppm chlorine concentration.
- 4. Re-entry:** Re-entry into treated spas is prohibited above levels of 5 ppm due to risk of bodily harm.

B. HUBBARD TANKS ~~(Not approved for use in the State of California)~~

Before patient use, add product to obtain a chlorine residual of 25 ppm, as determined by a suitable test kit. Adjust and maintain the water pH to between 7.2 and 7.6. After each use, drain the tank. Add 10 [fluid] ounces -or- oz of product to a bucket of water and circulate this solution through the agitator of the tank for 15 min[utes] and then rinse out the solution. Clean tank thoroughly and dry with clean cloths.

C. IMMERSION TANKS ~~(Not approved for use in the State of California)~~

Before patient use, add product to obtain a chlorine residual of 25 ppm, as determined by a suitable test kit. Adjust and maintain the water pH to between 7.2 and 7.6. After each use, drain the tank. Add 10 [fluid] ounces -or- oz of product to a bucket of water and circulate this solution through the agitator of the tank for 15 min[utes] and then rinse out the solution. Clean tank thoroughly and dry with clean cloths.

D. HYDROTHERAPY TANKS

Add product to the water to obtain a chlorine residual of 1 ppm as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.

CLOROX® Bleach (EPA Reg. No. 5813-1) FOR SWIMMING POOL DISINFECTION

This product is a 5.25% sodium hypochlorite solution, containing approximately 5% available chlorine by weight. The purity of its ingredients and the carefully supervised process of its manufacture make this product a very stable, uniform source of chlorine for water treatment in swimming and wading pools. This product is especially suitable for use in chlorinators as it is a liquid and has no insoluble particles. This product is widely used as a source of chlorine for swimming pool sanitation and does not have any adverse effects on materials used in pool construction including swimming pool liners.

For each new filling of your pool, use following initial dosages of this product.

| Swimming Pool Size in Gallons | Initial Dosage of This Product | Swimming Pool Size in Gallons | Initial Dosage of This Product |
|-------------------------------|--------------------------------|-------------------------------|--------------------------------|
| 5,000 | 3 cups | 20,000 | 13 cups |
| 6,000 | 4 cups | 25,000 | 17 cups |
| 8,000 | 5 cups | 30,000 | 20 cups |
| 10,000 | 6 cups | 35,000 | 23 cups |
| 15,000 | 10 cups | | |

NOTE: 2 cups = 1 pint; 4 cups = 1 quart; 16 cups = 1 gal[lon]

To determine the volume of water in the pool when filled, figure 7 1/2 gal[lons] of water for each cubic foot -or- ft³ of pool capacity. One quart of this product per 6,000 gal[lons] of water will supply approximately 2 ppm (parts per million) available chlorine, but this may dissipate rather rapidly in new water depending on the general sanitation conditions of the pool. Repeat dosage as needed to obtain 0.6 to 1.0 ppm available chlorine.

In chlorinating a swimming pool, mix the required amount of this product with 10 parts water and feed this solution through a chlorinator into the main water supply line to the pool. The feeding rate should be adjusted so the required quantity of this product will be added uniformly throughout the filling of the pool; or, if the water is circulated through a filter, the bleach should be added throughout one complete circulation. If this product cannot be fed into the main water supply line, mix 1/2 pint of this product with 5 gal[lons] of water and scatter over a portion of the pool surface; repeat until the required amount of this product has been scattered over entire surface of the pool.

Check chlorine level in pool water at least daily with a pool testing set and add this product as needed to maintain 0.6 to 1.0 ppm available chlorine. One pint of this product per 6,000 gal[lons] of water will supply approximately 1.0 ppm available chlorine. Frequency of application of this dosage will vary depending on number of people using the pool, weather conditions (sunlight exposure), and general cleanliness of the pool area. Chlorine level for acid-stabilized pools should be maintained at 1.0 - 1.5 ppm available chlorine.

The effectiveness of the chlorine is best when the pool water has a pH range of 7.2 to 7.6. The pH of the pool water should be checked daily using a pool pH testing set and adjusted as necessary.

The regular use of this product, in the above proportions, in the swimming pool usually prevents the growth of algae in the water; however, if algae growth is causing the pool water to look cloudy and uninviting, it may be corrected by doubling the initial dosage of this product for a few treatments (2 quarts instead of 1 quart per 6,000 gal[ions] of new water). This additional solution should be added to the pool in the evening after the pool is out of use so the excess chlorine will be dissipated before the pool is used again.

If algae are growing on the bottom or walls of the pool, scrub pool with a solution of 1/2 gal[lon] of this product to 5 gal[ions] of water applying solution with a fiber brush. The pool should be scrubbed while full and rinsed off when algae growth has been removed; all of the growth and dirty solution should be flushed from the pool with clear water before the pool is refilled. Avoid skin contact with undiluted product; if such contact occurs, rinse immediately with plenty of water for 15-20 min[utes]. When added as recommended, this product has no deleterious effect on the eyes, nasal passages, or skin of people using the pool and will have no effect on swimming apparel.

Re-entry into treated pools is prohibited above levels of 4 ppm due to risk of bodily harm.

**CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR WADING POOL DISINFECTION**

This product - a 5.25% sodium hypochlorite solution containing approximately 5% available chlorine by weight - is a very stable, uniform and convenient source of chlorine for water treatment in swimming and wading pools. Also, because this product is a liquid with no soluble particles, it is especially suitable for this use.

In chlorinating wading pools, use 1/8 cup per 100 gal[ions] of new water. Mix required amount of this product with 2 gal[ions] of water and scatter over surface of pool. Mix uniformly with pool water.

Between fillings of pool, add 1 Tablespoon -or- Tbsp of this product per 100 gal[ions] of water each day. Empty small pools daily. (This product will not harm plastic pools.) Re-entry into treated pools is prohibited above levels of 4 ppm due to risk of bodily harm.

The chart below is a guide to the amount of this product required to provide approximately 1/8 cup per 100 gal[ions] of water figured on basis of water depths in pools of various diameters.

| Depth of Water | Pool Diameter 4 F[ee]t | Pool Diameter 6 F[ee]t | Pool Diameter 8 F[ee]t | Pool Diameter 10 F[ee]t | Pool Diameter 15 F[ee]t |
|----------------|---------------------------|---------------------------|---------------------------|----------------------------|----------------------------|
| 6 in[ches] | 1/16 cup | 1/8 cup | 1/4 cup | 3/8 cup | 3/4 cup |
| 1 f[oo]t | 1/8 cup | 1/4 cup | 1/2 cup | 3/4 cup | 1 5/8 cups |
| 2 f[ee]t | 1/4 cup | 1/2 cup | 1 cup | 1 1/2 cups | 3 1/4 cups |
| 3 f[ee]t | 3/8 cup | 3/4 cup | 1 1/2 cups | 2 1/4 cups | 5 cups |

TABLE OF LIQUID MEASURES

| | | | |
|------------------------|----------------------------|--------------------------|----------|
| 3 teaspoons -or- tsp = | 1 Tablespoon -or- Tbsp = | 1/2 [fl] ounce -or- oz = | 1/16 cup |
| 1 cup = | 16 Tablespoons -or- Tbsp = | 8 [fl] ounces -or- oz = | 1/2 pint |

**CLOROX® Bleach (EPA Reg. No. 5813-1)
SANITATION IN CARE OF LIVESTOCK, HORSES, PETS**

TO CLEAN AND DISINFECT BARN, STABLES, HUTCHES, KENNELS: Remove all animals and feed from premises and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Mix 1 [fl] oz [powdered] detergent and 6 [fl] oz of this product with each gal[lon] hot⁶ or cold water until detergent is dissolved. Using the solution, thoroughly scrub or pressure-spray all exposed areas including floor, walls, ceiling posts and support beams. Let stand for [at least] 10 min[utes]. Rinse with clean, clear, cold water. Let area dry thoroughly before housing animals.

LOADING AND HAULING EQUIPMENT: Loading chutes, trucks, trailers and other equipment for transportation of animals must be cleaned and disinfected prior to use. Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floor, walls, and other surfaces, facilities, and fixtures occupied or traversed by animals. Pressure-spray or scrub with solution prepared by thoroughly mixing 1 [fl] oz [powdered] detergent and 3 [fl] oz of this product to each gal[lon] hot⁶ or cold water. Let stand for [at least] 10 min[utes]. Rinse with clean, clear, cold water. Allow to dry before use.

FEEDERS AND DRINKING WATER CONTAINERS - to clean and disinfect: Thoroughly scrub or pressure-spray with solution of ~~1-oz [powdered] detergent and~~ 6 [fl] oz of this product to each gal[lon] of hot⁶ or cold water. Let stand for [at least] 10 min[utes]. Rinse thoroughly with clear, cold water; allow to drain dry. (A solution of 1 [fl] oz of this product to each quart of water is effective in removing slime which sometimes forms on drinking water containers.)

TO SANITIZE ANIMALS' DRINKING WATER: Prepare a 5 ppm available chlorine solution using clear water. Use in glass, plastic, porcelain or concrete containers daily. [(See directions below.)]

To obtain a solution with an approximate available chlorine level (parts per million), thoroughly mix the indicated amounts of bleach and water. Chlorine test strips should be used to adjust to the desired available chlorine levels.

~~⁶For this product/detergent solution, use hot water if available.~~

| MEASUREMENT TABLE: PPM (Parts per Million) Available Chlorine | | |
|---|---|------------|
| 6 [fl] oz [of] this product | -to- One -or- 1 Gal[lon] Water | = 2400 ppm |
| 1 teaspoon -or- tsp [of] this product | -to- Ten -or- 10 Gal[lons] Water | = 5 ppm |

CLOROX® Bleach (EPA Reg. No. 5813-1) SANITATION IN CARE OF SWINE

HOG HOUSES AND FARROWING HOUSES - to clean and sanitize:

- (1) Remove all animals and feed from premises and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- (2) Mix ~~1-oz [powdered] detergent and~~ 6 [fl] oz of this product with each gal[lon] of hot⁶ or cold water ~~until detergent is dissolved~~. Let stand for [at least] 10 min[utes].
- (3) Scrub or pressure-spray all surfaces with this solution. Rinse with clear, cold water.
- (4) Allow to dry before housing pigs.

CLEAN AND DISINFECT METAL WATERING TROUGHS AND FEEDERS by pressure-spraying or scrubbing with solution ~~prepared by thoroughly mixing 1-oz [powdered] detergent and~~ of 6 [fl] oz of this product with each gal[lon] of hot⁶ or cold water. Let stand for [at least] 10 min[utes]. Rinse thoroughly with clear, cold water; drain dry. (Drinking troughs and feeders should be cleaned and disinfected before housing pigs, and as often as necessary to keep sanitary.)

TO SANITIZE DRINKING WATER: Prepare a 5 ppm available chlorine solution using clear water. [(See directions below.)] (Water containing suspended material is difficult to sanitize.)

NOTE: Clean metal surfaces can be sanitized using the above method. Wooden surfaces are difficult to sanitize by any method.

To obtain a solution with an approximate available chlorine level (parts per million), thoroughly mix the indicated amounts of bleach and water. Chlorine test strips should be used to adjust to the desired available chlorine levels.

~~⁶For this product/detergent solution, use hot water if available.~~

| MEASUREMENT TABLE: PPM (Parts per Million) Available Chlorine | | |
|--|---|------------|
| 6 [fl] oz [of] this product | -to- One -or- 1 Gal[lon] Water | = 2400 ppm |
| 1/2 [fl] oz (1 Tablespoon -or- Tbsp) [of] this product | -to- One -or- 1 Gal[lon] Water | = 200 ppm |
| 1 teaspoon -or- tsp [of] this product | -to- Ten -or- 10 Gal[lons] Water | = 5 ppm |

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR SANITIZING AND DISINFECTING HOUSEHOLD LAUNDRY

To sanitize laundry, add enough of this product to reach 140 ppm (parts per million) available chlorine. To disinfect laundry, add enough of this product to reach 140 ppm (parts per million) available chlorine. Use 1 cup of bleach per standard washer, 1 1/2 cups for extra large washers or heavily soiled loads and use a detergent. This product used according to these directions is effective against ~~Staphylococcus aureus (Staph), Influenza A2 virus, Rhinovirus Type 37, Trichophyton mentagrophytes (Athlete's Foot Fungus), Rotavirus WA, Hepatitis A virus, Klebsiella pneumoniae~~ **insert organism(s) from List 1.**

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR SANITIZING AND DISINFECTING HOSPITAL LAUNDRY

To sanitize laundry, add enough of this product to reach 140 ppm (parts per million) available chlorine. To disinfect laundry, add enough of this product to reach 140 ppm (parts per million) available chlorine. -or- Use 1 cup of bleach per standard washer, 1 1/2 cups for extra large washers or heavily soiled loads and use a detergent. This product used according to these directions is effective against ~~Staphylococcus aureus (Staph), Pseudomonas aeruginosa (Pseudomonas), Influenza A2 virus, Rhinovirus Type 37, Trichophyton mentagrophytes (Athlete's Foot Fungus), Rotavirus WA, Hepatitis A virus, Klebsiella pneumoniae~~ **insert organism(s) from List 1.**

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR FOOD EGG SANITATION

To sanitize food eggs: Thoroughly clean all eggs. Completely mix 5.5 [fl] oz of this product with 10 gal[lons] of warm water to produce a 200 ppm (parts per million) available chlorine solution. The sanitizer temperature must not exceed 130°F. Spray the warm sanitizer so that the eggs are completely wet. Allow the eggs to fully dry before carrying or breaking. Do not [apply a potable water] rinse. The solution must not be re-used to sanitize eggs.

| Measurement Table for 200 ppm available chlorine | | |
|--|------|----------------------|
| 1 Tbsp [of] this product | -to- | 1 gal[lon] water |
| 5 1/2 [fl] oz [of] this product | -to- | 10 gal[lons] water |
| 7 cups [of] this product | -to- | 100 gal[lons] water |
| 4 gal[lons] [of] this product | -to- | 1000 gal[lons] water |

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR [MEAT & POULTRY PLANT] LAUNDRY USE

This product may be used on fabric which contacts meat or poultry products directly or indirectly, provided that the fabric is thoroughly rinsed with potable water at the end of the laundering operation.

To sanitize laundry, add enough of this product to reach 200 ppm (parts per million) available chlorine. (Use 1 cup of bleach per standard washer, 1 1/2 cups for extra large washers or heavily soiled loads). Use a detergent. For best results, dilute bleach with a quart of water and add to wash 5 min[utes] after the wash has begun.

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR DISINFECTION OF FLOORS, WALLS, SHOWERS AND TOILETS

TO DISINFECT FLOORS, WALLS AND SHOWERS: For nonporous surfaces such as vinyl or glazed ceramic tile, clean surfaces to remove gross filth. Thoroughly wet surfaces with mop or sponge, with a bleach solution containing 3/4 cup bleach per gal[lon] of water. Allow solution to remain on the surface for 10 min[utes]. Rinse[, let dry].

TO DISINFECT TOILETS: Flush toilet. Pour 1 cup of bleach into bowl. Brush bowl thoroughly, making sure to get under the rim. Let solution stand for 10 min[utes] and flush again.

CLOROX® Bleach (EPA Reg. No. 5813-1) FOR DAIRY AND CREAMERY EQUIPMENT SANITATION

This product is effective as a chemical sanitizer of milk utensils, containers and equipment. This product dissolves milk solids and other protein material and is a quick and effective deodorizer.

An exposure period of at least 2 min[utes] to a solution of 2 [fl] oz of this product to 4 gal[lons] water (200 ppm available chlorine) must be maintained when the solution temperature is 75°F. ~~Lower solution temperatures result in slower action; for each 18° F drop in temperature, approximately twice the exposure time is needed to achieve equivalent bactericidal action with same strength of solution. [You can also compensate for lower temperatures by increasing the concentration of this product.]~~

Clean out large deposits of milk or other organic matter before applying this product/water solution. A sharp decline in the available chlorine content of the solution following circulation through milk processing equipment is usually regarded as evidence of inadequate cleaning of the equipment and should be promptly investigated.

~~**RUBBER TEAT CUPS AND TUBES** - Before each milking, prepare sanitizing solution by thoroughly mixing 2 oz of this product with each 4 gal[lons] water. This gives approximately 200 ppm available chlorine in an average 70° F solution. Sanitize teat cups with this solution for 2 min[utes] before transferring them from one cow to another.~~

To Sanitize - SOAKING METHOD: After each milking, wash cups and tubes by brushing thoroughly with detergent solution. Rinse cups and tubes with cold water. Prepare sanitizing solution by thoroughly mixing 2 [fl] oz of this product with each 4 gal[lons] water in glazed earthenware, glass, porcelain or stoneware containers. Submerge cups in this solution for 1 min[ute], holding ends of tubes; coil tubes slowly into solution between milkings; drain thoroughly and air dry before using.

To maintain sanitizing solution at proper strength, add 1/2 [fl] oz of this product daily (in hot weather, 1 [fl] oz) for each 3 gal[lons] water; mix well. Protect solution from light. Renew solution daily. Old solution may be utilized for deodorizing and making floors and drains sanitary; for this purpose, add 1 [fl] oz of this product for each 5 gal[lons] old solution; mix well.

To Sanitize - RACK METHOD: After each milking, rinse cups and tubes in cold water. Wash in detergent solution; then rinse. Prepare sanitizing solution by thoroughly mixing 1 [fl] oz of this product with each 2 gal[lons] water; place solution in bottle above rack for 1 min[ute]. Place tubes and cups in rack; fill with solution and let stand between milkings; drain thoroughly and air dry before using. Old solution may be utilized in deodorizing and making floors and drains sanitary.

METAL TEAT CUPS AND TUBES - Before each milking, prepare sanitizing solution by thoroughly mixing 2 [fl] oz of this product with each 4 gal[lons] water. Dip teat cups into this solution before transferring them from one cow to another.

To Sanitize: After each milking, rinse cups and tubes with cold water. Wash in detergent solution; rinse in solution prepared by thoroughly mixing 2 [fl] oz of this product with each 4 gal[lons] water for 1 min[ute]; drain thoroughly and air dry before using. **(Metal cups should not be left in a solution of this product.)**

TO CLEAN AND SANITIZE MILKING MACHINES AND UTENSILS: Immediately after milking, flush equipment with clean, lukewarm water. Dismantle equipment after each milking and wash it (including all rubber parts and stanchion hoses) and all utensils with a solution prepared by thoroughly mixing 2 [fl] oz of this product to each 4 gal[lons] of your [regular] [powdered] detergent solution. Water temperature must be 100°F to 130°F. **(DO NOT MIX THIS PRODUCT WITH ACID CLEANERS OR MILK STONE REMOVERS.)** Rinse equipment and utensils thoroughly with clean, clear water; drain. Air dry. **Immediately before use, sanitize according to directions at bottom of page.⁷**

CLEANING IN PLACE - BULK STORAGE TANKS, DAIRY PIPELINES, TRANSFER STATIONS: Immediately after emptying milk, flush surfaces with a large volume of clear, lukewarm water until water runs completely clear. Thoroughly mix solution of 1 [fl] oz of this product with each 2 gal[lons] of your [regular] [and/or] powdered detergent solution. Hot water should be used if available, and the temperature of the solution should be maintained at 120-160°F throughout the entire circulation. **(DO NOT USE THIS PRODUCT WITH ACID CLEANERS OR MILK STONE REMOVERS.)** Circulate the sanitizing solution through the system for 10 to 15 min[utes]. (Brush-wash with solution all parts not coming in contact with solution as it circulates.) Rinse thoroughly with clean, clear water; allow to drain. Air dry. Seal this equipment to help protect against contamination. **Immediately before use, sanitize according to directions at bottom of page.⁷**

SEPARATORS, STRAINERS, MILK CANS, PAILS, CHURNS, PASTEURIZERS - to clean and sanitize: After using, rinse immediately with clear, cold water; then scrub or pressure-spray with solution of 1 [fl] oz of this product mixed with each 2 gal[lons] of your [regular] [powdered] detergent solution. Rinse with clean, clear water; drain thoroughly. Air dry. **Immediately before use, sanitize according to directions at bottom of page.⁷**

MILK BOTTLES - To sanitize: Clean and rinse, then immerse for 5 min[utes] in solution prepared by thoroughly mixing 2 [fl] oz of this product with each 4 gal[lons] cold or lukewarm water; drain; fill. If bottles are not filled promptly, rinse again with same strength of this product solution immediately before filling; drain thoroughly. Air dry. Ordinarily, 12 gal[lons] of this strength solution will sanitize 5000 clean quart bottles. Keep this bleach solution clean and free from milk particles.

ICE CREAM FREEZERS - to clean and sanitize: After using, flush with warm water until water runs clear. Scrub or pressure-spray with solution prepared by thoroughly mixing 1 [fl] oz of this product with each 2 gal[lons] of [regular] [powdered] detergent solution. Let stand 2 min[utes]. Rinse thoroughly with clean, clear water; drain. Air dry. **Immediately before use, sanitize according to directions shown below.**⁷

| MEASUREMENT TABLE: PPM (Parts Per Million) Available Chlorine | | |
|---|----------------------------------|---------|
| 1 [fl] oz [of] this product | - to- One -or- 1 Gal[lon] Water= | 400 ppm |
| 1/2 [fl] oz (1 Tablespoon -or- Tbsp) [of] this product | - to- One -or- 1 Gal[lon] Water= | 200 ppm |
| 1 drop [of] this product | - to- One -or- 1 Gal[lon] Water= | 2/3 ppm |

CLOROX® Bleach (EPA Reg. No. 5813-1) DISINFECTING GUIDE

This product is a 5.25% sodium hypochlorite solution containing approximately 5% available chlorine by weight. In addition to being a highly effective liquid chlorine bleach for laundering and household disinfecting, this product is widely used in sanitation of poultry and livestock houses and equipment, dairies, creameries, restaurants and taverns, as well as for purification of drinking water and disinfection of water for swimming and wading pools.

IMPORTANT: Always thoroughly mix this product with water as directed before using.

Do not allow undiluted product to come in contact with any fabric. (If it does, rinse out immediately with clear, cold water.)

Do not apply this product with natural sponge.

If used on metal, a solution of this product should be allowed to stand for no more than 5 min[utes], and then rinsed off thoroughly with clear water; otherwise, it may slightly discolor and eventually corrode the metal.

If a metal sprayer is used to apply the solution of this product, rinse sprayer thoroughly after use with clear water, and then oil the plunger.

SEPTIC TANK OPERATION is not affected by regular home and farm use of this product.

TABLE OF LIQUID MEASURES

| | | | |
|------------------------|----------------------------|--------------------------|----------|
| 3 teaspoons -or- tsp = | 1 Tablespoon -or- Tbsp = | 1/2 [fl] ounce -or- oz = | 1/16 cup |
| 1 cup = | 16 Tablespoons -or- Tbsp = | 8 [fl] ounces -or- oz = | 1/2 pint |

CLOROX® Bleach (EPA Reg. No. 5813-1) AS A FUNGICIDE FOR SEED POTATOES

This product is fungicidal to the Verticillium wilt organism *V. albo-atrum* (microsclerotial type) on seed potatoes. A solution of this product is applied to whole seed and freshly cut seed potato pieces during the cutting operation for planting. [Research at the Washington State University Irrigated Agriculture Research and Extension Center⁸ has shown that treatment with a sodium hypochlorite solution helps to prevent the spread of organisms to uninfected soil or fields via seed potato surfaces.]

Use Instructions

Thoroughly mix a solution for spraying, in the proportion of one -or- 1 part of this product (5.25% sodium hypochlorite) to 9 parts of water. Use this solution to spray freshly cut seed potato pieces from the top and bottom of the cutting chain or elevator with a series of non-mist nozzles at 3 to 5 psi. Thoroughly cover all cut and uncut surfaces with the solution. The treatment will be most effective on clean seed tubers, as the organic matter in soil will reduce the effectiveness of the sodium hypochlorite.

Plant within four hours of the cutting and this product treatment operation. If planting should be delayed, store the treated seed in clean, open, well-ventilated bins or truck beds. Storing cut, wet seed in large, unventilated containers will contribute to secondary breakdown from soft rot organisms.

Safety Precautions

Do not mix full-strength product or treatment solution with any agricultural chemical, ammonia, or acid. Avoid prolonged contact of this product with skin. If full strength or diluted product is splashed in the eyes, hold eye open and rinse slowly and gently with water for 15-20 min[utes]. Remove contact lenses, if present, after the first 5 min[utes], then continue rinsing eye.

Conduct the spraying operations either outside, in a well-ventilated building, or under a hooded exhaust system. Use non-misting nozzles to avoid breathing of mist. Wear a face mask and plastic or rubber gloves and clothing. Because sodium hypochlorite is corrosive to many metals, chains and other machine parts should be either plastic or plastic-coated and rinsed with clear water after use.

CAUTION: DO NOT USE THE TREATED SEED FOR FOOD OR FEED. Use the product treatment only on crops and for the purposes recommended. Apply only as specified above. Do not apply in a dipping operation or this product solution may become contaminated with soil and organic matter from the potato surfaces and lose its effectiveness.

**CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR MEAT & POULTRY PLANT PROCESSING WATER**

~~Not for use with Confidential Statements of Formula A02, A08, A09, A10, A12, A15~~

This product may be used in processing water of meat and poultry plants at concentrations up to 5 ppm (parts per million) calculated as available chlorine. Chlorine may be present in poultry chiller water, in water for reprocessing poultry carcasses internally contaminated with feces, and in red meat carcass final wash water at concentrations between 25 and 50 ppm calculated as available chlorine. Chlorine must be dispensed at a constant and uniform level and the method or system must be such that a controlled rate is maintained.

| Measurement Table | | | |
|---|---------------|---------------|------------|
| Amount of this product to make ___ ppm available chlorine | | | |
| Water volume | 5 ppm | 25 ppm | 50 ppm |
| 1 gal[lon] | 8 drops | 40 drops | 1 tsp |
| 10 gal[ons] | 1 tsp | 4 tsp | 3 Tbsp |
| 100 gal[ons] | 1 1/2 [fl] oz | 6 1/2 [fl] oz | 13 [fl] oz |
| 1000 gal[ons] | 13 [fl] oz | 2 qt | 1 gal |

**CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR POULTRY CARE -OR- TO KILL AVIAN INFLUENZA VIRUS TYPE A***10**

Keeping poultry healthy, productive and profitable is largely a problem of disease prevention. Remedial measures are much more difficult and often less successful than preventing the spread of disease before it infects the flock. Regular use of this product in the sanitation and disinfection of chicken houses, brooders, and other poultry equipment is an effective aid in preventing many diseases of bacterial and viral origin.

DRINKING WATER - To sanitize, thoroughly mix 1/2 [fl] oz of this product with each 4 gal[ons] clean water. Use in glass, porcelain, stoneware or concrete containers. Let stand 1 min[ute]. Clean containers daily; rinse.

For young chicks, a solution made by thoroughly mixing 10 drops of this product with one -or- 1 gal[lon] of water is satisfactory since baby chicks do not soil the water as rapidly as grown chickens, and the solution retains its effectiveness longer.

When cleaning drinking water containers, etc., a solution of 1 [fl] oz of this product to each quart water is effective in removing the slime. **Do not allow birds to drink this solution.**

FARM PREMISE AND POULTRY HOUSE DISINFECTANT [INSTRUCTIONS]:
[Directions For Use:] Poultry houses should be cleaned and disinfected between cycles; hatcheries should be cleaned weekly or as necessary to keep sanitary. Metal surfaces can be satisfactorily disinfected. [Wooden surfaces are difficult to sanitize by any method.]

- (1) Remove all poultry or animals and feeds from premises, trucks, vehicles, coops, crates, and enclosures.
- (2) Remove all litter and manure or droppings from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals or poultry.
- (3) Empty all troughs, racks, and other feeding and watering appliances.
- (4) Thoroughly clean all surfaces with soap or detergent and rinse with water.
- (5) Saturate all surfaces for 10 min[utes] with a disinfecting solution prepared by mixing 1 [fl] oz of [powdered] detergent and 6 [fl] oz of this product with each gal[lon] of hot or cold water.
- (6) Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
- (7) Ventilate buildings, cars, boats, coops, and other closed spaces. Do not house livestock or poultry or employ equipment until treatment has been absorbed, set, or dried.
- (8) Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

METAL INCUBATORS, FEEDERS, WATER CONTAINERS, OTHER POULTRY EQUIPMENT AND UTENSILS - To clean and disinfect, remove loose dirt and debris. Scrub or pressure-spray with solution of 1 [fl] oz [powdered] detergent and 3 [fl] oz of this product thoroughly mixed with each gal[lon] of hot⁶ or cold water. Let stand for 10 min[utes]. Rinse with clear, cold water. Let dry.

EGG WASHING: Wash eggs promptly after gathering. Dissolve 1 [fl] oz of detergent in each 2 gal[lons] of water; add 1 [fl] oz of this product to each 2 gal[lons] of this solution; mix well. Washing solution temperature should be at least 20° F higher than that of the eggs, but not more than 130° F. Rinse well with clean or treated water at least 20° F higher than that of the eggs, but not exceeding 120° F. (Treated water can be prepared by mixing 2 1/2 [fl] oz of this product per 5 gal[lons] of water.)

FOR CONTINUOUS WASHERS: Prepare washing solution as above. Add an additional 1/2 [fl] oz each of detergent and this product per 4 gal[lons] every 30 min[utes]. Dump wash tank and recharge every 2 hours. **For manual method:** Soak eggs for only 1 to 2 min[utes]. Agitate basket. Make sure eggs are completely covered. Air dry eggs as rapidly as possible. Store in a cool (55° F) room. Maintain relative humidity of 60-80%.

NOTE: Keep egg-washing equipment sanitary. Frequent cleaning will aid in operation and produce more sanitary eggs. While equipment is idle, bacteria can multiply. This contamination can be reduced by thoroughly flushing all equipment immediately before use with a solution of 1 [fl] oz of this product mixed with each 2 gal[lons] of water.

| MEASUREMENT TABLE: PPM (Parts Per Million) Available Chlorine | | |
|---|----------------------------------|---------|
| 1 [fl] oz [of] this product | - to- One -or- 1 Gal[lon] Water= | 400 ppm |
| 1/2 [fl] oz (1 Tablespoon -or- Tbsp) [of] this product | - to- One -or- 1 Gal[lon] Water= | 200 ppm |
| 1 drop [of] this product | - to- One -or- 1 Gal[lon] Water= | 2/3 ppm |

CLOROX® Bleach (EPA Reg. No. 5813-1) IN SANITATION OF RESTAURANTS AND TAVERNS

An unclean kitchen and contaminated food can result in the spread of infectious disease. To help avoid this, it is important to keep all work surfaces, equipment and utensils hygienically clean. This product is a highly effective, economical and convenient germicide for this use in restaurants and taverns, as well as in the home.

TO SANITIZE WORK SURFACES (not utensils): After each use, scrub thoroughly with hot suds; rinse with clear, cold water. Then prepare a sanitizing solution of 1 Tablespoon -or- Tbsp of this product to each gal[lon] of water. Apply solution with sponge for 1 min[ute]. Air dry.

DISINFECT WORK SURFACES (not utensils): After each use, scrub thoroughly with hot suds; rinse with clear, cold water. Then prepare a disinfecting solution of 3/4 cup of this product to each gal[lon] of water. Apply solution with sponge for 10 min[utes]. Rinse with potable water. Air dry.

TO SANITIZE DISHES, GLASSWARE, UTENSILS: Wash thoroughly; then soak 1 min[ute] in solution of 1 Tablespoon -or- Tbsp of this product to each gal[lon] of hot water. Use chlorine test strips to adjust to 200 ppm available chlorine. Drain dry. (Do not use on steel, aluminum, silver, or chipped enamel.)

~~**TO DISINFECT SINKS AND SANITIZE DISHCLOTH[S]** should be a routine follow up to dishwashing. First wash sink and rinse dishcloth[s] in hot suds. Drain out sudsy water. Then run a gal[lon] of warm water into sink and mix in 3/4 cup of this product. Let stand 10 min[utes]. Swish dishcloth[s] in this solution; then use it to wipe sides of sink. Soak dishcloth[s] for 1 min[ute] in this solution. Then rinse sink and dishcloth[s] with clear water.~~

TO DEODORIZE DRAIN PIPES: Flush with very hot water followed by 1 cup of this product. Wait 5 min[utes]; flush out with clear water.

TO SANITIZE REFRIGERATORS: First wash inside surfaces. Then wipe with solution of 1 Tablespoonful -or- Tbsp of this product to each gal[lon] of warm water. Let stand for [at least] 1 min[ute]. Air dry. (Do not use on steel, aluminum, silver, or chipped enamel.)

ICE CREAM FREEZERS - to clean and sanitize: After using, flush with warm water until water runs clear. Scrub or pressure-spray with solution prepared by thoroughly mixing 2 [fl] oz of this product with each 2 gal[lons] of [regular] [powdered] detergent solution. Rinse thoroughly with clean, clear water; drain. Immediately before use, sanitize for 2 min[utes] with solution prepared by mixing 2 [fl] oz of this product with each 4 gal[lons] of water; drain thoroughly.

TO DISINFECT HARD, NONPOROUS FLOORS (plastic or glazed ceramic tile): Mix 3/4 cup of this product per gal[lon] of water. Mop or scrub. (Do not use on cork or linoleum.) Let stand 10 min[utes]. Rinse.

TO SANITIZE BRUSHES^o, MOPS^o & BROOMS^o: After using brushes, mops and brooms, wash thoroughly; then soak for 2 min[utes] in solution of 3/4 cup of this product to 1 gal[lon] of warm water. Rinse with clear water; dry. (Not recommended for cellulose sponge mops.)

TO SANITIZE PAILS AND DUSTPANS: Remove heavy dirt prior to cleaning. Using sponge, wash with solution prepared by thoroughly mixing 3/4 cup of this product with each gal[lon] water. Let stand 2 min[utes]. Rinse with clear, cold water. Air dry.

TO DEODORIZE AND SANITIZE GARBAGE CANS: Remove heavy dirt with a cleaner. Rinse. Pour in 3/4 cup of this product to each gal[lon] of water; mix. Swab inside surfaces with this solution. Let stand 2 min[utes]. Rinse with clear water; dry.

CLOROX® Bleach (EPA Reg. No. 5813-1) FOR SANITIZING SOLUTIONS FOR EQUIPMENT AND UTENSILS

Before using this product, food products and packaging materials must be removed from the room or kept protected.

Before they are treated with a bleach solution, the food processing equipment and utensils must be thoroughly washed and then rinsed with clear, cold water.

The product solution used for sanitizing should not exceed 200 ppm (parts per million) available chlorine (one -or- 1 part of this product to 250 parts water, or 1 Tablespoon -or- Tbsp per gal[lon]). The bleach solution should be applied by spraying, soaking or scrubbing. Treated surfaces should remain wet for at least one -or- 1 min[ute].

A potable water rinse is not required, provided the equipment and utensils are adequately drained before they come into contact with food. Little or no residue should **will** remain to adulterate or otherwise affect edible products.

CLOROX® Bleach (EPA Reg. No. 5813-1) FRUIT & VEGETABLE WASHING

Thoroughly clean all fruits and vegetables in a wash tank. Thoroughly mix 1 Tbsp. of this product in 7 1/2 gal[lons] -or- 1 [fl] oz of this product in 15 gal[lons] of water to make a sanitizing solution of 25 ppm available chlorine. After draining the tank, submerge fruit or vegetables for 2 min[utes] in a second wash tank containing the recirculating sanitizing solution. Spray rinse vegetables with the sanitizing solution prior to packaging. Rinse fruit with potable water only prior to packaging.

CLOROX® Bleach (EPA Reg. No. 5813-1) FOR DISINFECTION USES (2400 PPM FOR 1 MINUTE) [(SPRAY APPLICATIONS)]

This product can be diluted and spray applied for convenient broad spectrum disinfection of hard, nonporous surfaces in homes, hospitals, commercial, institutional, and eating establishments.

To ensure [sodium] hypochlorite [bleach] stability, prepare solutions daily.

| To prepare a 2400 ppm solution, mix: | | |
|---|------|------------------|
| 5 teaspoons -or- tsp [of] this product | -in- | 1 pint water |
| 3 Tablespoons -or- Tbsp [of] this product | -in- | 1 quart water |
| 3/4 cup this [of] product | -in- | 1 gal[lon] water |

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Spray surface using a coarse spray with the [diluted] product solution until thoroughly wet. Allow it to remain on the surface for 1 min[ute]. Rinse and dry.

**CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR DISINFECTION USES (800 PPM FOR 2 MINUTES) [(SPRAY APPLICATIONS)]**

This product can be diluted and spray applied for convenient broad spectrum disinfection of hard, nonporous surfaces in homes, hospitals, commercial, institutional, and eating establishments.

To ensure [sodium] hypochlorite [bleach] stability, prepare solutions daily.

| To prepare an 800 ppm solution, mix: | | |
|--|------|------------------|
| 1 1/2 teaspoons -or- tsp [of] this product | -in- | 1 pint water |
| 1 Tablespoon -or- Tbsp [of] this product | -in- | 1 quart water |
| 1/4 cup [of] this product | -in- | 1 gal[lon] water |

Directions for use:

Hard, Nonporous Surfaces:

To disinfect hard, nonporous surfaces, [first] clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Spray surface using a coarse spray with the [diluted] product solution until thoroughly wet. Allow it to remain on the surface for 2 min[utes]. Rinse and dry.

**USE CLOROX® Bleach (EPA Reg. No. 5813-1)
IN SANITIZING CYCLE OF CHEMICAL SANITIZING DISHWASHING MACHINES**

This product is an approved sanitizing agent for use in the sanitizing cycle of chemical sanitizing dishwashing machines.

Usage Directions

1. Hook up a bottle of this product to the automatic bleach dispensing system of the chemical sanitizing dishwashing machine. If the bottle is already in place, make sure that sufficient product remains in the bottle to complete the dishwashing job.
2. Wash tableware in the machine following the manufacturer's operating instructions.
3. After the washing -and/or- rinsing -and/or- sanitizing cycles are completed, remove the dishwashing rack. Let stand 2 min[utes]. Allow the tableware to air dry.

Caution: Do not sanitize silverware or pewter with this product as these metals may darken.

Bleach Dispensing System Adjustments

The following steps must be followed before using the new chemical sanitizing dishwashing machine, and on a regular basis thereafter:

- Start machine and let run until the machine has begun the final rinse cycle.
- Take a sample of the rinse water.
- Using a special test kit, determine the parts per million (ppm) of available chlorine in the sample.
- If the ppm of available chlorine is lower than the minimum or higher than the maximum level of available chlorine permitted by local public health authorities, adjust the bleach dispensing system.
- Repeat steps "a" through "c" until a correct ppm of available chlorine is achieved.

Your equipment service representative or dishwashing detergent supplier will often make these adjustments for you.

Correct Chlorine Concentration

Local public health codes vary with regard to the parts per million of available chlorine permitted in the final rinse water of chemical sanitizing dishwashing machines. The minimum level is 50 ppm of available chlorine with a maximum level of 200 ppm, although some states require 100 ppm minimum level. Check with your local public health department on the applicable regulations for your area.

CLOROX® Bleach (EPA Reg. No. 5813-1) PLANT PARASITIC NEMATODES AND PLANT DISEASE-CAUSING FUNGI QUARANTINE USE DIRECTIONS

| | |
|--|---|
| Crop/Site/Commodity: | 1. Walks, benches, tools, plant containers in nurseries and other quarantine areas 2. Farm equipment and machinery 3. Laboratory work areas, equipment and specimens 4. Deciduous fruit tree nursery stock (dormant) |
| Target Pest/Problem: | Plant parasitic nematodes, plant disease-causing fungi and general surface disinfection |
| Dosage: | See dilution rate. |
| Dilution Rate: | Five -or- 5 parts water with one -or- 1 part [of] this product [(equals approximately 0.875% active ingredient)] |
| Laboratory work areas, equipment and specimens: | Prepare a solution of four or five parts water to one -or- 1 part [of] product. Scrub areas and implements thoroughly, then wipe or allow to dry naturally. It is advisable that workers doing the treatment wear waterproof gloves. Small tools or implements and other items covered above may be immersed for five to ten min[utes] in the solution instead of scrubbing manually. Wipe off plant tissue or soak tissue in the solution. |

| | |
|--|--|
| Deciduous Fruit Tree Nursery Stock: | Four or five parts water with one -or- 1 part product (equals 0.85% to 1.0% active ingredient) |
| Method of Application: | Drench and dip method |
| Deciduous Fruit Tree Nursery Stock: | 1. Thoroughly clean all soil from roots. 2. Dip entire tree root system in solution for 30 to 45 seconds. 3. Immediately rinse tree root system with clean water upon removal from dip solution. |
| Frequency/Timing of Application: | As needed |
| Deciduous Fruit Tree Nursery Stock: | One -or- 1 application at harvest (tree-digging period) |
| Field Reentry After Application: | Not applicable |
| Preharvest Interval: | Not applicable |
| Other Requirements: | Do not apply through any type of irrigation system. |
| Deciduous Fruit Tree Nursery Stock: | Workers required to wear eye protection and waterproof gloves. |

CLOROX® Bleach (EPA Reg. No. 5813-1)
KARNAL BUNT QUARANTINE TREATMENT USE DIRECTIONS

| | |
|-------------------------------|--|
| Crop/Site/Commodity: | Tools, conveyances, mechanized farm equipment, seed conditioning or milling equipment, soil moving equipment, or grain elevators and structures used for storing and handling grain |
| Target Pest/Problem: | Karnal bunt (<i>Tilletia indica</i>) |
| Dosage: | See dilution rate. |
| Dilution Rate: | Mix one -or- 1 part this product to 2.5 parts water. |
| Method of Application: | Before treating remove all soil and plant debris. The dilute solution of sodium hypochlorite will be used to wet the point of runoff surfaces potentially exposed to the pathogen. Saturate any soil removed by the treatment with the solution. It is recommended that the equipment or site be thoroughly washed down with clean water after 15 min[utes] to minimize corrosion. |

Additional Restrictions, User Precautions and Requirements:

Be sure treated surfaces are dry before handling. Protective impervious gloves and safety goggles should be worn when mixing this disinfectant. Protective impervious gloves should be worn while handling or using the dilute mixture. Do not ingest product. Do not breathe vapor or mist. Do not get in eyes, on skin, or on clothing. Store away from flammable materials. Keep containers tightly closed. Wash thoroughly after handling. Use only with adequate ventilation.

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR CROP/SITE TREATMENT

| Crop/Site: | Asparagus Seed treatment | Pepper Seed treatment | Tomato Seed treatment |
|--|--|---|---|
| Target Pest/Problem: | To aid in the prevention of asparagus root rot (<i>Fusarium oxysporum</i> and <i>F. asparagi</i>) | To aid in the prevention of bacterial spot (<i>Xanthomonas vesicatoria</i>) | To aid in the control of Bacterial canker (<i>Corynebacterium michiganense</i>) and Tobacco mosaic virus (TMV) |
| Dosage: | 1 pint plus 8 pints of water | 2 pints plus 8 pints of water | 2 pints plus 8 pints of water |
| Dilution or Application Rate: | Use 1 gal[lon] of solution per pound of seed | Use 1 gal[lon] of solution per pound of seed | Use 1 gal[lon] solution per pound of seed |
| Method of Application: | Wash seed in solution for 40 min[utes], providing continuous agitation. After washing seed, spread and air dry. | Wash seed in solution for 40 min[utes], providing continuous agitation. After washing seed, spread to air dry. | Wash seed in solution for 40 min[utes], providing continuous agitation. After washing seed, spread to air dry. |
| Frequency/Timing of Applications: | 1 application | 1 application | 1 application |
| Preharvest Interval: | Preplant treatment | Preplant treatment | Preplant treatment |
| Other Requirements: | Do not use treated seeds for food or feed. Allow to dry before storing, planting, or treating with other chemicals. Prepare fresh solution for each batch of seed. | Do not use treated seed for food or feed. Allow to dry before storing, planting, or treating with other chemicals. Prepare fresh solution for each batch of seed. | Do not use treated seed for food or feed. Allow to dry before storing, planting, or treating with other chemicals. Prepare fresh solution for each batch of seed. |

CLOROX® Bleach (EPA Reg. No. 5813-1)
FOR PORT ORFORD CEDAR ROOT DISEASE (*Phytophthora lateralis*) TREATMENT USE

When used as directed, this product is effective in controlling the spread of the fatal fungus *Phytophthora lateralis* [Port Orford Cedar Root Disease] in areas of California and Oregon where Port Orford Cedar (*Chamaecyparis lawsoniana*) grows.

Water is commonly drafted from streams and fire ponds within forested areas to use in dust abatement on forest roads, equipment cleaning and for fire suppression. The water source can spread the root disease fungus to uninfested areas. Treating water prior to use helps control the spread of the fungus.

Directions for Use: Add 1 gal[lon] of this product to 1000 gal[lons] (~50 ppm available chlorine) of drafted water. Prepare the mixture at least 5 min[utes] prior to application dust abatement, fire suppression and cleaning trucks, and logging, road building and maintenance equipment.

CLOROX® Bleach (EPA Reg. No. 5813-1)
DILUTION TABLE

To obtain a solution with an approximate available chlorine level (parts per million), thoroughly mix the indicated amounts of bleach and water. Chlorine test strips should be used to adjust to the desired available chlorine levels.

| Approximate ppm Available Chlorine | Volume of this product | Volume of Water |
|------------------------------------|------------------------|-----------------|
| 5 | 1 part | 10,000 parts |
| | 1 drop | 1 pint |
| | 1 tsp | 10 gal[ions] |
| 10 | 1 part | 5,000 parts |
| | 2 drops | 1 pint |
| | 1 tsp | 5 gal[ions] |
| | 1/4 cup (2 fl oz) | 60 gal[ions] |
| 25 | 1 part | 2,000 parts |
| | 5 drops | 1 pint |
| | 1 tsp | 2 1/2 gal[ions] |
| | 1/4 cup (2 fl oz) | 30 gal[ions] |
| 50 | 1 part | 1,000 parts |
| | 5 drops | 1 cup |
| | 1 Tbsp (0.5 fl oz) | 4 gal[ions] |
| | 1/4 cup (2 fl oz) | 15 gal[ions] |
| 75 | 1 part | 660 parts |
| | 15 drops | 1 pint |
| | 1/4 cup (2 fl oz) | 10 gal[ions] |
| | 1 1/4 cups (10 fl oz) | 50 gal[ions] |
| 100 | 1 part | 500 parts |
| | 1 Tbsp (0.5 fl oz) | 2 gal[ions] |
| | 2.5 fl oz | 10 gal[ions] |
| 200 | 1 part | 256 parts |
| | 1 Tbsp (0.5 fl oz) | 1 gal[ion] |
| | 2 Tbsp (1 fl oz) | 2 gal[ions] |
| | 5 Tbsp (2.5 fl oz) | 5 gal[ions] |
| | 3/4 cup (6 fl oz) | 10 gal[ions] |
| | 7 cups (56 fl oz) | 100 gal[ions] |
| | 4 gal[ions] | 1,000 gal[ions] |

| Approximate ppm Available Chlorine | Volume of this product | Volume of Water |
|------------------------------------|-------------------------|-----------------|
| 400 | 1 part | 128 parts |
| | 1.5 tsp | 1 quart |
| | 2 Tbsp (1 fl oz) | 1 gal[ion] |
| | 1/2 cup (4 fl oz) | 4 gal[ions] |
| 800 | 1 part | 64 parts |
| | 1 Tbsp (0.5 fl oz) | 1 quart |
| | 1/4 cup (2 fl oz) | 1 gal[ion] |
| | 1 cup (8 fl oz) | 4 gal[ions] |
| 1,200 | 1 part | 42 parts |
| | 3/8 cup (3 fl oz) | 1 gal[ion] |
| | 3/4 cup (6 fl oz) | 2 gal[ions] |
| 1,500 | 1 part | 32 parts |
| | 1/2 cup (4 fl oz) | 1 gal[ion] |
| | 1 cup (8 fl oz) | 2 gal[ions] |
| 2,400 | 1 part | 21 parts |
| | 3/4 cup (6 fl oz) | 1 gal[ion] |
| | 3 cups (24 fl oz) | 4 gal[ions] |
| 3,000 | 1 part | 16 parts |
| | 2 Tbsp (1 fl oz) | 1 pint |
| | 4 Tbsp (2 fl oz) | 1 quart |
| | 1 cup (8 fl oz) | 1 gal[ion] |
| 4,000 | 1 part | 12 parts |
| | 1/3 cup (2.7 fl oz) | 1 quart |
| | 1 1/3 cups (10.7 fl oz) | 1 gal[ion] |
| 5,000 | 1 part | 9 parts |
| | 3.5 Tbsp (1.75 fl oz) | 1 pint |
| | 1 3/4 cups (14 fl oz) | 1 gal[ion] |
| 6,000 | 1 part | 7 parts |
| | 2 1/4 cups (18 fl oz) | 1 gal[ion] |
| | 11 cups | 5 gal[ions] |
| 10,000 | 1 part | 4 parts |
| | 1 cup (8 fl oz) | 1 quart |
| | 1 quart | 1 gal[ion] |

Table of Liquid Measures:

| | |
|------------------------------|---------------------------------|
| 1 drop = 0.0017 [fl] oz | 1 quart = 4 cups = 2 pints |
| 1 Tbsp = 3 tsp | = 32 [fl] oz |
| 1 ounce = 2 Tbsp | 1 gal[ion] = 4 quarts = 8 pints |
| 1 cup = 8 [fl] oz | = 16 cups = 128 [fl] oz |
| 1 pint = 2 cups = 16 [fl] oz | |

Footnotes

- ¹ on [hard, nonporous] treated surfaces
- ² Kills [99.9%] of [common household] bacteria: Staphylococcus aureus [(Staph)], Streptococcus pyogenes [(Strep)], Salmonella enterica [**tested as Salmonella choleraesuis**] [(Salmonella)], Pseudomonas aeruginosa [(Pseudomonas)], and Escherichia coli O157:H7 [(E. coli)].
- ³ 1 3/4 cup/ per gal[lon]
- ⁴ Staphylococcus aureus [(Staph)]
- ⁵ See directions in the Clorox® service bulletin entitled "Special Instructions for Using Clorox® **this product** to Clean and Decontaminate Against HIV on Surfaces/Objects Soiled with Blood/ Body Fluids"
- ⁶ For **this product/detergent solution**, use hot water if available:
- ⁷ **BEFORE USE** - rinse with sanitizing solution prepared by thoroughly mixing 2 [fl] oz of this product with each 4 gal[lons] of water; drain thoroughly and air dry before use.
- ⁸ Easton, G.D., M.E. Nagle, and D.L. Bailey, 1972. "Verticillium albo-atrum Carried by Certified Seed Potatoes into Washington and Control by Chemicals", American Potato Journal 49: 397-402.
- ⁹ Influenza A2 Virus, Rhinovirus [Type 17], Avian Influenza A Virus, Respiratory Syncytial Virus
- ¹⁰ Kills Avian Influenza A virus on precleaned hard, nonporous surfaces.
- ¹¹ Staphylococcus aureus
- ¹² Salmonella enterica **tested as Salmonella choleraesuis** [(Salmonella)]
- ¹³ Influenza A2 Virus, Avian Influenza A Virus
- ¹⁴ Use bleach dispenser if available.
- ¹⁵ Escherichia coli
- ¹⁶ Rhinovirus [Type 31], Respiratory Syncytial Virus
- ¹⁷ Kills [99.9%] of [common household] germs: Staphylococcus aureus [(Staph)], Streptococcus pyogenes [(Strep)], Salmonella enterica [**tested as Salmonella choleraesuis**] [(Salmonella)], Pseudomonas aeruginosa [(Pseudomonas)], Influenza A2 Virus, Rhinovirus [Type 317] [(viruses that cause colds and flus)], Trichophyton interdigitale **tested as Trichophyton mentagrophytes** [(Athlete's Foot Fungus)], Rotavirus, Escherichia coli O157:H7 [(E. coli)] and Aspergillus niger.
- [#] Viruses
- [#] Bloodborne Pathogens
- made of hard, nonporous materials
- ^p [on] hard nonporous surfaces [of] [identified on this label]