

Note: Bold, italicized text is information for the reader and is not part of the label.
(Bracketed information is optional text.) Underlined text is new. Strike-through (~~) means removed.~~

EPA Reg No. 5813-65 Hockey Puck I Page 1 of 4

HOCKEY PUCK I

ACCEPTED

JAN 9 2003

Under the Federal Insecticide, Fungicide, and
Rodenticide, Act as amended, for the
pesticide, registered under
EPA Reg. No. 5813-65



KEEP OUT OF REACH OF CHILDREN

DANGER

(See back panel for additional precautionary
statements)

ACTIVE INGREDIENTS:	
1-bromo-3-chloro-5,5-dimethylhydantoin . . .	51.0%
1,3-dichloro-5,5-dimethylhydantoin	23.3%
1,3-dichloro-5-ethyl-5-methylhydantoin	9.0%
OTHER INGREDIENTS:	16.7%
TOTAL	100.0%

NET WT
100g

Available bromine 33.3%
Available chlorine 37.7%

Note: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.] Underlined text is new. Strike-through (~~) means removed.~~

EPA Reg No. 5813-65 Hockey Puck I Page 2 of 4

HOCKEY PUCK I

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Sanitize, Clean, and Deodorize:


For best results, clean toilet bowl thoroughly, including under the rim.

1. Cut open package. Do not touch tablet directly.
2. Flush toilet. When water level in tank is low, drop tablet into the right rear corner of the tank (see diagram).
3. When tablet has dissolved, replace with this product -or- a new tablet.

Each tablet sanitizes the toilet bowl water in 5 minutes for up to 12 weeks -or- 3 months. -or- Sanitizes toilet bowl water by killing 99.9% of household germs within 5 minutes after each flush. Effective for up to 10 flushes per day.

Tablet should be used in [recommended for] toilets that are flushed daily -or- regularly -or- frequently.

IMPORTANT: Retain tablet pouch for precautions and first aid instructions.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Highly corrosive. May be fatal if swallowed.

DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling, and wash thoroughly after handling.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Clorox Information Line: 1-800-228-1860

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT. Keep away from heat or flame. Mix only with water.

STORAGE AND DISPOSAL:

Store in original container in areas inaccessible to small children in a cool, dry, well-ventilated area. Do not store at elevated temperatures. Offer empty container for recycling. If recycling is not available, discard empty container in trash.

Does not harm plumbing or septic tanks.

	ENVIRONMENTAL COMMITMENT:
	*BOX MADE FROM 100% RECYCLED PAPERBOARD (MINIMUM 35% POST-CONSUMER).
	*PRODUCT CONTAINS NO PHOSPHORUS.

No mess.
Concentrated.

Questions? Comments? Please call 1-800-228-1860
or write us at: Clorox Consumer Services,
P.O. Box 24305, Oakland, CA 94612.

Distributed by & ©1997
The Clorox Company, Oakland, CA 94612
Clorox is a registered trademark of The Clorox Company
Made in U.S.A.

EPA Reg. No. 5813-65
EPA Est. No. 58401-MO-1,66397-OK-1
(Est. identified in code)



Note: **Bold, italicized text is information for the reader and is not part of the label.**
 [Bracketed information is optional text.] Underlined text is new. Strike-through (~~text~~) means removed.

EPA Reg No. 5813-65 Hockey Puck I Page 3 of 4

HOCKEY PUCK I

For Front or Back Panel

Non-Antimicrobial Efficacy Claims

- In-tank automatic toilet bowl cleaner
- Repels stains [with every flush!]
- Cleans and deodorizes with every flush
- Helps keep your toilet bowl fresh and clean
- Repels stains
- Prevents stain build-up
- Helps prevent mineral and hard water stains
- Repels tough hard water, mineral, and limescale stains
- Helps keep your toilet bowl stain-free
- Keeps your toilet clean and fresh
- Cleans -and/or- deodorizes [with every flush]
- Cleans -and/or- freshens [with every flush]
- Freshens toilet bowl
- A bleach rinse with every flush!
- Bleach in every flush!
- Makes your job easier
- Helps keep your toilet bowl clean -and/or- fresh [in between scrubbing]
- Has the power of bleach
- Cleans -and/or- deodorizes with the power of bleach
- The only automatic toilet bowl cleaner with the power of Clorox®
- Clorox® cleaning power
- Leaves the toilet bowl water sanitary
- Lasts up to 3 months
- Easy to use – just drop in tank
- Cleans for up to 4 months
- Leaves bowl water crystal clear
- Safe for plumbing and septic systems
- Also try Clorox Bleach Toilet Bowl Cleaner with twice the bleach in a gel formula -or- in a unique bleach gel formula -or- in two great scents -or- with the power of Clorox Bleach in a gel formula -or- with the power of Clorox Bleach in a convenient gel formula
- Fully dissolves in the tank – no messy residue to remove
- Do not use with ammonia, as hazardous gases may be released
- Contains Bleach

Antimicrobial Efficacy Relate Claims

- In-tank sanitizer
- Sanitizes toilet -and/or- bowl water [after each flush]
- Kills 99.9% of household germs in toilet -and/or- bowl water [after each flush]
- Kills 99.9% of household germs in toilet bowl water, flush after flush
- Antibacterial [formula]
- Sanitizing [formula]
- Germ fighting [formula]
- Kills 99.9% of household germs -or- bacteria [in toilet bowl water]
- Kills 99.9% of household germs -or- bacteria [with every flush]
- Each bleach rinse kills 99.9% of household germs -or- bacteria
- Kills 99.9% of household germs -or- bacteria with the power of Clorox®
- Has the power of Clorox® to kill 99.9% of household germs -or- bacteria
- Kills 99.9% of household pathogens in the water
- Kills 99.9% of household germs: Streptococcus faecalis [Enterococcus faecalis] [strep], Salmonella choleraesuis [salmonella], Escherichia coli [E. coli], -and/or- Staphylococcus aureus [staph]
- Sanitizes toilet water [with every flush]
- Sanitizing bleach rinse with every flush
- Sanitizes with the power of Clorox®
- Kills 99.9% of household germs -or- bacteria -or- micro-organisms
- Kills 99.9% of bacteria: Streptococcus faecalis [Enterococcus faecalis] [strep], Staphylococcus aureus [staph] and Salmonella choleraesuis [salmonella]
- Kills 99.9% of Streptococcus faecalis [Enterococcus faecalis] [strep], Salmonella choleraesuis [salmonella], Escherichia coli [E. coli], Staphylococcus aureus [staph]
- Kills 99.9% of intestinal pathogens: Salmonella choleraesuis [salmonella], Streptococcus faecalis [Enterococcus faecalis] [strep], and Escherichia coli [E. coli]
- Also kills 99.9% of Streptococcus faecalis [Enterococcus faecalis] [strep], and Staphylococcus aureus [staph]!
- Kills 99.9% of Streptococcus faecalis [Enterococcus faecalis], Salmonella choleraesuis [salmonella], Escherichia coli [E. coli], and Staphylococcus aureus [staph]
- Kills 99.9% of household germs/bacteria: Streptococcus faecalis [Enterococcus faecalis] [strep], Salmonella choleraesuis [salmonella], Escherichia coli [E. coli], and Staphylococcus aureus [staph]
- Sanitizes in 5 minutes for 12 weeks
- Sanitizes for 3 months
- Kills 99.9% of household germs: Streptococcus faecalis [Enterococcus faecalis], Salmonella choleraesuis [Salmonella], Escherichia coli [E. coli], Streptococcus faecalis [Enterococcus faecalis], Staphylococcus aureus [Staph] for three months
- Kills [99.9% of] household germs in toilet bowl water within five minutes after each flush for up to three months

When used as directed, this product will sanitize toilet bowl water, keeping it clean, clear and free of odor. This product gives the effectiveness of chlorine without the chlorine odor.

Note: ***Bold, italicized text is information for the reader and is not part of the label.***
 [Bracketed information is optional text.] Underlined text is new. Strike-through (~~) means removed.~~

EPA Reg No. 5813-65 Hockey Puck I Page 4 of 4

Pouch Label - enlarged**ACTIVE INGREDIENTS:**

1-bromo-3-chloro-5,5-dimethylhydantoin . . .	51.0%
1,3-dichloro-5,5-dimethylhydantoin	23.3%
1,3-dichloro-5-ethyl-5-methylhydantoin	9.0%
INERT INGREDIENTS:	16.7%
TOTAL	100.0%

Available bromine 33.3%
 Available chlorine 37.7%

HOCKEY PUCK I

USE SCISSORS TO OPEN POUCH

IMPORTANT: Retain pouch for precautions and first aid instruction.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Sanitize, Clean, and Deodorize:

For best results, clean toilet bowl thoroughly, including under the rim.

1. Cut open package. Do not touch tablet directly.
2. Flush toilet. When water level in tank is **low**, drop tablet into the right rear corner of the tank.
3. When tablet has dissolved, replace with this product.

Each tablet sanitizes the toilet bowl water in 5 minutes for up to 12 weeks -or- 3 months. -or- Sanitizes toilet bowl water by killing 99.9% of household germs within 5 minutes after each flush.

Effective for up to 10 flushes per day.

Tablet should be used in [Recommended for] toilets that are flushed daily -or- regularly -or- frequently.

PRECAUTIONARY STATEMENTS**Hazards to Humans and Domestic Animals****KEEP OUT OF REACH OF CHILDREN**

DANGER: Highly corrosive. May be fatal if swallowed.

DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling, and wash thoroughly after handling.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Clorox Information Line: 1-800-228-1860

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT. Keep away from heat or flame. Mix only with water.

STORAGE AND DISPOSAL:

Store in original container in areas inaccessible to small children in a cool, dry, well-ventilated area.

Do not store at elevated temperatures. Offer empty container for recycling. If recycling is not available, discard empty container in trash.

Does not harm plumbing or septic tanks -or- septic systems.

Distributed by & ©1997:

The Clorox Company, Oakland, CA 94612
 Clorox is a registered trademark of The Clorox Company
 Made in U.S.A.

EPA Reg. No. 5813-65
 EPA Est. No. 58401-MO-1,66397-OK-1
 (Est. identified in code)

NET WT
 100g

R0267-6.2