

5813-75

2-24-2003

4/13

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Washington, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

February 24, 2003

J. Evelyn Lawson  
Senior Regulatory Scientist  
The Clorox Company  
c/o PS&RC  
P.O. Box 493  
Pleasanton, CA 94566-0803

Subject: Clorox® Trapeze  
EPA Registration No. 5813-75  
Application Date: February 6, 2003  
EPA Received Date: February 10, 2003

Dear Ms. Lawson:

This acknowledges receipt of our notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

**Proposed Notification**

- Minor label changes

**General Comments**

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable. A copy has been inserted in your files for future reference.

Should you have any questions or comments concerning this letter, please contact me at 703-308-6422.

Sincerely,

Adam Heyward  
Product Manager 34

CONCURRENCES  
Regulatory Management Branch II  
Antimicrobials Division (7510 C)

SYMBOL	7510 C						
SURNAME	J. Lawson						
DATE	2/23						

2/13

 <p style="text-align: center;">United States <b>Environmental Protection Agency</b> Washington, DC 20460</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;"><input type="checkbox"/> Registration</td> <td style="width:50%;">OPP Identifier Number</td> </tr> <tr> <td><input type="checkbox"/> Amendment</td> <td>WCM008</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other</td> <td></td> </tr> </table>	<input type="checkbox"/> Registration	OPP Identifier Number	<input type="checkbox"/> Amendment	WCM008	<input checked="" type="checkbox"/> Other	
<input type="checkbox"/> Registration	OPP Identifier Number						
<input type="checkbox"/> Amendment	WCM008						
<input checked="" type="checkbox"/> Other							

**Application for Pesticide - Section I**

<p>1. Company/Product Number 5813-75</p>	<p>2. EPA Product Manager Adam Heyward</p>	<p>3. Proposed Classification</p> <p><input type="checkbox"/> None    <input type="checkbox"/> Restricted</p>
<p>4. Company/Product (Name) Clorox® Trapeze</p>	<p>PM# 34</p>	
<p>5. Name and Address of Applicant (Include ZIP Code) The Clorox Company c/o PS&amp;RC; P. O. Box 493 Pleasanton, CA 94566-0803</p> <p><input type="checkbox"/> Check if this is a new address</p>	<p>6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____</p>	

**Section - II**

<p><input type="checkbox"/> Amendment - Explain below.</p> <p><input type="checkbox"/> Resubmission in response to Agency letter dated _____</p> <p><input checked="" type="checkbox"/> Notification - Explain below.</p>	<p><input type="checkbox"/> Final printed labels in response to Agency letter dated _____</p> <p><input type="checkbox"/> "Me Too" Application.</p> <p><input type="checkbox"/> Other - Explain below.</p>
---	--

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Addition of clarifying statement: "For heavily soiled floors, clean before following sanitizing instructions." and combining of two sentences into one: Combining "Pull trigger to dispense liquid. While mopping, spread uniformly over floor with pad." to "Pull trigger to dispense enough liquid to spread uniformly over the floor while mopping." (pages 2 and 7 of the master label)


**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>				<b>2. Type of Container</b>	
<p>Child-Resistant Packaging</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Unit Packaging</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Water Soluble Packaging</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>			
<p>* Certification must be submitted</p>		<p>If "Yes" Unit Packaging wgt.    No. per container</p>	<p>If "Yes" Package wgt    No. per container</p>	<p><input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____</p>	
<b>3. Location of Net Contents Information</b>		<b>4. Size(s) Retail Container</b>		<b>5. Location of Label Directions</b>	
<p><input type="checkbox"/> Label    <input type="checkbox"/> Container</p>				<p><input type="checkbox"/></p>	
<b>6. Manner in Which Label is Affixed to Product</b>			<p><input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled</p> <p><input type="checkbox"/> Other _____</p>		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name J. Evelyn Lawson	Title Senior Regulatory Scientist	Telephone No. (Include Area Code) (925) 425-6842
--------------------------	--------------------------------------	---


<b>Certification</b>			<p>6. Date Application Received (Stamped)</p>
<p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>			
2. Signature 	3. Title Project Manager. PSMERC		
4. Typed Name William C. McCormick	5. Date February 6, 2003		

To Accompany OPP Form WCM008

Clorox® Trapeze  
EPA Reg. No. 5813-75

Notification of Minor Label Changes per PR Notice 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

  
Signature of Official  
William C. McCormick  
Project Manager, PSERC

for:  
The Clorox Company  
c/o PS&RC  
P.O. Box 493  
Pleasanton, CA 94566-0803

February 7, 2003

4/13

Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~new~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 1 of 10

**Advanced Floor Cleaner Bottle**




# COLOROX® TRAPEZE

**NOTIFICATION**  
Data Reviewed: 3-24-03  
Reviewed By: LFY

**KEEP OUT OF REACH OF CHILDREN**  
(See inside -or- back panel for first aid statement)

ACTIVE INGREDIENT:  
Poly(hexamethylenebiguanide) hydrochloride..... 0.10%  
OTHER INGREDIENTS: ..... 99.90%  
TOTAL: ..... 100.00%

Contains no phosphorus.

 **Color Safe**  **Fresh Scent**  **Safe for Wood**  **Orange Scent**

**Contains No Bleach**

**NET CONTENTS** \_\_\_\_\_











R0533-4

5/13

Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~new~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 2 of 10

**CLOROX® TRAPEZE: The sanitizing liquid used with the Clorox™ ReadyMop™ Mopping System.**

<p>(Refer to brochure -or- back for complete directions for use.)  <b>ATTENTION:</b> While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.</p>  ATTACH BOTTLE CONNECTOR TO BOTTLE  ATTACH NOZZLE  INSERT CLEANER BOTTLE  ATTACH PAD	<p style="text-align: center;"><b>[Refill:]</b></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Removing the Cleaner Bottle</b>  <b>ATTENTION:</b> While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.</p>  1. Remove bottle by pulling straight up.   2. Slide nozzle off mop head; pass nozzle back through opening on mop head.   3. Unscrew bottle connector from old bottle.  <p>Note: Nozzle and connector may drip a little, but cleaner will not harm colored surfaces or fabrics.</p> </div> <div style="width: 45%;"> <p><b>Attaching the Cleaner Bottle</b></p>  1. Remove cap from new bottle; then tightly screw bottle connector to bottle.   2. Thread nozzle through opening on mop head; slide nozzle into place.   3. Insert bottle upside down into bottle holder with [Clorox® TRAPEZE] [front] label facing out; push down until bottle clicks in place.</div> </div>
---	--

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
 When changing cleaners, drain [or remove] the old cleaner from hose [or tube] before installing new bottle -or- cleaner.  
**DO NOT REFILL BOTTLE OR MIX [OR DILUTE] [CLOROX® TRAPEZE] WITH ANY OTHER CLEANING SOLUTION.**

**To clean:**

Pull trigger to dispense liquid. While mopping, spread liquid uniformly over floor with pad. For heavily soiled floors, clean before following sanitizing instructions.

**To sanitize [and/or deodorize] [and/or kill germs† -or- bacteria]:**

~~Pull trigger to dispense liquid. While mopping, spread liquid uniformly over floor with pad.~~ Pull trigger to dispense enough liquid to spread uniformly over the floor while mopping. Treated surface must remain visibly wet for 30 seconds before air drying. [For wood floors, use the specially designed Clorox™ ReadyMop™ Absorbent Cleaning Pads to dry floor thoroughly after 30 seconds.]

**[Note:**

For best results, vacuum or sweep up large crumbs and dust before using the Clorox™ ReadyMop™ Mopping System. For stubborn stains and tougher jobs, apply more Floor Cleaner to your floor surface.]

**Note:**

Not recommended for use on visibly worn, unsealed, unfinished, waxed or oiled wood floors. If uncertain about your wood floor's finish, test an inconspicuous area prior to use. When using on wood floors, avoid letting cleaner puddle in an area and avoid prolonged contact of the cleaner on the floor surface. [Use the specially designed Clorox™ ReadyMop™ Absorbent Cleaning Pads to dry [wood] floors thoroughly.]

[This] [Sanitizing] cleaner -or- product -or- Clorox® TRAPEZE is a specially designed, no mixing, no rinsing solution for use with the Clorox™ ReadyMop™ Mopping System. Use of any other cleaning solution not certified by the Clorox™ ReadyMop™ Mopping System (including other Clorox products) may cause clogging or other damage [to the mopping system] and may void your warranty. Mixing any other cleaning solution with Clorox® TRAPEZE may not result in 99.9% bacteria† kill -or- may reduce product efficacy.

[No bucket, no water, no mess. By the time you are done, the floor is practically dry.]

The Clorox™ ReadyMop™ Mopping System is light, compact and easy to store. Leave the Advanced Floor Cleaner in the ReadyMop™ for the next time you clean. Store out of reach of children. Just replace the Absorbent Cleaning Pad and you are ready to go.

**AVOID ACCIDENTS:** Floors may be slippery when wet.

**Easy to use. -or- USING THE CLOROX™ READYMOP™ IS EASY! (Refer to brochure -or- back for complete directions for use.)**



Just Squirt



Mop



Toss

† Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella), Enterobacter aerogenes

R0533-4

6/13

Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~new~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 3 of 10

**CLEANING AND STAIN REMOVAL CLAIMS**

**Cleaning:**

- Cleans better [than before]\*
- Cleans dirt, stains and messes like your old mop
- Cleans everyday dirt
- Cleans everyday kitchen messes like dirt, grease and food stains
- Cleans floors
- Cleans floors to their natural shine
- Cleans to reveal the natural beauty of your [finished] [wood] floors
- Cleans tough messes better\*
- Cuts through grease and grime
- Dissolves dirt and grease quickly
- Easily removes dirt
- Effectively cleans dirt, grease and spills
- Extra power
- Fast acting [cleaner -or- cleaning solution]
- For a cleaner, fresher household
- For regular -or- daily [routine] cleaning [mopping] [use]
- Heavy duty cleaner -or- formula -or- cleaning formula
- Heavy duty -or- powerful [cleaner] -or- [formula] -or- [cleaning solution]
- Helps keep floors fresh and clean

- Leaves [bathroom] [kitchen] fresh and clean
- Leaves [finished] [wood] floors with their natural shine
- Leaves floors fresh and clean
- Leaves floors spotless
- Lifts and captures tough floor soils on Clorox® TRAPEZE [absorbent -and/or- disposable] cleaning pads
- [More] powerful cleaner[\*]
- [Now] better on tough dirt and stains\*
- Picks up dirt and stains
- Picks up dirt, stains and soils [better than before\*]
- Quickly cleans floors to a shine
- Removes tough grease and dirt
- [Safely] cleans even tough, greasy dirt without damaging floors
- [Safely] cleans everyday dirt and stains without damaging floors
- Stronger cleaning power
- The clean you expect from Clorox, safe for -or- formulated for all floor types [including wood]
- Traps dirt better [than before]
- Using the Clorox™ ReadyMop™ is easy!

\*vs. original Clorox™ ReadyMop™ Advanced Floor Cleaner

**Stains:**

- Cleans and removes stains from washable floors
- Fights tough stains
- Gets rid of tough soils and stains [with the power of Clorox®] [the way you expect from Clorox]
- Helps [repel] [prevent] stains -and/or- stain build-up

- Removes [tough] [food] stains
- Removes dried-on food and dirt
- Removes stains better than your old mop
- Removes tough [food and beverage] stains, fingerprints, bathroom soils, crayon and pencil marks, and scuff marks


**GENERAL CLAIMS**

Clorox® TRAPEZE has been specially designed to work with the Clorox™ ReadyMop™ Mopping System.

**Convenience and Ease of Use:**

- Advanced cleaning solution -or- system
- All-in-one cleaning system -or- solution
- All-in-one power for an easy clean
- Cleaner on board
- Convenient
- Cuts mopping time in half
- Easy
- Easy to use [all-in-one] cleaner
- Fast [and easy] cleaning
- It's from Clorox, so it's more than clean
- Makes cleaning easier
- Makes your job -or- cleaning easier
- Mopping made easy
- Mopping simplified

- No bucket, no water, no mess
- No rinsing -and/or- wringing -and/or- buckets
- On board cleaner makes mopping easy
- Quick [and easy] [wood floor cleaner]
- Quick [and easy] cleaner for all floor types
- Quicker, easier, cleaner
- Real mopping made easy
- Refill for Clorox™ ReadyMop™ Mopping System
- Sparkling clean floors in half the time
- Specially formulated cleaning solution
- The [convenient] [easy] way to clean
- The [convenient] [easy] way to mop
- The clean you expect from Clorox
- Trigger action



R0533-4

7/13

Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~text~~) means removed.

EPA Reg. No. 5613-75 Clorox Trapeze Page 4 of 10

**GENERAL CLAIMS Continued**

**Surface Safety:**

- [All-in-one] cleaner for all floor types
  - Advanced floor cleaner for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors -or- all floor types [including wood]
  - Antibacterial floor cleaner for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], and finished wood floors
  - Antibacterial floor cleaner for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
  - Bleach-free formula
  - Color safe
  - Color safe, won't harm floors
  - Contains no abrasives
  - Contains no bleach
  - Do not use on visibly worn, unfinished, unsealed, oiled or waxed wood floors
  - Does not contain bleach
  - For use on both white and colored hard surfaces
  - Great for [kitchens] [bathrooms]
  - Great for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
  - Heavy duty floor cleaner for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
  - Heavy duty -or- powerful floor cleaner
  - Nonabrasive formula [Will not scratch surfaces]
  - Not recommended for use -or- do not use on [visibly] unsealed, unfinished, oiled or waxed wood floors
  - Safe for laminate [(i.e., Pergo® flooring, Wilsonart® flooring)] and finished wood floors
  - Safe for -or- cleans all floor surfaces [including wood]
  - Safe for -or- gentle on wood -or- your wood floors [with the cleaning power of Clorox®]
  - Safe for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
  - Safe for use on -or- safe for colored surfaces
  - Specially formulated for wood floors
  - Wood care [formula] [cleaning solution]
  - Wood-safe [formula] [cleaning solution]
- [Pergo® is a registered trademark of the Pergo Corporation]  
 [Wilsonart® is a registered trademark of Wilsonart International]


**Scent:**

- Fresh [clean] scent -or- fragrance
- Fresh -or- Citrus -or- Orange scent
- Freshens floors
- Freshens your [home] [kitchen] [bathroom]
- Lemon Fresh scent -or- fragrance
- Meadow Fresh scent -or- fragrance
- Orange Energy! [scent -or- fragrance]
- Rain Clean scent -or- fragrance

**Other:**

- As you mop, the Advanced Floor Cleaner quickly dissolves dirt and grease while the Absorbent Cleaning Pad [absorbs and] traps the dirty liquid.
- Brightens floors
- Dries quickly
- Economy size
- Fast drying
- Leaves no [dull or sticky] residue
- No need to rinse
- No rinsing required
- No-rinse [cleaning solution] [formula]
- Patented design bottle
- Patented formula
- Ready to use; no need to add water
- Value size

R0533-4



Note: ***Bold, italicized text is information for the reader and is not part of the label.*** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~\*\*\*~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 5 of 10

### SANITIZATION CLAIMS

- An effective sanitizer for use [in -or- on] [bathroom] [kitchen] [floor(s)]
- Antibacterial [cleaner -or- action -or- formula]
- Antibacterial floor cleaner
- Antibacterial kitchen and bathroom floor cleaner
- Bactericide† -or- Bactericidal†
- Bathroom [floor] sanitizer
- Cleans and sanitizes in one easy step
- Cleans -or- shines -or- sanitizes washable kitchen -and/or- bathroom floors
- Fast acting [floor] sanitizer [cleaner]
- Floor sanitizer
- Germ† -or- bacteria† fighting [formula]
- Germicide† -or- Germicidal†
- Helps prevent cross-contamination of bacteria -or- germs from one area of the floor to another
- Home -or- household [floor] sanitizer -and/or- cleaner
- Kills [99.9% of] common household germs -or- bacteria on floors within 30 seconds
- Kills [99.9% of] Staphylococcus aureus (Staph) -and/or- Salmonella choleraesuis (Salmonella) -and/or- Enterobacter aerogenes
- Kills [common] [household] bacteria -or- germs [and sanitizes [without bleaching]]
- Kills [more than] 99.9% of [common] household germs -or- bacteria [on frequently used floors]
- Kills 99.9% of [common] household germs -or- bacteria: Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella) and Enterobacter aerogenes
- Kills 99.9% of bacteria† -or- germs† on [your] floor(s)
- Kills 99.9% of the following organisms -or- germs -or- bacteria [in 30 seconds]: Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella) and Enterobacter aerogenes
- Kills bacteria commonly -or- typically found on the floor [Staphylococcus aureus (Staph) -and/or- Salmonella choleraesuis (Salmonella) -and/or- Enterobacter aerogenes]
- Kills bacteria† while it cleans and sanitizes
- Kills germs† -or- bacteria† [while it cleans]
- Kills germs† -or- bacteria† in 30 seconds
- Kills germs† -or- bacteria† in kitchens and bathrooms
- Kills odor causing bacteria -or- germs [in -or- on] [kitchen] [bathroom] [floor(s)]
- Kills Staphylococcus aureus (Staph) -and/or- Salmonella choleraesuis (Salmonella) -and/or- Enterobacter aerogenes found on the floor
- Kitchen [floor] sanitizer
- Leaves floors sanitary
- Leaves floors sanitized
- Leaves surfaces [floors] sanitized
- No-rinse [sanitizing] [antibacterial] formula
- One step [floor] cleaner and sanitizer
- One step [floor] cleaning and sanitizing
- Proven effective against -or- kills Staphylococcus aureus (Staph) -and/or- Salmonella choleraesuis (Salmonella) -and/or- Enterobacter aerogenes [in 30 seconds]
- Sanitizer [for household use]
- Sanitizes [bathroom] [kitchen] surfaces in 30 seconds
- Sanitizes [nonporous] floors
- Sanitizes and cleans your [home] [bathroom] [kitchen] floors
- Sanitizes -and/or- cleans nonporous [hard] [solid] floors
- Sanitizes floor surfaces
- Sanitizes in 30 seconds
- Sanitizes surfaces
- Sanitizing [formula]
- Sanitizing advanced floor cleaner
- This product is a cleaner/sanitizer combining cleaning, sanitizing and stain removal in one product
- This product is a sanitizer according to the Non-Food Contact Sanitizer method in 30 seconds [on floors]

### Deodorizing:

- Deodorizes [floors]
- Deodorizing
- Eliminates food odors [like garlic and onion] left behind on floors
- Eliminates odors caused by bacteria† -or- germs† [commonly found on floors]
- Kills [99.9% of] odor causing bacteria
- Reduces odors caused by bacteria†
- Removes -or- prevents -or- eliminates odors [caused by germs† -or- bacteria†]
- Sanitizes and deodorizes by killing common household germs and controlling their odors

† Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella), Enterobacter aerogenes



Note: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~xxx~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 6 of 10


**FIRST AID:**

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling [a poison control center or doctor,] or going for treatment.

Clorox Information Line: 1-877-276-6725

**[Storage and Disposal:]**

Store out of reach of children. Keep -or- Protect liquid from freezing. Bottle: Offer empty bottle for recycling. If recycling is not available, discard bottle in the trash. Carton: Offer empty carton for recycling. If recycling is not available, discard carton in the trash. [Pads: Dispose of pads in trash. Do not dispose of pads in toilet.]



Mfd. for & ©2002 The Clorox Company,  
 Oakland, California 94612 Made in U.S.A.  
 EPA Reg. No. 5813-75  
 EPA Est. No. 58455-IN-2, 5813-GA-1  
 Actual EPA Est. No. in batch code.

**PACKAGING NOTES**

*This product will be available in many executions including a "Starter Kit".  
 In instances where the liquid is enclosed in another package,  
 the following label elements will be included on the exterior package:*

**Front Panel:**

- *The product's name(s)*
- *"Keep Out of Reach of Children"*
- *Referral to first aid statement such as: "See back panel for first aid instructions -or- statement"*
- *Net content statement*
- *The ingredient statement*

**Back or Side Panel:**

- *First aid statement*
- *Directions for use or referral to read product label for use directions*
- *EPA Registration number*
- *EPA Est. Number for the final packer*
- *The Company name and address: Mfd. for -or- Mfd. by -or- Dist. by Clorox*

**It's all together!**

The revolutionary Clorox™ ReadyMop™ Mopping System brings together everything you need to clean your floors. The trigger on this specially designed mop lets you control exactly how much cleaner you want to use, and the swivel head gives you the maneuverability to reach all of those hard to clean or reach places.

The ready-to-use Advanced Floor Cleaner is formulated to quickly dissolve dirt and grease. Because the cleaner is on board, you don't have to fill a bucket with water or mix your own solution. No rinsing is required. Each bottle of cleaner should last about 2 to 3 months under normal use.

The specially designed Absorbent Cleaning Pad uses capillary action to take the dirty liquid away from your floor and trap it so you can throw the entire mess away when you are done. Avoid the drudgery of wringing out a soaked, dirty mop!

**Starter Kit Includes:****1 ReadyMop™ Mop**

- Trigger action: allows you to control where the cleaner goes and how much you use
- Swivel head: lets you reach places other mops can't
- Light weight
- Ready to go
- Easy to store

**1 24 oz bottle of Advanced Floor Cleaner**

- Ready to use: no need to add water
- No rinsing required
- Dissolves dirt and grease quickly
- Fresh scent
- Great for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
- Safe for use on colored surfaces
- Each bottle lasts about 2 to 3 months under normal use
- Safe for wood
- Contains no bleach

**8 Absorbent Cleaning Pads**

- Disposable: start with a fresh clean pad every time
  - Absorbs and traps dirt and grease
  - Great for tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors
- or-
- Starter Kit Includes:**  
 1 ReadyMop™ Mop  
 1 Bottle of Clorox® Trapeze \_\_ Net Wt.  
 8 [Absorbent disposable Cleaning] Pads

[Pergo® is a registered trademark of the Pergo Corporation]

[Wilsonart® is a registered trademark of Wilsonart International]

10/13

Note: Bold, Italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Underlined text is new. Strike-through (new) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 7 of 10

**Fold Out Booklet -or- Label for TRAPEZE Bottle**

Location of text and/or number of panels may change as required for printing

**(Front Panel)**

# CLOROX® TRAPEZE

**KEEP OUT OF REACH OF CHILDREN**

(See inside -or- back panel for first aid statement)



Contains No Bleach

NET CONTENTS \_\_\_\_\_

ACTIVE INGREDIENT:

Poly(hexamethylenebiguanide) hydrochloride

0.10%

OTHER INGREDIENTS: 99.90%

TOTAL: 100.00%

SEE CLAIMS FROM MASTER LABEL

**CLOROX® TRAPEZE**  
(This panel adhered to bottle)

**FIRST AID:**

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling [a poison control center or doctor,] or going for treatment.

Clorox Information Line: 1-877-276-6725

**[STORAGE AND DISPOSAL:]**

Store out of reach of children. Keep -or- Protect liquid from freezing. Bottle: Offer empty bottle for recycling. If recycling is not available, discard bottle in the trash. Carton: Offer empty carton for recycling. If recycling is not available, discard carton in the trash. [Pads: Dispose of pads in trash. Do not dispose of pads in toilet.]

Mfd. for & ©2007  
The Clorox Company  
Oakland, CA 94612  
Made in U.S.A.  
EPA Reg. No. 5813-75  
EPA Est. No. 58455-IN-2, 5813-CV-1  
Actual EPA Est. No. in batch code

**OPEN FOR BOTTLE REPLACEMENT DIRECTIONS**

**LIFT FOR DIRECTIONS**

(Refer to brochure -or- back for complete directions for use.)

ATTENTION: While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.



ATTACH BOTTLE CONNECTOR TO BOTTLE



ATTACH NOZZLE



INSERT CLEANER BOTTLE



ATTACH PAD

For label: Place this side of the bottle against the pole.

**[Refill:]**

**Removing the Cleaner Bottle**

ATTENTION: While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.



1. Remove bottle by pulling straight up



2. Slide nozzle off mop head; pass nozzle back through opening on mop head



3. Unscrew bottle connector from old bottle

Note: Nozzle and connector may drip a little, but cleaner will not harm colored surfaces or fabrics.



1. Remove cap from new bottle; then tightly screw bottle connector to bottle



2. Thread nozzle through opening on mop head; slide nozzle into place



3. Insert bottle upside down into bottle holder with [Clorox® TRAPEZE] [front] label facing out; push down until bottle clicks in place

**USING THE CLOROX™ READYMOP™ IS EASY!**

(Refer to brochure -or- back for complete directions for use.)



Just Squirt



Mop



Toss

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHEN CHANGING CLEANERS, DRAIN [OR REMOVE] THE OLD CLEANER FROM HOSE [OR TUBE] BEFORE INSTALLING NEW BOTTLE -OR- CLEANER.

DO NOT REFILL BOTTLE OR MIX [OR DILUTE] [CLOROX® TRAPEZE] WITH ANY OTHER CLEANING SOLUTION.

**To clean:**

Pull trigger to dispense liquid. While mopping, spread liquid uniformly over floor with pad.

**To sanitize [and/or deodorize] [and/or kill common household germs] -or- bacteria[1]:**

~~Pull trigger to dispense liquid. While mopping, spread liquid uniformly over floor with pad.~~

~~Pull trigger to dispense enough liquid to spread uniformly over the floor while mopping.~~ Treated surface must remain visibly wet for 30 seconds before air drying. [For wood floors, use the specially designed Clorox™ ReadyMop™ Absorbent Cleaning Pads to dry floor thoroughly after 30 seconds.]

**[Note:**

For best results, vacuum or sweep up large crumbs and dust before using the Clorox™ ReadyMop™ Mopping System. For stubborn stains and tougher jobs, apply more Floor Cleaner to your floor surface.]

**Note:**

Not recommended for use on visibly worn, unsealed, unfinished, waxed or oiled wood floors. If uncertain about your wood floor's finish, test an inconspicuous area prior to use. When using on wood floors, avoid letting cleaner puddle in an area and avoid prolonged contact of the cleaner on the floor surface. [Use the specially designed Clorox™ ReadyMop™ Absorbent Cleaning Pads to dry [wood] floors thoroughly.]

[This] [Sanitizing] cleaner -or- product -or- Clorox® TRAPEZE is a specially designed, no mixing, no rinsing solution for use with the Clorox™ ReadyMop™ Mopping System. Use of any other cleaning solution not certified by the Clorox™ ReadyMop™ Mopping System (including other Clorox products) may cause clogging or other damage [to the mopping system] and may void your warranty. Mixing any other cleaning solution with Clorox® TRAPEZE may not result in 99.9% bacteria[1] kill -or- may reduce product efficacy.

[No bucket, no water, no mess. By the time you are done, the floor is practically dry.]

The Clorox™ ReadyMop™ Mopping System is light, compact and easy to store. Leave the Advanced Floor Cleaner in the ReadyMop™ for the next time you clean. Store out of reach of children. Just replace the Absorbent Cleaning Pad and you are ready to go.

**AVOID ACCIDENTS:** Floors may be slippery when wet.

1 Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella), Enterobacter aerogenes

11/13

Note: Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.]  
 Underlined text is new. Strike-through (~~new~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 8 of 10

**Informational Brochure for CLOROX® TRAPEZE Mopping System**

**Cover Page**

**EASY ASSEMBLY -OR- SET-UP**

Thank you for purchasing the Clorox™ ReadyMop™ Mopping System. Please take a few minutes to review this brochure before using this product for the first time. Keep this brochure handy for future reference on replacing the Absorbent Cleaning Pads and Advanced Floor Cleaner.

- Always use Clorox™ ReadyMop™ Mopping System products in the Clorox™ ReadyMop™ Mopping System. Use of any other cleaning solution not certified by the Clorox™ ReadyMop™ Mopping System (including other Clorox products) may cause clogging or other damage [to the mopping system] and may void your warranty.
- For best results, start with a fresh new Clorox™ ReadyMop™ Absorbent Cleaning Pad before each cleaning.

**ATTENTION:** While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.

**ASSEMBLING THE MOP**

- 1. ATTACH BOTTLE HOLDER [TO MOP HEAD]**  
Push the bottle holder down onto the mop head until it clicks in place.
- 2. ATTACH MIDDLE POLE SEGMENT**  
Twist either end of the middle pole segment into the bottle holder, turning it clockwise until the pole locks in place.  
-or-  
Twist pole segments together tightly.
- 3. ATTACH HANDLE**  
Twist the handle section onto the rest of the mop and turn it clockwise until the handle locks in place.]

**ATTACHING THE FLOOR CLEANER BOTTLE**

- 4. ATTACH BOTTLE CONNECTOR [TO BOTTLE]**  
Remove the cap from the new bottle; then tightly screw the bottle connector to the bottle.
- 5. THREAD NOZZLE**  
Pass the nozzle through the opening on the mop head.
- 6. ATTACH NOZZLE**  
Slide the nozzle onto the front of the mop head.
- 7. INSERT [CLEANER -OR- SANITIZER] BOTTLE**  
Insert the bottle upside down into the bottle holder with the front label facing out. Push down until the bottle clicks in place.

To remove the cleaner bottle, pull the bottle straight up; then remove the nozzle from the mop head and unscrew the bottle connector from the bottle. Be sure to save the bottle connector for use with your next bottle of Clorox™ ReadyMop™ Advanced Floor Cleaner.

**ATTACHING THE ABSORBENT CLEANING PAD**

- 8. SET MOP ON PAD**  
Place the pad on the floor (printed side facing up); then place the mop head on the center of the pad as shown.
- 9. ATTACH PAD**  
Push the pad into each of the four grippers.

To remove the dirty pad, pull up on the pad corners and discard in the trash. Do not dispose of pads in the toilet. Replace the pad by repeating the instructions above.

**EASY ASSEMBLY -OR- SETUP:** (Refer to [brochure -or-] back for complete directions for use.)



ATTACH BOTTLE HOLDER TO MOP HEAD



TWIST POLE SEGMENTS



ATTACH BOTTLE CONNECTOR TO BOTTLE



ATTACH NOZZLE



INSERT CLEANER BOTTLE



ATTACH PAD

Note: **Bold, italicized text** is information for the reader and is not part of the label. [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~text~~) means removed.

EPA Reg. No. 5813-75 Clorox Trapeze Page 9 of 10

**[Refill:]****Removing the Cleaner Bottle**

**ATTENTION:** While removing or attaching nozzle, hold mop pole securely to prevent it from falling. If pole falls, fingers may be pinched in opening on mop head.



1. Remove bottle by pulling straight up.



2. Slide nozzle off mop head; pass nozzle back through opening on mop head.



3. Unscrew bottle connector from old bottle.

Note: Nozzle and connector may drip a little, but cleaner will not harm colored surfaces or fabrics.

**Attaching the Cleaner Bottle**

1. Remove cap from new bottle; then tightly screw bottle connector to bottle.



2. Thread nozzle through opening on mop head; slide nozzle into place.



3. Insert bottle upside down into bottle holder with [Clorox® TRAPEZE] [front] label facing out; push down until bottle clicks in place.

**Remaining Text****FREQUENTLY ASKED QUESTIONS**

**Q. What do I do if little or no cleaner comes out when I pull the trigger?**

A. When you first attach a new bottle of Floor Cleaner to the mop, you may have to pull the trigger several times to begin the flow of cleaner through the nozzle. If the problem persists, check to make sure that all of the pieces of the mop are tightly assembled and that the cleaner bottle is clicked into place in the bottle holder. Also, make sure that the nozzle has been properly threaded through the opening in the mop head and is clicked securely in place on the front of the mop head. Finally, check to see if the pad is blocking the nozzle, and make sure that the cleaner bottle is not empty.

**Q. What should I do if my mop leaks?**

A. Check to see that the bottle connector is screwed on tightly to the bottle. Also make sure that the pad is not blocking the nozzle and that the nozzle is clicked securely in place on the front of the mop head.

**Q. How much cleaner should I use? How long will one bottle of cleaner last?**

A. One of the special features of the Clorox™ ReadyMop™ Mopping System is that the trigger allows you to control the amount of cleaner you use on your floors. For tough stains, use more cleaner and allow it to sit on the stain for a few seconds before mopping. Under normal usage conditions, each 24 oz. bottle of Floor Cleaner should last between 2 to 3 months.

**Q. Does the Advanced Floor Cleaner contain bleach?**

A. The Advanced Floor Cleaner does not contain bleach and is safe for colored surfaces.

**Q. Can I use other cleaners in my ReadyMop™ Mopping System?**

A. No. ReadyMop™ Floor Cleaners are special, no mixing, no rinsing solutions for use with the Clorox™ ReadyMop™ Mopping System. Use of any other cleaning solution not certified by the Clorox™ ReadyMop™ Mopping System (including other Clorox products) may cause clogging or other damage (to the mopping system) and may void your warranty.

**Q. On what surfaces can I safely use my ReadyMop™ Mopping System?**

A. The Clorox™ ReadyMop™ Mopping System is designed for use on tile, vinyl, linoleum, marble, laminate [(i.e., Pergo® flooring, Wilsonart® flooring)], sealed and finished wood floors. If you are unsure about whether or not to use the ReadyMop™ on a particular surface, test it on a small inconspicuous area before cleaning your entire floor.

**Q. How often should I change the Absorbent Cleaning Pads?**

A. For best results, we recommend that you start with a fresh, new Absorbent Cleaning Pad before each cleaning.

**Q. How do I store my ReadyMop™ Mopping System? Can I leave a full bottle of Advanced Floor Cleaner in the mop?**

A. You may store the mop with the Advanced Floor Cleaner attached so you are always ready to go. The small hole on the top of the handle is designed for hanging the ReadyMop™ Mopping System. Store out of reach of children.

Questions or comments? Call toll-free:

1-877-276-6725 or visit us on the web at [www.readymop.com](http://www.readymop.com)

[Pergo® is a registered trademark of the Pergo Corporation]

[Wilsonart® is a registered trademark of Wilsonart International]

13/13

Note: ***Bold, italicized text is information for the reader and is not part of the label.*** [Bracketed information is optional text.]  
Underlined text is new. Strike-through (~~) means removed.~~

EPA Reg. No. 5813-75 Clorox Trapezoid Page 10 of 10

**Remaining Text Continued**

**LIMITED ONE-YEAR WARRANTY**

The Clorox Company (Warrantor) warrants your Clorox™ ReadyMop™ Mopping System for one year from the date of purchase against all defects in materials and craftsmanship when used in compliance with the Instructions For Use. If for any reason the ReadyMop™ proves to be defective within one year from the date of purchase, call Clorox Consumer Services at 1-877-276-6725 and we will, at our discretion, replace the defective part or the entire product free of charge. Because the ReadyMop™ has not been tested with cleaners other than those designed specially for the ReadyMop™, the Warrantor assumes no liability for damages resulting from the use of non-ReadyMop™ cleaning

solutions. This warranty gives you specific legal rights and you may also have other legal rights that vary from state to state. The Warrantor assumes no responsibility for incidental or consequential damages, or for damages arising out of misuse of the product or the use of any unauthorized attachments or cleaning solutions. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Should service be required during or after the warranty period or should you have any questions regarding how to use your ReadyMop™ Mopping System, please call Clorox Consumer Services at 1-877-276-6725.

**IMPORTANT INFORMATION**

Note: Nozzle and connector may drip a little, but cleaner will not harm colored surfaces or fabrics.

Note: If you are unsure about whether or not to use the ReadyMop™ on a particular surface, test it on a small, inconspicuous area before cleaning your entire floor.

- Not recommended for use on visibly worn, unsealed, unfinished, waxed or oiled wood floors
- When using on wood floors, avoid letting cleaner puddle in an area and avoid prolonged contact of the cleaner on the floor surface
- Use the specially-designed Clorox™ ReadyMop™ Absorbent Cleaning Pads to dry wood floors thoroughly

Clorox, ReadyMop and Orange Energy are trademarks of The Clorox Company

R0533-4

