

NET WEIGHT 20 POUNDS

# Gentle Tiger



## WEED KILLER AND LAWN FOOD 10-6-4



### DIRECTIONS

#### APPLYING

Apply to the soil in a broadcast or band application. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.

#### TIME OF APPLICATION

Apply to the soil in a broadcast or band application. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.

#### FOLLOW-THRU

Apply to the soil in a broadcast or band application. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.

#### CAUTION

1. Apply to the soil in a broadcast or band application. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.
2. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.
3. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.
4. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.
5. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.
6. Do not apply to the surface of the lawn or spread by using some type of marker or spreader.

STADLER FERTILIZER

GRAND RAPIDS, OHIO 41522

*Colonial  
Green*



**WEED KILLER**

**AND**

**LAWN FOOD**

CAUTION

**COVERS 5000 SQ. FT.**

NON-BURNING  
WHEN USED AS DIRECTED

*Colonial  
Green*



**WEED KILLER  
AND  
LAWN FOOD**

CAUTION

**COVERS 5000 SQ. FT.**

NON-BURNING  
WHEN USED AS DIRECTED

NET WEIGHT 20 POUNDS

# Colonial Green



## WEED KILLER AND LAWN FOOD

### 10-6-4

### DIRECTIONS

#### APPLYING

Product should be applied with a good spreader at rate of 4 lbs. per 1000 square feet. Avoid overlap of spreading by using some type of marker to indicate covered area.

#### TIME OF APPLICATION

Most hard leaf weeds will be controlled by applying when ground is moist and weeds are growing rapidly. For best results, apply several days after mowing. Then do not cut grass for several more days.

Controls these and many other broadleaf weeds:  
Purslane • Dandelions      Buckhorn • Plantain

#### FOLLOW-THRU

Sometimes weed infestation will result a complete kill. A follow up application is required if desired results are not obtained in 6 to 8 weeks after first application and will also control new weed growth.

#### CAUTION

- 1 - Apply on calm days.
- 2 - Thoroughly clean all equipment used.
- 3 - Do not use on bent or clover.
- 4 - Do not store near other fertilizer, seed, insecticides or fungicides.
- 5 - Heavier applications than recommended may be harmful.

Avoid contact with skin, eyes, nose, mouth, clothing, or other parts of body. Wash hands and face after use. Avoid contact with skin, eyes, or clothing. Contaminated water for domestic use.

Do not reuse container. Destroy when empty.


#### SPREADER SETTINGS

Cyclone .....	4 1/4	Lawn Beauty .....	6
Scotts .....	6 1/2	Cross Country (Sears) .....	7

Manufactured by

### STADLER FERTILIZER

GRAND RAPIDS, OHIO 43822



*Handwritten note:* 10-6-4

# Green Maker



LIGHTWEIGHT

## WEED KILLER

AND

## LAWN FOOD



CAUTION


Read Instructions  
for Application and  
Precautions

**COVERS 5000 SQ. FT.**

**NON-BURNING**  
WHEN USED AS DIRECTED

NET WEIGHT 20 POUNDS

# Green Maker



## WEED KILLER AND LAWN FOOD 10-6-4

### DIRECTIONS

#### APPLYING

Product should be applied with a good spreader at rate of 4 lbs. per 1000 square feet. Avoid overlap of spreading by using some type of marker to indicate covered area.

#### TIME OF APPLICATION

Most broad leaf weeds will be controlled by applying when ground is moist and weeds are growing rapidly. For best results, apply several days after mowing. Then do not cut grass for several more days.

Controls these and many other broadleaf weeds:  
Purslane - Dandelions      Buckhorn - Plantain

#### FOLLOW-THRU

Sometimes weed infestation will resist a complete kill. A follow up application is desirable if desired results are not obtained in 6 to 8 weeks after first application and will also control new weed growth.

#### CAUTION

- 1 - Apply on calm days.
  - 2 - Thoroughly clean all equipment used.
  - 3 - Do not use on bent or clover.
  - 4 - Do not store near other fertilizer, seed, insecticides or fungicides.
  - 5 - Heavier applications than recommended may be harmful.
  - 6 - Never apply in new seed beds or to newly planted grasses until after several months of growth.
- Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Contamination of water for domestic use.

Do not reuse container. Destroy when empty.

#### SPREADER SETTINGS

Cyclone .....	4 1/4	Lawn Beauty .....	6
Scotts .....	6 1/2	Cross Country (Sears) .....	7

Manufactured by  
**STADLER FERTILIZER**  
GRAND RAPIDS, OHIO 43882



ACCEPTED  
 APR 23 1972  
 RECEIVED  
 10 AM

*Back*