

Green Beauty

ACCEPTED
JUL 19 1966
5815-16



Lightweight

WEED KILLER and

LAWN FOOD

COVERS 5000 SQ. FT.

with
chlorophyll
for
photographic
purpose

CAUTION Keep Out of Reach of Children
(See Back Panel for Additional Cautions)

GUARANTEED ANALYSIS	
Active Ingredients:	
2,4-Dichlorophenoxyacetic Acid	1.00%
Iron Sulfate	19.00%
Total	20.00%
Equivalent to 2,4-Dichlorophenoxyacetic Acid	0.33%
USDA Reg. No. 5815-16	

LAWN FOOD

COVERS 5000 SQ. FT.

CAUTION Keep Out of Reach of Children
(See Back Panel for Additional Cautions)

GUARANTEED HERBICIDE

Active Ingredients:

*Dimethylamine Salt of
2, 4-Dichlorophenoxyacetic Acid 1.50%

Inert Ingredients: 99.00%

Total 100.00%

*Equivalent to 2, 4-Dichlorophenoxy-
acetic Acid 0.83%

U.S.D.A. Reg. No. 5815-16

Cameraman's Note

Poor Copy

with
chips
in
graphic
es

NET WEIGHT 20 POUNDS

Green Beauty

WEED KILLER

AND

LAWN FOOD

10-6-4

COVERS UP TO 5000 SQUARE FEET

100% GUARANTEED ANALYSIS

Nitrogen (N) 10.00%
 Available Phosphoric Acid (P₂O₅) 6.00%
 Soluble Potash (K₂O) 4.00%

Best results can be obtained if applied when the grass is damp and temperature is warm in spring, early summer or fall. Do not apply when conditions are hot, dry or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications.

Not recommended for use on Carpetgrass, Bentgrass, Dichotyla, Centipede grass, St. Augustine grass, or lawns where weeds are present or desired, or on new lawns. Apply on a calm day, avoid drift to or contact with vegetables, flowers or shrubs. Vegetables from this product may be more susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. Do not store near other fertilizer, see insecticides, or fungicides. Spread evenly and avoid clumping.

Keep out of reach of children

- Avoid contact with skin, eyes and clothes
- Do not take internally
- Avoid breathing dust

SPREADER SETTINGS

Stadler's Triple XXX 7 Lawn Beauty 5
 Scotts 5 1/2 Cross Country, Scots 6

Spreader setting may vary with age, make, and condition of spreader. Make a trial check in a small test area of 100 square feet with 4 pounds of this product. Avoid overlap.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use, or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its use as such, or in combination with other materials.

Manufactured by
THE STADLER FERTILIZER CO.

Grand Rapids, Ohio 43522

ACCEPTED
 6-7-71
 FEDERAL INSTITUTE
 OF PURE AND APPLIED CHEMISTRY
 5915-11

